43" Class LED 22" Class LED 24" Class LED 28" Class LED HG43NE590SF HG22NE690ZF HG24NE690AF HG28NE690AF


entertainment

32" Class LED 40" Class LED 50" Class LED 55" Class LED HG32NE690BF HG40NE690BF HG50NE690BF HG55NE690BF 60" Class LED 65" Class LED HG60NE690EF HG65NE690EF



Samsung SMART TV

SMART TV delivers the ultimate in guest



>Help Mavigation>


utube Twitter Picas

Hospitality TV sales:

1-888-727-2664 | 1-866-SAM4BIZ samsung.com/business samsung.com/b2bhospitalitytvs

Follow us

youtube.com/samsungbizusa



590/690 Series Hospitality TVs

Technology that delivers a premium at-home, in-room experience

Whether it's a casual vacationer or a seasoned business traveler, today's guests demand a premium at-home, in-room entertainment experience. Samsung, the leader in flat panel technology, delivers yet again with the Samsung 590/690 Series. Each display is a SMART TV, giving guests a whole new level of interactivity. With SMART TV, guests can watch movies and TV shows from streaming services, instantly check Facebook, Twitter and Skype to stay connected, and even push content from their personal devices to the big screen. And the 590/690 Series features direct-lit LED technology, for all the benefits of LED at a lower cost. It's innovation that delivers the complete platform for premium in-room entertainment.

SAMSUNG

Key features



Premium slim direct-lit LED technology

Direct-lit LED technology provides the brilliance and energy savings advantages of LED technology, along with the uniform brightness typical of CCFL displays. And it does it all with an efficiency that makes it a more affordable technology. In fact, it's possible to upgrade your rooms to LED technology for a cost comparable to CCFL technology.



Samsung LYNK™ REACH 4.0 content management solution

Samsung's LYNK REACH 4.0 fuses the benefits of its SINC and REACH hospitality technologies to offer a comprehensive content management solution. LYNK REACH 4.0 enhances the guest experience with efficiencyenhancing technology and perks ranging from more information delivery channels to convenient communication options and efficient room management. As a unified content management solution, LYNK REACH 4.0 accommodates LAN, WIFI and coaxial infrastructures to amplify hotel management, monitoring and guest service functions. Transferred by proprietary management server (PMS) and customized templates, hospitality users can create and deliver personalized service for a more memorable experience. This includes access to a range of IP channels and RF channels, applications and services mirroring what guests expect at home and on their mobile devices. LYNK REACH 4.0 additionally enables two-way communication between hotel management and guests. The solution's efficient remote control capability for in-room display ensures quality service delivery in real time without in-room labor and maintenance.



H-Browser compatibility

The Samsung 590/690 Series offers H-Browser through partnerships with certified system integrators, providing guests with a premium interactive experience. Built on the HTML5 standard with Flash® support, H-Browser is a true Smart TV solution that features both free and video on demand (VOD) content. It is able to interface directly with the head end without the use of a set top box.



Mobile device integration using Smart View

Samsung Smart View lets you seamlessly share content across your DLNA-connected Samsung devices, which includes WiDi, without the need for a network cable or a connecting device. Samsung Smart View allows screen mirroring and video streaming to enable seamless content sharing.

Samsung 590/690 Series Hospitality TVs

Samsung Hospitality TVs are loaded with features that provide premier guest satisfaction, while making your job easier.

Hospitality features

Anti-theft battery cover

Battery door is secured, ensuring batteries remain in the remote controller.

Channel remapping

Allows the hotelier to change channel and TV source to a different channel.

Clock on timer and alarm key

Allows the guest to program the TV to turn on as a wake-up alarm.

Closed captioning

A text display of all audio content, including spoken dialog and non-speech information such as the identity of the speakers and symbols for sound effects and music.

Hotel channel list

Guest master channel listing of program content. This will display content in analog or HD.

Hotel logo display with time out setting

Display hotel logo bitmap files as a greeting startup display.

Hotel mode plug & play

Interactive stand-alone mode available.

Lockout controls

The hotelier can enable front panel and menu display lock-outs.

On screen display language

Choose English/French/Spanish.

Picture-in-picture

Display one program while another is being displayed on the full TV screen at the same time.

Power on status setting

Settings include power always on, last option or standby.

Multi-code remote

Eliminates interference when two or more TVs are used in close proximity to each other.

Samsung LYNK™ REACH 4.0 content management solution

Samsung's LYNK REACH 4.0 fuses the benefits of its SINC and REACH hospitality technologies to offer a comprehensive content management solution. LYNK REACH 4.0 enhances the guest experience with efficiency-enhancing technology and perks ranging from more information delivery channels to convenient communication options and efficient room management. As a unified content management solution, LYNK REACH 4.0 accommodates LAN, WIFI and coaxial infrastructures to amplify hotel management, monitoring and guest service functions. Transferred by proprietary management server (PMS) and customized templates, hospitality users can create and deliver personalized service for a more memorable experience. This includes access to a range of IP channels and RF channels, applications and services mirroring what guests expect at home and on their mobile devices. LYNK REACH 4.0 additionally enables two-way communication between hotel management and guests. The solution's efficient remote control capability for in-room display ensures quality service delivery in real time without in-room labor and maintenance.

Sleep time

Allows guest to set TV turn-off time in 30-minute intervals up to 180 minutes.

USB cloning

A quick and easy way to copy the ideal settings off one television to others on the property. Saves time and helps provide a consistent viewing experience for all televisions.

Connections

Samsung Smart View

Enjoy your favorite digital content from any of your DLNA-connected Samsung Devices. Samsung Smart View lets you wirelessly access and share content between your Samsung devices regardless of where you are. And there's no need for any cables or connected devices. It's also equipped with cloud technology, so you can upload your favorite content to a central web storage account and access it wherever you are.

Anynet + (HDMI - CEC)

This Samsung protocol allows the user to control other HDMI devices connected to the TV display, such as DVD players, PC computers and Soundbars.

ConnectShare[™] (USB 2.0)

Connect a thumb drive or digital camera quickly and easily. User-friendly interface allows access to videos, a music playlist and pictures via the remote.

Hotel TV (RJ-12/IR pass through)

Allows you to connect an interactive STB/SBB (Set Top Box/Set Back Box).

Hotel TV RJ45

Connection to hotel LAN using custom H-browser or Samsung LYNK SINC.

Interactive compatibility system



Remote Jack Panel (RJP) compatibility

GLINK teleadapt

WiFi®

With built-in WiFi, no additional equipment is needed to connect with an existing wireless router in your hotel network and start accessing Samsung Apps or other Smart TV features.

Picture quality and audio

Auto volume limiter

During initial product setup, minimum and maximum volume levels can be locked to help minimize disturbance to other hotel guests.

Quad Core processor

Quad Core makes multitasking fast. Browse the web faster and quickly. Hotel personnel can easily download apps to the TV.

Full HD 1080p, MPEG4

590/690 Series TVs feature Full HD (excludes 24" and 28" models, which feature 720p resolution). All TVs are also compatible with MPEG4.

Music mode (Input: HDMI/PC/AV/component)

Allows audio feedback when picture is muted.

Music mode backlight on/off

Shows a background display.

Premium slim direct-lit LED technology

Direct-lit LED technology provides the brilliance and energy savings advantages of LED technology, along with the uniform brightness typical of CCFL displays. And it does it all with an efficiency that makes it a more affordable technology. In fact, it's possible to upgrade your rooms to LED technology for a cost comparable to CCFL technology. When you add the energy savings of up to 50% that LED offers over CCFL, you end up with the perfect solution for both you and your guests.

Swivel (90/90) with lockdown

Display pedestal stand rotates with 90/90 degree stops integrated in lockdown mount base. (All models, excluding 22", 24" and 28" models).

Samsung soundbar compatible

Samsung Hospitality Displays enable Soundbar compatibility by supporting HDMI-CEC. When you connect the Soundbar to the Samsung Hospitality Display with an HDMI cable, the TV audio settings and menu lock feature are automatically applied, so you don't have to set up the Soundbar separately. You can also prevent guests from changing the settings. With one single remote, guests can control both the TV and Soundbar simultaneously.

Warranty

2-year parts and 2-year labor warranty backed by Samsung Hospitality Hotline 1-866-894-0524. Optional professional installation, accessories and extended warranty are available.



Samsung 590/690 Series Hospitality TVs





Digital Rights Management (DRM)

Pro:Idiom™ HD content decryption DRM (IP/RF) Pro:Idiomi


The 590/690 Series is equipped with Pro:Idiom™ MPEG4 technology, making the TVs compatible with most major VOD/PPV systems. You can offer your guests premium HDTV content from cable, satellite or video-on-demand services with no optional cards or external box needed.

Samsung LYNK™ HD content decryption DRM (IP/RF)

Samsung's software-based DRM technology is integrated into the entire Samsung 2016 Hotel TV line. Samsung LYNK™ offers a robust solution to unlock premium HDTV content from content providers such as cable, satellite and VOD providers, with maximum efficiency and security. IPTV-IP LYNK is available with REACH 4.0 and H-Browser 3.0.

Verimatrix[™] HD content decryption DRM (IP) verimatrix


IPTV-IP Multicast DRM is used in conjunction with Samsung REACH 4.0. In viewing IPTV channel reliable access to unlock premium HDTV content from content providers such as cable and satellite providers. IPTV-IP LYNK is available with REACH 4.0 and H-Browser 3.0.



Connectivity

HG43NE590SF


- 1. USB (5C 0.5A)
- 2. USB (5C 0.5A) / Cloning
- 3. HDMI In 1
- 4. LAN
- 5. Antenna In (Air / Cable)
- 6. HDMI In 3
- 7. HDMI In 2 (ARC)
- 8. Ex-Link
- 9. Audio Out
- 10. Component / AV In 1
- 11. Data
- 12. Digital Audio Out (Optical)



HG22NE690ZF

- 1. Data
- 2. Ex-Link
- 3. USB (5V 0.5A) / Cloning
- 4. HDMI In 2
- 5. HDMI In 1 (ARC)


- 6. Component / AV In
- 7. Digital Audio Out (Optical)
- 8. Audio Out
- 9. LAN
- 10. Antenna In



HG24NE690AF


- 1. HDMI In 2 (ARC)
- 2. Digital Audio Out (Optical)
- 3. DVI Audio In
- 4. Audio Out

- 5. Ex-Link
- 6. Data
- 7. Antenna In (Air / Cable)
- 8. Component / AV In




HG28NE690AF

- 1. USB (5C 0.5A)
- 2. USB (5C 0.5A) / Cloning
- 3. HDMI In 1
- 4. LAN
- 5. Antenna In (Air / Cable)
- 6. HDMI In 3 (DVI)
- 7. HDMI In 2 (ARC)
- 8. LAN Out
- 9. Ex-Link
- 10. DVI Audio In
- 11. Audio Out
- 12. Component / AV In 1
- 13. Data
- 14. Digital Audio Out (Optical)
- 15. Vol-Ctrl
- 16. Variable Audio Out



HG32NE690BF / HG40NE690BF / HG50NE690BF / HG55NE690BF / HG60NE690EF / HG65NE690EF

- 1. USB (5C 0.5A)
- 2. USB (5C 0.5A) / Cloning
- 3. HDMI In 1
- 4. LAN
- 5. Antenna In (Air / Cable)
- 6. HDMI In 3 (DVI) 7. HDMI In 2 (ARC)
- 8. LAN Out
- 9. Ex-Link
- 10. DVI Audio In
- 11. Audio Out
- 12. Component / AV In 1
- 13. Data
- 14. Digital Audio Out (Optical)
- 15. Vol-Ctrl
- 16. Variable Audio Out



Samsung 590/690 Series Hospitality TVs

		HG43NE590SF	HG22NE690ZF	HG24NE690AF	HG28NE690AF	HG32NE690BF
Display	Backlight	LED	LED	LED	LED	LED
	Screen Size (Diagonal)	43" FHD	22" FHD 1920 x 1080	24" HD	28" HD	32" FHD 1920 x 1080
	HD/FHD Resolution	1920 x 1080	1920 x 1080	1366 x 768	1366 x 768	1920 x 1080
	Picture Engine	HyperReal	HyperHeal	HyperReal Mega Contrast	HyperReal	HyperReal Mega Contrast
	Dynamic Contrast Ratio Viewing Angle (Horizontal/Vertical)	Mega Contrast 178/178	Mega Contrast 178/178	Mega Contrast 178/178	Mega Contrast 178/178	Mega Contrast 178/178
	Wide Color Enhancer (Plus)	Yes	Yes	Yes	Yes	Yes
Audio	Film Mode Dolby Digital Plus	Yes Yes	Yes Yes	Yes Yes	Yes	Yes Yes
Audio	Virtual Surround	Yes	Yes	Yes	Yes Yes	Yes
	D12 Codec	Yes	Yes	Yes	Yes	Yes
	Sound Output (RMS) Speaker Type	20W (L:10W, R:10W) 2CH (Down Firing w/Base Reflex)	6W (L:3W, R:3W) 2CH (Down Firing w/Base Reflex)	10W (L:5W, R:5W) 2CH (Down Firing w/Base Reflex)	10W (L:5W, R:5W) 2CH (Down Firing w/Base Reflex)	20W (L:10W, R:10W) 2CH (Down Firing w/Base F
	Speaker Type Wall Mount Sound Mode	Yes	Yes	Yes N/A	Yes N/A	Yes
	I IV SoundConnect	N/A N/A	N/A N/A	N/A N/A	N/A N/A	Yes
SMART TV	BT Headset Support Smart TV Type Apps Panel	Smart	N/A Smart	N/A Smart	Smart	Yes Smart
	Apps Panel Web Browser	Yes Yes	Yes	Yes	Yes	Yes Yes
Features	Voice Control	N/A	Yes N/A	Yes N/A	Yes N/A	Yes
	Mobile to TV - Mirroring, DLNA Samsung SMART View	Yes Yes	N/A N/A	Yes Yes	Yes Yes	Yes Yes
	Processor Processor	Quad Core	Quad Core	Quad Core	Quad Core	Quad Core
	Accessibility	Voice Guide / Enlarge / High Contrast	Voice Guide / Enlarge / High Contrast	Voice Guide / Enlarge / High Contrast	Voice Guide / Enlarge / High Contrast	Voice Guide / Enlarge / High
	Digital Cleán View Auto Channel Search	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	Auto Power Off	Yes	Yes	Yes	Yes	Yes
	Caption (Subtitle) ConnectShare™ (HDD)	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	ConnectShare™ (USB 2.0)	Yes	Yes	Yes	Yes	Yes
	Sports Mode	Yes	Yes	Yes	Yes	Yes
	EPG Game Mode	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	OSD Language Picture-In-Picture	English, Spanish, French	English, Spanish, French	English, Spanish, French	English, Spanish, French	English, Spanish, French
	BT HID Support	Yes N/A	Yes N/A	Yes N/A	Yes N/A	Yes Yes
	USB HID Support	Yes ASTC/Clear QAM	Yes ASTC/Clear QAM	Yes	Yes	Yes ASTC/Clear QAM
System	Digital Broadcasting			ASTC/Clear QAM	ASTC/Clear QAM	
lity Features	Analog Tuner Samsung LYNK™ SINC Compatibility Samsung LYNK™ HMS Compatibility	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	Samsung LYNK™ HMS Compatibility	N/A	N/A	N/A	N/A	Yes
	H.Browser Samsung IVNK™ REACH /IP / RE	Yes REACH 4.0 / REACH 4.0	Yes REACH 4.0 / REACH 4.0	Yes REACH 4.0 / REACH 4.0	Yes REACH 4.0 / REACH 4.0	Yes REACH 4.0 / REACH 4.0
	Samsung LYNK™ REACH (IP / RF) Samsung LYNK™ REACH RF Modulator Compatibility	Yes	Yes	Yes	Yes	Yes
	Hospitality Home Menu Bluetooth Music Player (Mobile TV)	Home Menu 2015 N/A	Home Menu 2015 N/A	Home Menu 2015 N/A	Home Menu 2015 N/A	Home Menu 2015 Yes
	Hospitality Plug&Play (Easy Setup)	Yes	Yes	Yes	Yes	Yes
	Auto Source Mode	Yes	Yes	Yes	Yes	Yes
	Power On Mode Hotel Channel List	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	Channel Menu Display Mixed Channel List (ATSC, DVB-T/T2/C/S2, Analog)	Yes	Yes	Yes	Yes	Yes
	Mixed Channel List (ATSC, DVB-T/T2/C/S2, Analog) My Channel	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	Energy Saving Mode (BLU Control)	Yes	Yes	Yes	Yes	Yes
	Energy Saving Mode (BLU Control) Logo Display with Timer Out Setting (BMP/Movie)	Yes	Yes	Yes	Yes	Yes
	Welcome Message RJ12 / IR Pass Through	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	Clock Back Up Power Supply	Yes	Yes	Yes	Yes	Yes
	Software Clock Multi Code Remote Control	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	Screwed Battery Cover	Yes	Yes	Yes	Yes	Yes
	Sound Bar Compatibility Music Mode (Input: PC/AV/Component/HDMI)	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	Music Mode Backlight On/Off	Yes	Yes	Yes	Yes	Yes
	USB Cloning	Yes	Yes	Yes	Yes	Yes
	Smoovie Compatibility Soft AP	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	On/Off Timer (Schedule)	Yes	Yes	Yes	Yes	Yes
	Wake-up Timer (Alarm) Samsung LYNK™ DRM	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	Pro:Idiom	Yes	Yes	Yes	Yes	Yes
	Security Mode S/W EPG (Solution EPG)	Yes	Yes	Yes	Yes	Yes
	Wake on LAN (WOL)	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
out & Output	HDMI	1/2 2/0	0/2	1/1 1/0	1/2	1/2 2/0
	USB Companyet in (V/Dh/Dr)	2/0	0/1	1/0	2/0	2/0
	Component In (Y/Pb/Pr) Composite In (AV)	0/1 0/1 (Common Use for Component Y)	0/1 0/1 (Common Use for Component Y)	0/1 0/1 (Common Use for Component Y)	0/1 0/1 (Common Use for Component Y)	0/1 0/1 (Common Use for Comp
	Ethornot (LAM)	1/0	0/1	1/0	1/0	1/0
	Audio Out (Mini Jack / LR) Digital Audio Out (Optical)	0/1 0/1	0/1	0/1 0/1	0/1 0/1	0/1 0/1
	RF In (Terrestrial / Cable Input / Satellite Input)	1/0	0/1	0/1	1/0	1/0
	Ex-Link (RS232C) HDMI A / Return Ch. Support	Common (RJP) Yes	Common (RJP) Yes	Common (RJP)	Common (RJP) Yes	Common (RJP) Yes
	Wireless LAN Built-in	Yes	N/A	Yes	Yes	Yes
	Anynet+ (HDMI-CEC)	Yes	Yes N/A	Yes	Yes	Yes
	Variable Audio Out Variable Audio Out Volume Control	N/A N/A	N/A N/A	N/A N/A	0/1 0/1	0/1 0/1
	RJ12	0/1	0/1	0/1	0/1	0/1
	RJP Jack (For Remote Jackpack) PC/DVI Audio In (Mini Jack)	0/1 N/A	0/1 N/A	0/1	0/1 0/1	0/1 0/1
	Ethernet Bridge (LAN-Out)	N/A	N/A	N/A	N/A	0/1
Design	Front Color	Black	Black	Black	Black	Black
	Stand Type Swivel (Left/Right)	Square 90/90	Round N/A	Square N/A	Square N/A	Square 90/90
Dimensions (W x H x D)	Set Size without Stand - Wall Mount Side (WxHxD) (mm/in)	985.5 x 575.3 x 58.8 /	513.8 x 315.6 x 34.4 /	561.8 x 349.1 x 49.1 /	643.4 x 396.5 x 49.1 /	721.4 x 428.5 x 49.1 /
(W x H x D)	CO. C.L.O WIGHOUT CHAIR WOULD CHUC (WALLAD) (HIHIVIII)	38.8" x 22.6" x 2.3"	20.2" x 12.4" x 1.4"	22.1" x 13.7" x 1.9"	25.3" x 15.6" x 1.9" 643.4 x 396.5 x 62.9 /	28.4" x 16.9" x 1.9"
	Set Size without Stand - Speaker Side (WxHxD) (mm/in)	985.5 x 575.3 x 72.2 / 38.8" x 22.6" x 2.8"	513.8 x 315.6 x 39.9 / 20.2" x 12.4" x 1.6"	561.8 x 349.1 x 66.6 / 22.1" x 13.7" x 2.6"	643.4 x 396.5 x 62.9 / 25.3" x 15.6" x 2.5"	721.4 x 428.5 x 64.9 / 28.4" x 16.9" x 2.6"
Weight		985.5 x 624.2 x 226.5 /	20.2" X 12.4" X 1.6" 513.8 x 350.0 x 123.4 /	561.8 x 384.2 x 163.8 /	643.4 x 435.0 x 163.4 /	721.4 x 465.6 x 192.6 /
	Set Size with Stand (WxHxD) (mm/in)	38.8" x 24.6" x 8.9"	20.2" x 13.8" x 4.9"	22.1" x 15.1" x 6.4"	25.3" x 17.1" x 6.4"	28.4" x 18.3" x 7.6"
	Package Size (WxHxD) (mm/inch)	1162 x 646 x 143 /	588 x 454 x 120 /	743 x 407 x 114 /	815 x 463 x 108 /	899 x 506 x 113 /
		45.7" x 25.4" x 5.6" 7.71 / 17.0	23.1" x 17.9" x 4.7" 3.4 / 7.5	29.3" x 16.0" x 4.5" 4.0 / 8.8	32.1" x 18.2" x 4.3" 3.7 / 8.2	35.4" x 20.0" x 4.4" 5.0 / 11.0
	Set Weight with Stand (kg / lbs)	10.65 / 23.5	3.6 / 7.9	4.2 / 9.3	41/90	64/141
	Package Weight (kg / lbs)	12.8 / 28.2 AC110-120V 60Hz	4.8 / 10.6 AC110-120V 60Hz	5.4 / 11.9 AC110-120V 60Hz	5.6 / 12.3 AC110-120V 60Hz	7.5 / 16.5 AC110-120V 60Hz
Power Accessory	Package Weight (kg / lbs) Power Supply (V) Remote Controller Model	TM1240A	TM1240A	AC110-120V 60Hz TM1240A	AC110-120V 60Hz TM1240A	TM1240A
	Batteries (for Remote Control)	Yes	Yes	Yes	Yes	Yes
	Mini Wall Mount Support	N/A Yes	N/A Yes	N/A Yes	Yes Yes	Yes Yes
	Vesa Wall Mount Support Power Cable	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	Quick Install Guide	Yes	Yes	Yes	Yes	Yes
	Data Cable Stand Mount Kit	Yes Yes	Yes N/A	Yes N/A	Yes Yes	Yes Yes
	Security Screws	Yes	N/A	N/A	Yes	Yes
	Angle Ádaptor (for Side RF tuner)	N/A	N/A	N/A	Yes	N/A

Samsung 590/690 Series **Hospitality TVs**

		HG40NE690BF	HG50NE690BF	HG55NE690BF	HG60NE690EF	HG65NE690EF
Display	Backlight	LED	LED	LED	LED	LED
	Screen Size (Diagonal) HD/FHD	40" FHD	50" FHD	55" FHD	60" FHD	65" FHD
	Resolution	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080	1920 x 1080
Video	Picture Engine Dynamic Contrast Ratio	HyperReal Mega Contrast	HyperReal Mega Contrast	HyperReal Mega Contrast	HyperReal Mega Contrast	HyperReal Mega Contrast
	Viewing Angle (Horizontal/Vertical) Wide Color Enhancer (Plus)	178/178	178/178	178/178	178/178	178/178
	Wide Color Enhancer (Plus) Film Mode	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
Audio	Dolby Digital Plus	Yes	Yes	Yes	Yes	Yes
	Virtuál Surround DTS Codec	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	Sound Output (RMS)	20W (I:10W, R:10W)	20W (I:10W, R:10W)	20W (I:10W, R:10W)	20W(1:10W, R:10W)	20W (L:10W, R:10W)
	Speaker Type Wall Mount Sound Mode	2CH (Down Firing w/Base Reflex) Yes	2CH (Down Firing w/Base Reflex) Yes	2CH (Down Firing w/Base Reflex) Yes	2CH (Down Firing w/Base Reflex) Yes	2CH (Down Firing w/Base Refl Yes
	TV SoundConnect	Yes	Yes	Yes	Yes	Yes
SMART TV	BT Headset Support Smart TV Type	Yes Smart	Yes Smart	Yes Smart	Yes Smart	Yes Smart
	Apps Panel Web Browser	Yes	Yes	Yes	Yes	Yes
Features	Web Browser Voice Control	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	Mobile to TV - Mirrorina, DLNA	Yes	Yes	Yes	Yes	Yes
	Samsung SMART View Processor	Yes Quad Core	Yes Quad Core	Yes Quad Core	Yes Quad Core	Yes Quad Core
	Accessibility	Voice Guide / Enlarge / High Contrast	Quad Core Voice Guide / Enlarge / High Contrast	Quad Core Voice Guide / Enlarge / High Contrast	Voice Guide / Enlarge / High Contrast	Voice Guide / Enlarge / High C
	Digital Clean View Auto Channel Search	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	Auto Power Off	Yes	Yes	Yes	Yes	Yes Yes
	Caption (Subtitle) ConnectShare™ (HDD)	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes
	ConnectShare™ (USB 2.0)	Yes	Yes	Yes	Yes	Yes
	Sports Mode EPG	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	Game Mode	Yes	Yes	Yes	Yes	Yes
	OSD Language Picture-In-Picture	English, Spanish, French Yes	English, Spanish, French Yes	English, Spanish, French Yes	English, Spanish, French Yes	English, Spanish, French Yes
	BT HID Support	Yes	Yes	Yes	Yes	Yes
	USB HID Support Digital Broadcasting	Yes ASTC/Clear QAM	Yes ASTC/Clear QAM	Yes ASTC/Clear QAM	Yes ASTC/Clear QAM	Yes ASTC/Clear QAM
	Analog Tunor	Yes	Yes	Yes	Yes	Yes
ality Features	Samsung LYNK™ SINC Compatibility Samsung LYNK™ HMS Compatibility	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	H.Browser	Yes	Yes	Yes	Yes	Yes
	Samsung LYNK™ REACH (IP / RF) Samsung LYNK™ REACH RF Modulator Compatibility	REACH 4.0 / REACH 4.0 Yes	REACH 4.0 / REACH 4.0 Yes	REACH 4.0 / REACH 4.0 Yes	REACH 4.0 / REACH 4.0 Yes	REACH 4.0 / REACH 4.0 Yes
	Hospitality Home Menu	Home Menu 2015	Home Menu 2015	Home Menu 2015	Home Menu 2015	Home Menu 2015
	Bluetooth Music Player (Mobile TV)	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	Hospitality Plug&Play (Easy Setup) Auto Source Mode	Yes	Yes	Yes	Yes	Yes
	Power On Mode Hotel Channel List	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	Channel Menu Display	Yes	Yes	Yes	Yes	Yes
	Mixed Channel List (ATSC, DVB-T/T2/C/S2, Analog) My Channel	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	Energy Saving Mode (BLU Control) Logo Display with Timer Out Setting (BMP/Movie) Welcome Message RJ12 / IR Pass Through	Yes	Yes	Yes	Yes	Yes
	Logo Display with Timer Out Setting (BMP/Movie) Welcome Message	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	RJ12 / IR Pass Through	Yes	Yes	Yes	Yes	Yes
	Clock Back Up Power Supply Software Clock	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	Multi Code Remote Control	Yes	Yes	Yes	Yes	Yes
	Screwed Battery Cover Sound Bar Compatibility	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	Music Mode (Input: PC/AV/Component/HDMI)	Yes	Yes	Yes	Yes	Yes
	Music Mode Backlight On/Off USB Cloning	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	Smoovie Compatibility	Yes	Yes	Yes	Yes	Yes
	Soft AP On/Off Timer (Schedule)	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	On/Off Timer (Schedule) Wake-up Timer (Alarm) Samsung LYNK™ DRM	Yes	Yes	Yes	Yes	Yes
	Samsung LYNK™ DRM Pro:Idiom	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	Security Mode	Yes	Yes	Yes	Yes	Yes
	S/W EPG (Solution EPG) Wake on LAN (WOL)	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
nput & Output	HDMI	1/2	1/2	1/2	1/2	1/2
	USB Component In (Y/Pb/Pr)	2/0 0/1	2/0 0/1	2/0 0/1	2/0 0/1	2/0 0/1
	Composite In (AV)	0/1 (Common Use for Component Y)	0/1 (Common Use for Component Y)	0/1 (Common Use for Component Y)	0/1 (Common Use for Component Y)	0/1 (Common Use for Compo
	Ethernet (LAN) Audio Out (Mini, Jack / LR)	1/0	1/0	1/0	1/0	1/0
	Digital Audio Out (Optical) RF In (Terrestrial / Cable Input / Satellite Input)	0/1	0/1	0/1	0/1	0/1
	RF In (Terrestrial / Čable Input / Satellite Input) Ex-Link (RS232C)	1/0 Common (RJP)	1/0 Common (RJP)	1/0 Common (RJP)	1/0 Common (RJP)	1/0 Common (RJP)
	HDMI A / Return Ch. Support	Yes Yes	Yes Yes	Yes	Yes	Yes Yes
	Wireless LAN Built-in Anynet+ (HDMI-CEC)	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	Variable Audio Out	0/1	0/1	0/1	0/1	0/1
	Variable Audio Out Volume Control	0/1 0/1	0/1 0/1	0/1 0/1	0/1 0/1	0/1 0/1
	RJ12 RJP Jack (For Remote Jackpack)	0/1	0/1	0/1	0/1	0/1
	PC/DVI Audio In (Mini Jack) Ethernet Bridge (LAN_Out)	0/1 0/1	0/1 0/1	0/1	0/1	0/1 0/1
Design	Ethernet Bridge (LAN-Out) Front Color	Black	Black	Black	Black	Black
	Stand Type	Square	Square	Square	Square	Square
Dimensions	Swivel (Left/Right) Cat Sine without Stead - Well Mayort Side (MiddleD) (mars fin)	90/90 906.6 x 532.9 x 52.8 /	90/90 1117.8 x 647.8 x 53.4 /	90/90 1230.6 x718.4 x 50.2 /	90/90 1395.0 x 785.9 x 51.6 /	90/90 1454.5 x 835.4 x 56.2 /
(W x H x D) Weight	Set Size without Stand - Wall Mount Side (WxHxD) (mm/in)	35.7" x 21.0" x 2.1"	44.0" x 25.5" x 2.1"	48.4" x 28.3" x 1.9"	54.9" x 30.9" x 2.0"	57.3" x 32.9" x 2.2"
	Set Size without Stand - Speaker Side (WxHxD) (mm/in)	906.6 x 532.9 x 65.1 /	1117.8 x 647.8 x 67.5 /	1230.6 x 718.4 x 64.0 /	1395.0 x 785.9 x 64.2 / 54.9" x 30.9" x 2.5"	1454.5 x 835.4 x 70.9 /
		35.7" x 21.0" x 2.6" 906.6 x 577.6 x 226.5 /	44.0" x 25.5" x 2.7" 1117.8 x 696.3 x 226.5 /	48.4" x 28.3" x 2.5" 1230.6 x 762.8 x 226.5 /	1395.0 x 857.9 x 355.1 /	57.3" x 32.9" x 2.9" 1454.5 x 909.7 x 355.1 /
	Set Size with Stand (WxHxD) (mm/in)	35.7" x 22.7" x 8.9"	44.0" x 27.4" x 8.9"	48.4" x 30.3" x 8.9"	54.9" x 33.8" x 14.0"	57.3" x 35.8" x 14.0"
	Package Size (WxHxD) (mm/inch)	1100 x 616 x 120 /	1355 x 740 x 135 /	1470.0 x 815.0 x 145.0 /	1685.0 x 947.0 x 175.0 /	1780 x 965 x 190 /
	Set Weight without Stand (kg / (bs)	43.3" x 24.3" x 4.7" 7.8 / 17.2	53.3" x 29.1" x 5.3" 12.4 / 27.3	57.9" x 32.1" x 5.7" 15.7 / 24.6	66.3" x 37.3" x 6.9" 21.1 / 46.5	70.1" x 38.0" x 7.5" 25.9 / 57.1
	Set Weight with Stand (kg / lbs)	10.7 / 23.6	15.3 / 33.7	15.7 / 24.6 18.6 / 41.0	21.1 / 46.5 26.1 / 57.5	25.9 / 57.1 30.9 / 68.1
	Package Weight (kg / lbs) Power Supply (V) Remote Controller Model	12.3 / 27.1 AC110-120V 60Hz	19.5 / 43.0 AC110-120V 60Hz	23.0 / 50.7 AC110-120V 60Hz	32.9 / 72.5 AC110-120V 60Hz	39.3 / 86.6 AC110-120V 60Hz
	Remote Controller Model	I TM1240A	I TM1240A	TM1240A	TM1240A	TM1240A
	Batteries (for Remote Control) Mini Wall Mount Support	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	Vesa Wall Mount Support	Yes	Yes	Yes	Yes	Yes
	Power Cable Quick Install Guide	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	Data Cable	Yes	Yes	Yes	Yes	Yes
	Stand Mount Kit Security Screws	Yes Yes	Yes Yes	Yes Yes	Yes Yes	Yes Yes
	Angle Adaptor (for Side RF tuner)	N/A	N/A	N/A	N/A	N/A

Learn more samsung.com/business insights.samsung.com samsung.com/b2bhospitalitytvs

Product support 1-866-SAM4BIZ

Follow us

youtube.com/samsungbizusa @SamsungBizUSA

SAMSUNG