



## 36-INCH PRO RANGETOP

DTT36M876 | MODERNIST COLLECTION



### AVAILABLE MODELS

DTT36M876LS	36" Rangetop, Stainless Steel, Natural Gas
DTT36M876PS	36" Rangetop, Stainless Steel, Liquid Propane
DTT36M876HS	36" Rangetop, Stainless Steel, Natural Gas/High Altitude
DTT36M876AS	36" Rangetop, Stainless Steel, Liquid Propane/High Altitude
DTT36M876LM	36" Rangetop, Graphite Stainless Steel, Natural Gas
DTT36M876PM	36" Rangetop, Graphite Stainless Steel, Liquid Propane
DTT36M876HM	36" Rangetop, Graphite Stainless Steel, Natural Gas/High Altitude
DTT36M876AM	36" Rangetop, Graphite Stainless Steel, Liquid Propane/High Altitude

### FEATURES & BENEFITS

- 6 Sealed Brass Burners.
- Powerful 22K BTU and true simmer burners.
- Continuous grates.
- Illumina™ Knobs and Ambient Light.
- Includes brass and black burner caps.
- Available in graphite stainless steel and silver stainless steel finish.

### ACCESSORIES (INCLUDED)

- WOK RING
- BRASS BURNER CAPS
- BLACK BURNER CAPS

### BURNER PERFORMANCE

TOTAL NUMBER OF COOKTOP BURNERS	6 (BRASS)
LEFT FRONT (BTU)	18,000 DUAL (SIMMER)
LEFT REAR (BTU)	16,000 STACK DUAL (SIMMER)
CENTER FRONT (BTU)	16,000 STACK DUAL (SIMMER)
CENTER REAR (BTU)	16,000 STACK DUAL (SIMMER)
RIGHT FRONT (BTU)	22,000 DUAL (SIMMER)
RIGHT REAR (BTU)	9,000 STACK DUAL (SIMMER)
SEALED BURNERS	YES

### CONTROL FEATURES

LED KNOB BACKLIGHTING	YES
LED AMBIENT LIGHTING	YES
LED CONTROL BUTTON	YES
WI FI CONNECT LED	YES
WI FI CONNECT BUTTON	YES
BLUETOOTH CONNECT LED	YES
BLUETOOTH CONNECT BUTTON	YES

### ADDITIONAL FEATURES

RE-IGNITION	YES
OIL PAN	YES

### INSTALLATION

GAS TYPE	NATURAL GAS/ LIQUID PROPANE
HIGH ALTITUDE AVAILABLE	YES
POWER CORD	YES

### TECHNICAL DETAILS

CIRCUIT BREAKER (A)	15
VOLTS (V)	120
FREQUENCY (HZ)	60
ENERGY SOURCE	GAS

### DIMENSIONS & WEIGHT




APPLIANCE DIMENSIONS (H X W X D) (IN.)	8" X 36" X 24"
REQUIRED CUTOUT SIZE (W X H) (IN.)	7 3/4" X 36" X 24"

### WARRANTY

LIMITED, PARTS AND LABOR	2 YEARS
--------------------------	---------


# dacor 36-INCH GAS RANGETOP

## APPLIANCE DIMENSIONS



## CABINET/COUNTERTOP DIMENSIONS

10" (25.4CM) TO COMBUSTIBLE SIDE WALL MIN. BOTH SIDES




CABINET / COUNTERTOP DIMENSIONS - FRONT VIEW


\*NOTE: PRODUCT TOLERANCE +/- 1/16" (+/- 1.6MM)-O UNLESS OTHERWISE NOTED

## 36"

A - CUTOUT WIDTH	36" (91.4CM)
B - HOLE OFFSET	16 5/8" (42.2CM)
C - DOWNDRAFT VENT CUTOUT	33 1/2" (85.1CM)
APPROVED DOWNDRAFT VENT MODELS	MRV36, MRV3615



CABINET/COUNTERTOP CUTOUT DIMENSIONS WITHOUT DOWNDRAFT VENT - TOP VIEW.




Cabinet/Countertop with Downdraft vent - Side View

CABINET/COUNTERTOP CUTOUT DIMENSIONS WITH DOWNDRAFT VENT - SIDE VIEW

**NOTE:** Gas and electrical connections may only be routed through the bottom of the rangetop when installed with a downdraft vent.

# dacor 36-INCH GAS RANGETOP

## CABINET/COUNTERTOP CUTOUT DIMENSIONS




CABINET/COUNTERTOP CUTOUT DIMENSIONS WITHOUT DOWNDRAFT VENT - TOP VIEW

36"

A - CUTOUT WIDTH	36" (91.4CM)
B - HOLE OFFSET	16 5/8" (42.2CM)

## CLEARANCE DIMENSIONS



36"

A - CUTOUT WIDTH	36" (91.4CM)
B	36" (91.4CM)* MINIMUM 42" (106.7CM)** RECOMMENDED

**NOTE:** All vertical clearances must be maintained for a minimum of 18" (457mm) above the cooking surface.