

SAMSUNG

2021 Home Appliance Catalog



2021 Home Appliance Catalog

Version 2021.1.1
December 15, 2020

For latest version, contact:

Samsung Support
1-844-SAM4BLD
1-800-726-4253
8 AM - 9 PM EST, Mon - Fri
SamsungBuilderB2B@sea.samsung.com

An inspired brand for every room in the house

Samsung is the #1 brand in home appliances, designing stunning products that are more connected, flexible and functional than any other brand¹. By understanding the needs of homebuyers today, Samsung is developing innovations for tomorrow.

Technology is in our DNA

Consumers look to technology brands to connect their home. Samsung leads the way, boasting an open ecosystem that connects to over 1,000 different smart devices across 170+ brands. Streamline the shopping list, preheat the oven and check on the laundry or the baby in the other room—just a click using the all-in-one SmartThings app.



NX60T8751SG



RF27T5501SG

Building for the future with Samsung

Samsung works hand-in-hand with builders and developers to identify the products and features that matter most to customers. Our Builder Solutions team ensures reliable product availability and efficient delivery. Paired with one of the lowest repair rates in the industry, Samsung delivers a successful build, from start to finish.



NE63T8751SS



DW80R9950UT, DW80R9950US, DW80R9950UG

Even as tastes change, it all starts in the kitchen

The kitchen is the heart of the home and Samsung has solutions for every style, space and budget. Our latest collection of premium appliances features sleek lines, designer finishes and refined aesthetics, making Samsung the ideal complement to every kitchen and every home.



ME21M706BAS, NE63T8711SS



WA50R5200AW, DVE50R5200W

**Number one for three years
running... and rinsing**

Modern laundry rooms are bright and stylish—designed to inspire as much as the kitchen. Samsung blends fully connected deep cleaning technology with styles and finishes that create energy and warmth, bringing the laundry room out of the basement and into your home.

#1 in Customer Satisfaction

Samsung has received more J.D. Power Awards for Kitchen and Laundry Appliances than any other manufacturer in 2020. Look for products with the JD Power icon throughout the builder catalog. For complete 2020 award information, visit jdpower.com/awards.





Icon Legend:

-  Energy Star® Certified
-  Wi-Fi Enabled
-  Bluetooth Enabled
-  ADA Compliant
-  Sabbath Mode

	Product Page Number	Specification Page Number
1	Built-In Cooking	
	Combination Wall Ovens	178
	Double Wall Ovens	180
	Single Wall Ovens	181
	Gas Cooktops	182
	Electric Cooktops	184
2	Ranges	
	Slide-In Dual Fuel	186
	Slide-In Gas	186
	Slide-In Electric	188
	Freestanding - Gas	189
	Freestanding - Electric	190
3	Microwaves	
	Over-the-Range Countertop	192 194
4	Ventilation	
	Ventilation	198
5	Dishwashers	
	Dishwashers	200
6	Refrigerators	
	4-Door Flex	202
	4-Door French Door	204
	3-Door French Door	208
	Side-by-Side	214
	Top Freezer	215
	Bottom Freezer	216
	Stand Up Freezer	217
	Wine Cooler	218
7	Laundry	
	FlexWash™ & FlexDry™	220
	Front Load	222
	Top Load	226
	24" Compact	234
	AirDresser	236
8	Small Appliances	
	Jet™ Stick Vacuums	238
	Clean Station™	239
	Jet Mop	240
	Robot Vacuums	241
9	Reference	
	Specifications	178
	Glossary	242
	Warranty	248
	Index	249

Built-In Cooking



	Product Page Number	Specification Page Number
Combination Wall Ovens	30	178
Double Wall Ovens	32	180
Single Wall Ovens	34	181
Gas Cooktops	36	182
Electric Cooktops	39	184



Flexible Cooking

The removable Flex Duo™ Smart Divider splits one oven into two. Cook two dishes at two different temperatures, or choose to have one large-capacity oven.



Intuitive Display

Enjoy the convenience of analog knobs combined with the advanced technology of a touch-controlled digital display.



The Power of Steam

Steam cooking technology delivers moisture at precise times, so food has a crisp exterior and tender inside.



Induction Cooking

Virtual Flame™ technology provides a superior cooking experience by combining the visual of gas cooking with the precision of induction cooking.



Precision Control

Choose between the comfort of the removable magnetic analog knob or the sleek interface of digital touch controls.



Black Stainless Steel

Clean and contemporary, a black stainless steel finish brings an added level of sophistication to your kitchen.





NQ70M7770D

30" Microwave Combination Wall Oven

- Flex Duo™**

 - Upper 2.8 cu. ft.
 - Lower 2.2 cu. ft.

Microwave

 - 1.9 cu. ft. Capacity
 - Digital Analog Controls
 - Power Speed Cook with True Convection and Broil
 - Sensor Cook
 - Blue Ceramic Interior

Oven

 - 5.1 cu. ft. Capacity
 - Steam Bake and Steam Roast
- Dual Convection with Convection Conversion
 - Digital-Analog Controls with Blue LED Illuminated Knobs and LCD Touch Screen
 - Rapid Preheat
 - Hidden Bake Element
 - Wi-Fi Enabled Temperature Probe
 - LED Spotlights
 - Soft-Close Door
 - Blue Ceramic Interior
 - 3 Heavy-Duty Racks Including a Gliding Rack
 - 6 Rack Positions

Available Colors



NQ70M6650D

30" Microwave Combination Wall Oven


- Microwave**

 - 1.9 cu. ft. Capacity
 - Guiding Light Controls
 - Speed Cook with True Convection and Broil
 - Blue Ceramic Interior

Oven

 - 5.1 cu. ft. Capacity
 - Steam Cook
 - Dual Convection with Convection Conversion
 - Guiding Light Controls
 - Proofing
 - Warming Mode
- Kitchen Timer
 - Rapid Preheat
 - Hidden Bake Element
 - Wi-Fi Enabled Temperature Probe
 - Halogen Oven Light
 - LED Spotlights
 - Blue Ceramic Interior
 - Easy View Window
 - 3 Heavy-Duty Racks Including a Gliding Rack
 - Broil Element
 - 6 Rack Positions

Available Colors



NQ70T5511D

30" Microwave Combination Wall Oven

- Microwave**

 - 1.9 cu. ft. Capacity
 - Digital Touch Controls
 - Sensor Cook
 - Broil
 - Blue Ceramic Interior

Oven

 - 5.1 cu. ft. Capacity
 - Digital Touch Controls
 - Proofing
- Warming Mode
 - Kitchen Timer
 - Hidden Bake Element
 - Halogen Lights
 - Blue Ceramic Interior
 - Easy View Window
 - 2 Heavy-Duty Racks
 - Broil Element
 - 6 Rack Positions
 - Steam Clean & Self-Clean

Available Colors





NV51K7770D

30" Double Wall Oven

- Flex Duo™**

 - Upper 2.8 cu. ft.
 - Lower 2.2 cu. ft.
- Overview**

 - Upper 5.1 cu. ft. Capacity
 - Lower 5.1 cu. ft. Capacity
 - Steam Bake and Steam Roast (Upper)
 - True Dual Convection with Convection Conversion (Upper / Lower)
 - Digital-Analog Controls with Blue LED Illuminated Knobs and LCD Touch Screen
 - Gourmet Cook
- Proofing
 - Warming Mode
 - Kitchen Timer
 - Rapid Preheat
 - Hidden Bake Element
 - Wi-Fi Enabled Temperature Probe
 - LED Spotlights
 - Soft-Close Door
 - Blue Ceramic Interior
 - Easy View Window
 - 3 Heavy-Duty Racks Including a Gliding Rack (Upper / Lower)
 - Broil Element
 - 6 Rack Positions

Available Colors



Stainless Steel
NV51K7770DS/AA



Fingerprint
Resistant Black
Stainless Steel
NV51K7770DG/AA



NV51K6650D

30" Double Wall Oven

- Upper 5.1 cu. ft. Capacity
 - Lower 5.1 cu. ft. Capacity
 - Steam Cook
 - True Dual Convection with Convection Conversion (Upper / Lower)
 - Guiding Light Controls
 - Proofing
 - Warming Mode
 - Kitchen Timer
 - Rapid Preheat
 - Hidden Bake Element
 - Wi-Fi Enabled Temperature Probe
- Halogen Oven Light
 - LED Spotlights
 - Blue Ceramic Interior
 - Easy View Window
 - 3 Heavy Duty-Racks Including a Gliding Rack (Upper)
 - 3 Heavy-Duty Racks (Lower)
 - Broil Element
 - 6 Rack Positions

Available Colors



Stainless Steel
NV51K6650DS/AA



Fingerprint
Resistant Black
Stainless Steel
NV51K6650DG/AA



NV51T5511D

30" Double Wall Oven

- Upper 5.1 cu. ft. Capacity
 - Lower 5.1 cu. ft. Capacity
 - Digital Touch Controls
 - Proofing
 - Warming Mode
 - Kitchen Timer
 - Hidden Bake Element
- Halogen Lights
 - Blue Ceramic Interior
 - Easy View Window
 - 2 Heavy-Duty Racks
 - Broil Element
 - 6 Rack Positions
 - Steam Clean & Self-Clean

Available Colors



Stainless Steel
NV51T5511DS/AA



Fingerprint
Resistant Black
Stainless Steel
NV51T5511DG/AA

Built-In Cooking Single Wall Ovens



NV51K7770S

30" Single Wall Oven

- Flex Duo™**

 - Upper 2.8 cu. ft.
 - Lower 2.2 cu. ft.
- Overview**

 - 5.1 cu. ft. Capacity
 - Steam Bake and Steam Roast
 - Dual Convection with Convection Conversion
 - Digital-Analog Controls with Blue LED Illuminated Knobs and LCD Touch Screen
 - Gourmet Cook
 - Proofing
- Warming Mode
 - Kitchen Timer
 - Rapid Preheat
 - Hidden Bake Element
 - Wi-Fi Enabled Temperature Probe
 - LED Spotlights
 - Soft-Close Door
 - Blue Ceramic Interior
 - Easy View Window
 - 3 Heavy-Duty Racks Including a Gliding Rack
 - Broil Element
 - 6 Rack Positions

Available Colors



Stainless Steel
NV51K7770SS/AA



Fingerprint Resistant Black
Stainless Steel
NV51K7770SG/AA

NV51K6650S

30" Single Wall Oven

- 5.1 cu. ft. Capacity
 - Steam Cook
 - Dual Convection with Convection Conversion
 - Guiding Light Controls
 - Proofing
 - Warming Mode
 - Kitchen Timer
 - Rapid Preheat
 - Hidden Bake Element
 - Wi-Fi Enabled Temperature Probe
- Halogen Oven Light
 - LED Spotlights
 - Blue Ceramic Interior
 - Easy View Window
 - 3 Heavy-Duty Racks Including a Gliding Rack
 - Broil Element
 - 6 Rack Positions

Available Colors



Stainless Steel
NV51K6650SS/AA



Fingerprint Resistant Black
Stainless Steel
NV51K6650SG/AA

NV51T5511S

30" Single Wall Oven

- 5.1 cu. ft. Capacity
 - Digital Touch Controls
 - Proofing
 - Warming Mode
 - Kitchen Timer
 - Hidden Bake Element
 - Halogen Lights
- Blue Ceramic Interior
 - Easy View Window
 - 2 Heavy-Duty Racks
 - Broil Element
 - 6 Rack Positions
 - Steam Clean & Self-Clean

Available Colors



Stainless Steel
NV51T5511SS/AA



Fingerprint Resistant Black
Stainless Steel
NV51T5511SG/AA

Built-In Cooking Single Wall Ovens

NV31T4551S

24" Single Wall Oven

- 3.1 cu. ft. Capacity
 - Digital Touch Controls
 - Convection
 - Rapid Heat
 - Hidden Bake Element
 - 3 Wire Racks
 - 5 Rack Positions (Ladder Racks)
- Catalytic & Steam Clean
 - Broil Element
 - Halogen Lights
 - Proofing
 - Warming Mode
 - Delay Start
 - Kitchen Timer

Available Colors




Stainless Steel
NV31T4551SS/AA




NA36N7755T

36" Gas Cooktop

- 22,000 True Dual-Power Burner
- Analog Controls with Digital Wi-Fi and Bluetooth® Technology connects with 7000 Series Ventilation Hood
- Cast Iron Griddle
- Wok Grate
- Cast Iron 3-Piece Grates
- Sealed Burners
- Burner On / Off Wi-Fi Monitoring
- Powerful 5 Burner Cooktop**
 - Right Front: 13,000 BTU (Power Burner)
 - Left Front: 9,500 BTU
 - Right Rear: 5,000 BTU (Simmer)
 - Left Rear: 9,500 BTU
 - Center: Dual Ring, 22,000 BTU (Brass Power / Simmer Burner)




Available Colors



NA30N7755T

30" Gas Cooktop

- 22,000 True Dual-Power Burner
- Analog Controls with Digital Wi-Fi and Bluetooth® Technology connects with 7000 Series Ventilation Hood
- Cast Iron Griddle
- Wok Grate
- Cast Iron 3-Piece Grates
- Sealed Burners
- Burner On / Off Wi-Fi Monitoring
- Powerful 5 Burner Cooktop**
 - Right Front: 13,000 BTU (Power Burner)
 - Left Front: 9,500 BTU
 - Right Rear: 5,000 BTU (Simmer)
 - Left Rear: 9,500 BTU
 - Center: Dual Ring, 22,000 BTU (Brass Power / Simmer Burner)



Available Colors




Warranty information on page 248
Full Specifications on page 182




NA36N6555T

36" Gas Cooktop

- 19,000 Power Burner
- Griddle
- LED Illuminated Backlit Knobs
- Cast Iron 3-Piece Grates
- Sealed Burners
- Burner On / Off Wi-Fi Monitoring
- Powerful 5 Burner Cooktop**
 - Right Front: 13,000 BTU (Power Burner)
 - Left Front: 9,500 BTU
 - Right Rear: 5,000 BTU (Simmer)
 - Left Rear: 9,500 BTU
 - Center: Dual Ring, 19,000 BTU (Power Burner)



Available Colors




samsung.com/builder


NA30N6555T

30" Gas Cooktop

- 19,000 Power Burner
- Griddle
- LED Illuminated Backlit Knobs
- Cast Iron 3-Piece Grates
- Sealed Burners
- Burner On / Off Wi-Fi Monitoring
- Powerful 5 Burner Cooktop**
 - Right Front: 13,000 BTU (Power Burner)
 - Left Front: 9,500 BTU
 - Right Rear: 5,000 BTU (Simmer)
 - Left Rear: 9,500 BTU
 - Center: Dual Ring, 19,000 BTU (Power Burner)



Available Colors



Built-In Cooking Gas Cooktops




NA36R5310F

36" Gas Cooktop

- Front Controls
 - Continuous Cast Iron Grates
 - Cast Iron 3-Piece Grates
 - Sealed Burners
- Powerful 5 Burner Cooktop**

 - Right Front: 13,000 BTU (Power Burner)
 - Left Front: 10,000 BTU
 - Right Rear: 5,000 BTU (Simmer)
 - Left Rear: 10,000 BTU
 - Center: 17,000 BTU (Power Burner)



Available Colors

Stainless Steel
NA36R5310FS/AA


Fingerprint
Resistant Black
Stainless Steel
NA36R5310FG/AA

NA30R5310F

30" Gas Cooktop

- Front Controls
 - Continuous Cast Iron Grates
 - Cast Iron 2-Piece Grates
 - Sealed Burners
- Powerful 4 Burner Cooktop**

 - Right Front: 17,000 BTU (Power Burner)
 - Left Front: 10,000 BTU
 - Right Rear: 5,000 BTU (Simmer)
 - Left Rear: 13,000 BTU (Power Burner)



Available Colors

Stainless Steel
NA30R5310FS/AA

Fingerprint
Resistant Black
Stainless Steel
NA30R5310FG/AA


Built-In Cooking Electric Cooktops



NZ36K7880U

36" Induction Cooktop

- Virtual Flame™ Technology
 - Flex Zone
 - Digital-Analog Controls
 - Bluetooth® Connectivity with 7000 Series Ventilation Hood
 - Power Boost
 - 15 Power Levels Plus Booster
 - Simmer
 - Melt Setting
- 5 Induction Elements – Including 4,800W Boost Dual Element – 7" / 11" and Flex Zone
 - 2-Stage Residual Heat Indicator
 - Child Safety Lock
 - Easy-to-Clean Glass, Ceramic Cooktop
 - Dishwasher-Safe Magnetic Knob



Available Colors


Stainless Steel
NZ36K7880US

Fingerprint
Resistant Black
Stainless Steel
NZ36K7880UG

NZ30K7880U

30" Induction Cooktop

- Virtual Flame™ Technology
 - Flex Zone
 - Digital-Analog Controls with Magnetic Knob
 - Bluetooth® Connectivity with 7000 Series Ventilation Hood
 - Power Boost
 - 15 Power Levels Plus Booster
 - Simmer
 - Melt Setting
- 4 Induction Elements – Including 4,800W Boost Dual Element – 7" / 11" and Flex Zone
 - 2-Stage Residual Heat Indicator
 - Child Safety Lock
 - Easy-to-Clean Glass, Ceramic Cooktop
 - Dishwasher-Safe Magnetic Knob



Available Colors

Stainless Steel
NZ30K7880US/AA


Fingerprint
Resistant Black
Stainless Steel
NZ30K7880UG/AA



NZ36K7570R

36" Electric Cooktop

- Digital-Analog Controls with Magnetic Knob
- Bluetooth® Connectivity with 7000 Series Ventilation Hood
- 15 Heat Settings
- Simmer Control
- Melt Mode
- Kitchen Timer
- Hot Surface Indicator Light
- Child Safety Lock
- Easy-to-Clean Glass, Ceramic Cooktop
- Dishwasher-Safe Magnetic Knob
- 5 Element Flexible Cooktop:**
 - Triple Element (6" / 9" / 12")
 - Dual Element (6" / 9" Rapid Boil™)
 - Two Sync Elements (7")
 - Single Melt Element (6")



Available Colors



Stainless Steel
NZ36K7570RS/AA




Fingerprint
Resistant Black
Stainless Steel
NZ36K7570RG/AA

NZ30K7570R

30" Electric Cooktop

- Digital-Analog Controls with Magnetic Knob
- Bluetooth® Connectivity with 7000 Series Ventilation Hood
- 15 Heat Settings
- Simmer Control
- Melt Mode
- Kitchen Timer
- Hot Surface Indicator Light
- Child Safety Lock
- Easy-to-Clean Glass, Ceramic Cooktop
- Dishwasher-Safe Magnetic Knob
- 5 Element Flexible Cooktop:**
 - Two Dual Elements (6" / 9" Rapid Boil™ and 5" / 8")
 - Two Sync Control Elements (7")
 - Single Melt Element (6")



Available Colors



Stainless Steel
NZ30K7570RS/AA




Fingerprint
Resistant Black
Stainless Steel
NZ30K7570RG/AA



NZ36K6430R

36" Electric Cooktop

- LED Illuminated Backlit Knobs
- Simmer / Melt Elements
- Hot Surface Indicator Light
- Easy-to-Clean Glass, Ceramic Cooktop
- Dishwasher-Safe Knobs
- 5 Element Flexible Cooktop:**
 - Rapid Boil™ Element (3,300W)
 - Triple Element (6" / 9" / 12")
 - Dual Element (6" / 9")
 - Two Single Elements (7" each)
 - Single Melt Element (6")



Available Colors



Stainless Steel
NZ36K6430RS/AA




Fingerprint
Resistant Black
Stainless Steel
NZ36K6430RG/AA

NZ30K6330R

30" Electric Radiant Cooktop

- LED Illuminated Backlit Knobs
- Hot Surface Indicator Light
- Easy-to-Clean Glass, Ceramic Cooktop
- Dishwasher-Safe Knobs
- 5 Element Flexible Cooktop:**
 - Two Dual Elements (6" / 9" 3,300W Rapid Boil™ and 5" / 8")
 - Two Single Elements (7" each)
 - Single Melt Element (6")



Available Colors



Stainless Steel
NZ30K6330RS/AA



Fingerprint
Resistant Black
Stainless Steel
NZ30K6330RG/AA




NZ36R5330R

36" Electric Radiant Cooktop

- Front Controls
 - Indicator Light
 - Hot Surface Indicator Light
 - Easy-to-Clean Glass, Ceramic Cooktop
 - Dishwasher-Safe Knobs
- 5 Element Flexible Cooktop**

 - Dual Element (9" / 12")
 - Two Single Elements (7" each)
 - One Element (9")
 - One Element (6" Melt)



Available Colors



Black
NZ36R5330RK/AA




NZ30R5330R

30" Electric Radiant Cooktop

- Front Controls
 - Indicator Light
 - Hot Surface Indicator Light
 - Easy-to-Clean Glass, Ceramic Cooktop
 - Dishwasher-Safe Knobs
- 4 Element Flexible Cooktop**

 - Dual Element (5" / 8")
 - Two Single Elements (7" each)
 - One Element (9")



Available Colors



Black
NZ30R5330RK/AA




NZ24T4360R

24" Radiant Electric Cooktop

- Digital Touch Controls
 - 3,500 W Total Power
 - Hot Surface Indicator Light
 - Easy-To-Clean Glass, Ceramic Cooktop
 - Kitchen Timer
 - Child Safety Lock
- 4 Element Flexible Cooktop**

 - One Dual Element (5" / 8")
 - One Element (7")
 - Two Single Elements (6" each)



Available Colors



Black
NZ24T4360RK/AA

Ranges



	Product Page Number	Specification Page Number
Slide-In Dual Fuel	54	186
Slide-In Gas	54	186
Slide-In Electric	57	188
Freestanding - Gas	60	189
Freestanding - Electric	63	190



NX60T8311SS, ME21M706BAS

Smart Dial

Hassle-free cooking with easy and smart control that simplifies oven settings in a single dial and intuitively learns based on your cooking preferences.



Air Fry

Using little to no oil, you can quickly prepare your favorite fried foods right in your oven.



Flex Duo™

A removable Smart Divider and dual temperature controls allow you to choose between two ovens or one.



Blue LED Illuminated Knobs

Visually lets you know if your cooktop is on, even at a distance.



Dual Ring Brass Power Burner

A 22K BTU true dual power burner with two heat options to quickly boil water or maintain a simmer.



Smart Cooking

Preheat, monitor and adjust cook time and temperature on your oven and monitor your cooktop, right from your smartphone through the SmartThings App.







NY63T8751 (Dual Fuel)

6.3 cu. ft. Flex Duo™ Front Control Slide-In Dual Fuel Range

- Large Oven Capacity – 6.3 cu. ft.
- Flex Duo™ with Dual Door
- Smart Dial
- Air Fry, Tray Included
- Convection
- Illuminated Knobs
- 23K BTU Dual Ring Brass Power Burner
- Voice Control Enabled Via: Bixby, Amazon Alexa, Google Home
- Soft Close Door
- Gliding Rack
- Temperature Probe
- Reversible Cast Iron Griddle & Wok Ring



Available Colors



Fingerprint Resistant Stainless Steel
NY63T8751SS/AA


Fingerprint Resistant Black Stainless Steel
NY63T8751SG/AA




NX60T8751

6.0 cu. ft. Flex Duo™ Front Control Slide-In Gas Range

- Large Oven Capacity – 6.0 cu. ft.
- Flex Duo™ with Dual Door
- Smart Dial
- Air Fry, Tray Included
- Convection
- Illuminated Knobs
- 23K BTU Dual Ring Brass Power Burner
- Voice Control Enabled Via: Bixby, Amazon Alexa, Google Home
- Soft Close Door
- Gliding Rack
- Temperature Probe
- Reversible Cast Iron Griddle & Wok Ring



Available Colors



Fingerprint Resistant Stainless Steel
NX60T8751SS/AA


Fingerprint Resistant Black Stainless Steel
NX60T8751SG/AA



NX60T8711

6.0 cu. ft. Front Control Slide-In Gas Range with Intelligent Control & Air Fry

- Large Oven Capacity – 6.0 cu. ft.
- Smart Dial
- Air Fry, Tray Included
- Convection
- Illuminated Knobs
- 22K BTU Dual Ring Brass Power Burner
- Voice Control Enabled Via: Bixby, Amazon Alexa, Google Home
- Temperature Probe
- Reversible Cast Iron Griddle & Wok Ring
- Edge-to-Edge Grates
- Storage Drawer



Available Colors



Fingerprint Resistant Stainless Steel
NX60T8711SS/AA

Fingerprint Resistant Black Stainless Steel
NX60T8711SG/AA


Fingerprint Resistant Tuscan Stainless Steel
NX60T8711ST/AA



NX60T8511

6.0 cu. ft. Front Control Slide-In Gas Range with Air Fry

- Large Oven Capacity – 6.0 cu. ft.
- Air Fry, Tray Included
- Convection
- 18K BTU Dual Ring Brass Power Burner
- Voice Control Enabled Via: Bixby, Amazon Alexa, Google Home
- Touch Controls
- Aluminum Griddle
- Edge-to-Edge Grates
- Storage Drawer
- Self Clean



Available Colors



Fingerprint Resistant Stainless Steel
NX60T8511SS/AA

Fingerprint Resistant Black Stainless Steel
NX60T8511SG/AA

Fingerprint Resistant Tuscan Stainless Steel
NX60T8511ST/AA

Ranges Slide-In Gas




NX60T8311

6.0 cu. ft. Front Control Slide-In Gas Range with Convection

- Large Oven Capacity – 6.0 cu. ft.
- Convection
- Voice Control Enabled Via: Bixby, Amazon Alexa, Google Home
- Touch Controls
- Integrated Griddle, Cast Iron
- Edge-to-Edge Grates
- Wide View Window
- Storage Drawer
- Self Clean

5 Gas Burners

- Right Front: 17,000 BTU
- Left Front: 16,000 BTU
- Right Rear: 5,000 BTU
- Left Rear: 9,500 BTU
- Center: 10,000 BTU



Available Colors

Fingerprint Resistant Stainless Steel
NX60T8311SS/AA


Fingerprint Resistant Black Stainless Steel
NX60T8311SG/AA



NX60T8111

6.0 cu. ft. Front Control Slide-In Gas Range

- Large Oven Capacity – 6.0 cu. ft.
- Voice Control Enabled Via: Bixby, Amazon Alexa, Google Home
- Touch Controls
- Edge-to-Edge Grates
- Wide View Window
- Storage Drawer
- Self Clean
- 5 Gas Burners
 - Right Front: 17,000 BTU
 - Left Front: 16,000 BTU
 - Right Rear: 5,000 BTU
 - Left Rear: 9,500 BTU
 - Center: 9,500 BTU



Available Colors

Fingerprint Resistant Stainless Steel
NX60T8111SS/AA

Fingerprint Resistant Black Stainless Steel
NX60T8111SG/AA


Ranges Slide-In Electric



NE63T8751

6.3 cu. ft. Flex Duo™ Front Control Slide-In Electric Range

- Large Oven Capacity – 6.3 cu. ft.
- Flex Duo™ with Dual Door
- Smart Dial
- Air Fry, Tray Included
- Convection
- Illuminated Knobs
- Voice Control Enabled Via: Bixby, Amazon Alexa, Google Home
- Triple Element (6" / 9" / 12")
- Express Boil™ Dual Element (6" / 9" - 3,600W)
- Soft Close Door
- Gliding Rack
- Temperature Probe
- Steam & Self Clean



Available Colors

Fingerprint Resistant Stainless Steel
NE63T8751SS/AA


Fingerprint Resistant Black Stainless Steel
NE63T8751SG/AA



NE63T8711

6.3 cu. ft. Front Control Slide-In Electric Range with Intelligent Control & Air Fry

- Large Oven Capacity – 6.3 cu. ft.
- Smart Dial
- Air Fry, Tray Included
- Convection
- Illuminated Knobs
- Voice Control Enabled Via: Bixby, Amazon Alexa, Google Home
- Triple Element (6" / 9" / 12")
- Express Boil™ Dual Element (6" / 9" - 3,600W)
- Storage Drawer
- Steam & Self Clean



Available Colors

Fingerprint Resistant Stainless Steel
NE63T8711SS/AA

Fingerprint Resistant Black Stainless Steel
NE63T8711SG/AA

Fingerprint Resistant Tuscan Stainless Steel
NE63T8711ST/AA




NE63T8511

6.3 cu. ft. Front Control Slide-In Electric Range with Air Fry

- Large Oven Capacity – 6.3 cu. ft.
 - Air Fry, Tray Included
 - Convection
 - Voice Control Enabled Via: Bixby, Amazon Alexa, Google Home
 - Storage Drawer
- Steam & Self Clean

5 Element Cooktop

 - Triple Element (6" / 9" / 12")
 - Rapid Boil™ Dual Element (6" / 9" - 3,300W)
 - Two Single Elements (6" each)
 - One Warming Center (7")



Available Colors



Fingerprint Resistant Stainless Steel
NE63T8511SS/AA



Fingerprint Resistant Black Stainless Steel
NE63T8511SG/AA



Fingerprint Resistant Tuscan Stainless Steel
NE63T8511ST/AA




NE63T8311

6.3 cu. ft. Convection Front Control Slide-In Electric Range

- Large Oven Capacity – 6.3 cu. ft.
 - Convection
 - Voice Control Enabled Via: Bixby, Amazon Alexa, Google Home
 - Storage Drawer
 - Hidden Bake Element
 - Steam & Self Clean
- 5 Element Cooktop**

 - Two Dual Elements (6" / 9", 9" / 12")
 - Two Single Elements (6" each)
 - One Warming Center (7")



Available Colors



Fingerprint Resistant Stainless Steel
NE63T8311SS/AA



Fingerprint Resistant Black Stainless Steel
NE63T8311SG/AA




NE63T8111

6.3 cu. ft. Front Control Slide-In Electric Range

- Large Oven Capacity – 6.3 cu. ft.
 - Voice Control Enabled Via: Bixby, Amazon Alexa, Google Home
 - Touch Controls
 - Wide View Window
 - Storage Drawer
 - Hidden Bake Element
 - Steam & Self Clean
- 5 Element Cooktop**

 - Two Dual Elements (6" / 9")
 - Two Single Elements (6" each)
 - One Warming Center (7")



Available Colors



Fingerprint Resistant Stainless Steel
NE63T8111SS/AA



Fingerprint Resistant Black Stainless Steel
NE63T8111SG/AA



NX58K7850

5.8 cu. ft. Flex Duo™ Freestanding Gas Range with Gliding Rack

Flex Duo™ with Dual Door

- 3.4 cu. ft. Upper
- 2.3 cu. ft. Lower


Overview

- Convection
- Soft Close Door
- Gliding Rack
- Touch Controls
- Reversible Cast Iron Griddle & Wok Ring

- Cast Iron 3-Piece Grates
- Storage Drawer
- Self Clean

5 Gas Burners

- Right Front: 18,000 BTU Dual Ring
- Left Front: 15,000 BTU
- Right Rear: 5,000 BTU
- Left Rear: 9,500 BTU
- Center: 9,500 BTU (Oval)



Available Colors



Stainless Steel
NX58K7850SS/AA



Fingerprint
Resistant Black
Stainless Steel
NX58K7850SG/AA



NX58M6850

5.8 cu. ft. Flex Duo™ Freestanding Gas Range

Flex Duo™ with Dual Door


- 3.4 cu. ft. Upper
- 2.3 cu. ft. Lower

Overview

- Convection
- Soft Close Door
- Touch Controls
- Cast Iron 3-Piece Grates
- Storage Drawer
- Self Clean

5 Gas Burners

- Right Front: 16,000 BTU
- Left Front: 15,000 BTU
- Right Rear: 5,000 BTU
- Left Rear: 9,500 BTU
- Center: 9,500 BTU (Oval)



Available Colors



Stainless Steel
NX58M6850SS/AA



Fingerprint
Resistant Black
Stainless Steel
NX58M6850SG/AA




NX58T7511

5.8 cu. ft. Freestanding Gas Range with Air Fry

- Large Oven Capacity – 5.8 cu. ft.
- Air Fry, Tray Included
- Convection
- Griddle
- Cast Iron 3-Piece Grates
- Wide View Window
- Storage Drawer
- Self Clean

5 Gas Burners

- Right Front: 18,000 BTU Dual Ring
- Left Front: 15,000 BTU
- Right Rear: 5,000 BTU
- Left Rear: 9,500 BTU
- Center: 10,000 BTU (Oval)



Available Colors



Stainless Steel
NX58T7511SS/AA



Fingerprint
Resistant Black
Stainless Steel
NX58T7511SG/AA




NX58R5601

5.8 cu. ft. Freestanding Gas Range with Convection

- Large Oven Capacity – 5.8 cu. ft.
- Convection
- Griddle
- Cast Iron 3-Piece Grates
- Wide View Window
- Storage Drawer
- Self Clean

5 Gas Burners

- Right Front: 17,000 BTU
- Left Front: 15,000 BTU
- Right Rear: 5,000 BTU
- Left Rear: 9,500 BTU
- Center: 9,500 BTU (Oval)



Available Colors



Stainless Steel
NX58R5601SS/AA



Fingerprint
Resistant Black
Stainless Steel
NX58R5601SG/AA



White
NX58T5601SW/AA



Black
NX58T5601SB/AA

Ranges Freestanding Gas




NX58R431I

5.8 cu. ft. Freestanding Gas Range

- Large Oven Capacity – 5.8 cu. ft.
 - Cast Iron 3-Piece Grates
 - Wide View Window
 - Storage Drawer
 - Self Clean
- 5 Gas Burners**

 - Right Front: 17,000 BTU
 - Left Front: 12,000 BTU
 - Right Rear: 5,000 BTU
 - Left Rear: 9,500 BTU
 - Center: 9,500 BTU (Oval)



Available Colors



Stainless Steel
NX58R4311SS/AA



Fingerprint Resistant Black
Stainless Steel
NX58R4311SG/AA

Ranges Freestanding Electric



NE59J7850

5.9 cu. ft. Flex Duo™ Freestanding Electric Range with Warming Drawer

- Flex Duo™ with Dual Door**


 - 2.6 cu. ft. Upper
 - 3.2 cu. ft. Lower

Overview

 - Convection
 - Soft Close Door
 - Touch Controls
 - Wide View Window
 - Warming Drawer
- Hidden Bake Element
 - Steam & Self Clean

5 Element Cooktop

 - One Triple Element (6" / 9" / 12")
 - Two Bridged (7")
 - One Single Element (6" each)
 - Warming Center (7")



Available Colors



Stainless Steel
NE59J7850WS/AA



Fingerprint Resistant Black
Stainless Steel
NE59J7850WG/AA



NE59M6850

5.9 cu. ft. Flex Duo™ Freestanding Electric Range

- Flex Duo™ with Dual Door**


 - 2.7 cu. ft. Upper
 - 3.0 cu. ft. Lower

Overview

 - Convection
 - Soft Close Door
 - Touch Controls
 - Wide View Window
- Storage Drawer
 - Hidden Bake Element
 - Steam & Self Clean

5 Element Cooktop

 - Two Dual Elements (6" / 9", 9" / 12")
 - Two Single Elements (6" each)
 - One Warming Center (7")



Available Colors



Stainless Steel
NE59M6850SS/AA



Fingerprint Resistant Black
Stainless Steel
NE59M6850SG/AA




NE59T7511 ★

5.9 cu. ft. Freestanding Electric Range with Air Fry

- Large Oven Capacity – 5.9 cu. ft.
 - Stainless Steel Cooktop
 - Air Fry, Tray Included
 - Convection
 - Wide View Window
 - Storage Drawer
 - Hidden Bake Element
 - Steam & Self Clean
- 5 Element Cooktop**

 - Rapid Boil™ Dual Element (6" / 9" - 3,300W)
 - Dual Element (9" / 12")
 - Two Single Elements (6" each)
 - One Warming Center (7")



Available Colors



Stainless Steel
NE59T7511SS/AA



Fingerprint Resistant Black Stainless Steel
NE59T7511SG/AA




NE59R4321 ★

5.9 cu. ft. Freestanding Electric Range with Convection

- Large Oven Capacity – 5.9 cu. ft.
 - Stainless Steel Cooktop
 - Convection
 - Wide View Window
 - Storage Drawer
 - Hidden Bake Element
 - Steam & Self Clean
- 5 Element Cooktop**

 - Two Dual Elements (6" / 9", 9" / 12")
 - Two Single Elements (6" each)
 - One Warming Center (7")



Available Colors



Stainless Steel
NE59R4321SS/AA



Fingerprint Resistant Black Stainless Steel
NE59R4321SG/AA



White:
NE59T4321SW/AA



Black:
NE59T4321SB/AA




NE59T4311 ★

5.9 cu. ft. Freestanding Electric Range

- Large Oven Capacity – 5.9 cu. ft.
 - Wide View Window
 - Storage Drawer
 - Hidden Bake Element
 - Self Clean
- 5 Element Cooktop**

 - Two Dual Elements (6" / 9")
 - Two Single Elements (6" each)
 - One Warming Center (7")



Available Colors



Stainless Steel
NE59T4311SS/AA



Fingerprint Resistant Black Stainless Steel
NE59T4311SG/AA

Microwaves



Over-the-Range
Countertop

Product Page Number	Specification Page Number
72	192
76	194



400 CFM Ventilation

The nearly silent system clears the air with 400 cubic feet per minute of turbo ventilation.



Powerful Heat

Power convection technology heats evenly and cooks 30% faster than a standard convection microwave.





MC17T8000

1.7 cu. ft. Over-the-Range Convection Microwave

- 1.7 cu. ft. Capacity
- 950W Cooking Power (Microwave)
- 1,750W Cooking Power (Convection)
- 1,100W Cooking Power (Grill)
- Convection
- Slim Fry™
- Ceramic Enamel Interior
- 3-Speed / 300 CFM Ventilation System
- Cooking Preset
- Eco Mode (Reduces Standby Power)
- 10 Power Levels
- Two-Stage Programmable Cooking
- Auto Cook
- Auto Defrost
- Charcoal / Grease Vent Filter
- Steam Clean

Available Colors



Fingerprint Resistant Stainless Steel
MC17T8000CS/AA



Fingerprint Resistant Black Stainless
MC17T8000CG/AA



ME21K7010

2.1 cu. ft. Over-the-Range Microwave with PowerGrill

- 2.1 cu. ft. Capacity
- 1,000W Cooking Power
- PowerGrill
- Ceramic Enamel Interior
- Glass-Touch Bottom Controls
- Sensor Cook
- Grilling Plate with Rack
- Simple Clean Filter
- LED Cooktop Light
- 4-Speed / 400 CFM Ventilation System
- Cooking Presets
- Eco Mode
- Turntable On / Off
- Hidden Vent

Available Colors



Fingerprint Resistant Stainless Steel
ME21K7010DS/A2



Fingerprint Resistant Black Stainless
ME21K7010DG/A2



ME21M706

2.1 cu. ft. Over-the-Range Microwave

- 2.1 cu. ft. Capacity
- 1,000W Cooking Power
- 400 CFM Ventilation System
- Ceramic Enamel Interior
- Precise Glass Touch Controls
- Sensor Cook
- Recessed Handle
- LED Cooktop Lighting
- Simple Clean Filter
- Charcoal / Grease Vent Filter
- 10 Power Levels
- Two-Stage Programmable Cooking
- Smart & 1-Pound Defrost
- Auto Cook
- Chrome Rack
- LED Display

Available Colors



Fingerprint Resistant Stainless Steel
ME21M706BAS/AA



Fingerprint Resistant Black Stainless Steel
ME21M706BAG/AA



Fingerprint Resistant Tuscan Stainless Steel
ME21R706BAT/AA



ME21R7051

2.1 cu. ft. Over-the-Range Microwave with Sensor Cooking

- 2.1 cu. ft. Capacity
- Ceramic Enamel Interior
- Sensor Cook
- 1,000W Cooking Power
- 400 CFM Ventilation System
- Cooktop Lighting (LED): High / Low / Off
- Charcoal / Grease Vent Filter
- 10 Power Levels
- Two-Stage Programmable Cooking
- Smart & 1-Pound Defrost
- Auto Cook
- LED Display

Available Colors



Fingerprint Resistant Stainless Steel
ME21R7051SS/AA



Fingerprint Resistant Black Stainless Steel
ME21R7051SG/AA



ME19R7041

1.9 cu. ft. Over-the-Range Microwave

- 1.9 cu. ft. Capacity
- Ceramic Enamel Interior
- Sensor Cook
- LED Display
- 1,000W Cooking Power
- 4-Speed / 400 CFM Ventilation System
- 10 Power Levels
- Two-Stage Programmable Cooking
- Auto Defrost / Sensor Reheat
- Auto Cook

Available Colors



Fingerprint Resistant Stainless Steel
ME19R7041FS/AA



Fingerprint Resistant Black Stainless Steel
ME19R7041FG/AA



Fingerprint Resistant Tuscan Stainless Steel
ME19R7041FT/AA



White
ME19R7041FW/AA



Black
ME19R7041FB/AA



ME17R7021

1.7 cu. ft. Over-the-Range Microwave

- 1.7 cu. ft. Capacity
- 300 CFM Ventilation System
- 1,000W Cooking Power
- LED Display
- Charcoal / Grease Vent Filter
- 10 Power Levels
- Two-Stage Programmable Cooking
- Auto Defrost / Auto Reheat
- Auto Cook
- Turntable

Available Colors



Fingerprint Resistant Stainless Steel
ME17R7021ES/AA



Fingerprint Resistant Black Stainless Steel
ME17R7021EG/AA



White
ME17R7021EW/AA



Black
ME17R7021EB/AA

Warranty information on page 248
Full Specifications on page 193



ME16K3000

1.6 cu. ft. Over-the-Range Microwave

- 1.6 cu. ft. Capacity
- 2-Speed / 300 CFM Ventilation System
- LED Display
- Cooking Presets
- Eco Mode
- Round Handle¹

Available Colors



StainlessSteel
ME16K3000AS/AA

samsung.com/builder

¹Model is transitioning to a flat handle in 2021



MC12J8035

1.2 cu. ft. Countertop Microwave with Power Convection and PowerGrill Duo™

- 1.2 cu. ft. Capacity
- Power Convection
- PowerGrill Duo™
- Slim Fry™
- Ceramic Enamel Interior
- Rack with Ceramic Plate
- Glass Touch Controls
- 900W (Micro) / 1,600W (Grill) / 1,650W (Power Convection)
- LED Display
- Drop-Down Door Design
- Cooking Preset
- Eco Mode (Reduces Standby Power)
- 10 Power Levels
- Various Cooking Modes
- Weight / Serving Controls
- Preheat
- Auto Cook
- Auto Defrost

Available Colors



Fingerprint Resistant Black Stainless Steel
MC12J8035CT/AA

30" Trim Kit Available
Stainless
MA-TK3080CT



MC11K7035

1.1 cu. ft. Countertop Microwave with Power Convection, PowerGrill and Ceramic Enamel Interior

- 1.1 cu. ft. Capacity
- Power Convection
- PowerGrill
- Slim Fry™
- Ceramic Enamel Interior
- Sensor Cook
- 1,000W (Micro) / 1,300W (Grill) / 1,600W (Power Convection)
- Grilling Plate with Rack
- Dial Control
- Triple Distribution System
- LED Display
- Cooking Presets
- Drop-Down Door Design
- Eco Mode
- Turntable On / Off

Available Colors



Fingerprint Resistant Black Stainless Steel
MC11K7035CG/AA



MG11T5018

1.1 cu. ft. Countertop Microwave with Grilling Element

- 1.1 cu. ft. Capacity
- Grilling Element
- Easy Crisp with Ceramic Plate and Rack
- Intuitive Design
- 1,000W Cooking Power
- Ceramic Enamel Interior
- Auto Cook
- 10 Power Levels
- Dessert / Popcorn
- Auto Defrost

Available Colors



Charcoal
MG11T5018CC/AA



White
MG11T5018CW/AA



MG11H2020

1.1 cu. ft. Countertop Microwave with Grilling Element

- 1.1 cu. ft. Capacity
- Easy Crisp with Ceramic Plate and Rack
- Scratch Resistant and Easy to Clean
- Auto Cook Plus
- 1,000W Cooking Power
- Ceramic Enamel Interior
- 10 Power Levels
- Various Cooking Modes
- Weight / Serving Control
- Two-Stage Cooking
- Auto Defrost
- Grilling Element
- High Rack
- Ceramic Plate

Available Colors



Stainless Steel
MG11H12020CT/AA



MS19M8000

1.9 cu. ft. Countertop Microwave with Sensor Cook

- 1.9 cu. ft. Capacity
- 950W Cooking Power
- Ceramic Enamel Interior
- 10 Power Levels
- Sensor Cook
- Auto Defrost
- Eco Mode
- LED Display
- Cooking Presets

Available Colors



Stainless Steel
MS19M8000AS/AA

30" Trim Kit
Available
MA-TK8020TS



MS19M8020

1.9 cu. ft. Built-In Countertop Microwave with Sensor Cook

- 1.9 cu. ft. Capacity
- 950W Cooking Power
- Ceramic Enamel Interior
- 10 Power Levels
- Sensor Cook
- Auto Defrost
- Eco Mode
- LED Display
- Cooking Presets

Available Colors



Fingerprint
Resistant Black
Stainless Steel
MS19M8020TG/AA

30" Trim Kit
Available
MA-TK8020TG



MS14K6000

1.4 cu. ft. Countertop Microwave with Ceramic Enamel Interior and Sensor Cook

- 1.4 cu. ft. Capacity
- 7 Auto Programs
- Ceramic Enamel Interior
- 1,000W Cooking Power
- Sensor Cook
- 10 Power Levels
- Triple Distribution System
- Auto Defrost
- Eco Mode
- Touch Control
- LED Display
- Cooking Presets

Available Colors



Stainless
MS14K6000AS/AA



Fingerprint
Resistant Black
Stainless Steel
MS14K6000AG/AA

Ventilation



Ventilation

Product Page Number	Specification Page Number
88	198



NK30K7000WS, NA36N7755TG

Bluetooth® Connectivity

Bluetooth® connects the range or cooktop to the hood, so the fan automatically starts when they do.



Digital Touch Controls

All models feature seamlessly integrated controls that are as beautiful as they are easy to clean.



Wi-Fi Enabled

Control the vent hood's power, speed and LED lights directly from your mobile device when connected with a compatible Samsung range / cooktop.



Modern Design

Dishwasher-safe baffle filters help keep the air clean by drawing grease and odor through the hood.





NK36K7000W

36" Chimney Style Range Hood

- Baffle Filter
- Powerful 390 CFM Ventilation
- 4 Fan Speeds Including Booster
- Wall-Mounted Chimney Style
- Digital Touch Control
- Exterior Venting
- 74 dBA (10.8 sones) Noise Level
- Optional Recirculating Kit Available: NK-AF030FNB
- Optional Extension Kit Available: NK-AE705PWS (Stainless Steel) and NK-AE705PWG (Black Stainless Steel)
- Bluetooth® Connectivity with 7000 Series Cooktops

Available Colors



Stainless Steel
NK36K7000WS/A2



Fingerprint Resistant Black Stainless Steel
NK36K7000WG/A2



NK36N7000U

36" Under Cabinet Range Hood

- Baffle Filter
- Powerful 390 CFM Ventilation
- 4 Fan Speeds Including Booster
- Under Cabinet Style
- Digital Touch Control
- 75 dBA (8.2 sones) Noise Level
- Exterior Venting & Recirculating Capabilities
- Optional Recirculating Kit Available: NK-AF030FNB
- Bluetooth® Connectivity with 7000 Series Cooktops

Available Colors



Stainless Steel
NK36N7000US/AA



Fingerprint Resistant Black Stainless Steel
NK36N7000UG/AA

NK30N7000U

30" Under Cabinet Range Hood

- Baffle Filter
- Powerful 390 CFM Ventilation
- 4 Fan Speeds Including Booster
- Under Cabinet Style
- Digital Touch Control
- 75 dBA (8.2 sones) Noise Level
- Exterior Venting & Recirculating Capabilities
- Optional Recirculating Kit Available: NK-AF030FNB
- Bluetooth® Connectivity with 7000 Series Cooktops

Available Colors



Stainless Steel
NK30N7000US/AA



Fingerprint Resistant Black Stainless Steel
NK30N7000UG/AA



NK36R5000W ¹ADA

36" Chimney Style Range Hood

- Powerful 390 CFM Ventilation
- LED Lights
- 3 Fan Speeds
- Wall-Mounted Chimney Style
- Mechanical Controls
- 70 dBA (7.0 sones) Noise Level
- Exterior Venting & Recirculating Capabilities
- Optional Recirculating Kit Available: NK-AF020FNB
- Optional Extension Kits Available: NK-AE505PWS (Stainless Steel) and NKAE505PWG (Black Stainless Steel)

Available Colors



Stainless Steel
NK36R5000WS/AA



Fingerprint Resistant Black
Stainless Steel
NK36R5000WG/AA

NK30R5000W ¹ADA

30" Chimney Style Range Hood

- Powerful 390 CFM Ventilation
- LED Lights
- 3 Fan Speeds
- Wall-Mounted Chimney Style
- Mechanical Controls
- 70 dBA (7.0 sones) Noise Level
- Exterior Venting & Recirculating Capabilities
- Optional Recirculating Kit Available: NK-AF020FNB
- Optional Extension Kit Available: NK-AE505PWS (Stainless Steel) and NKAE505PWG (Black Stainless Steel)

Available Colors



Stainless Steel
NK30R5000WS/AA



Fingerprint Resistant Black
Stainless Steel
NK30R5000WG/AA

Dishwashers

¹To meet ADA requirements, ventilation hoods require an electrician will need to install a dedicated electrical line that would connect the hood via electrical wire to a standard electrical wall switch.

Warranty information on page 248
Full Specifications on page 198

	Product Page Number	Specification Page Number
Dishwashers	100	200



DW80R9950UT

Linear Wash

AquaBlast™ jets provide corner to corner coverage for superior cleaning.



StormWash™

A heavy-duty wash thoroughly cleans the messiest pots and pans without prewashing.



AutoRelease™ Door

At the end of a cycle, the door automatically pops open to circulate air and accelerate drying time.




Zone Booster™

Target different zones of your dishwasher with custom settings.



Flexible Third Rack

The flexible third rack provides extra space to load silverware. Use this adjustable section for oversized utensils.





DW80R9950



Dishwasher with Linear Wash System

- Linear Wash System
- Whisper Quiet Cleaning: 39 dBA
- AutoRelease™ Door
- 3rd Rack
- Zone Booster™
- Touch Controls
- 7 Wash Cycles
- 8 Options
- Half-Load Cycle
- Express Cycle: 60 Minutes
- One-Touch Adjustable Racking System
- Full Stainless Steel Interior
- 15 Place Settings
- 3 Spray Wash Arms (Upper, Middle, Lower)

Available Colors



Fingerprint Resistant Stainless Steel
DW80R9950US/AA

Fingerprint Resistant Black Stainless Steel
DW80R9950UG/AA

Fingerprint Resistant Tuscan Stainless Steel
DW80R9950UT/AA



DW80R7061



Top Control Dishwasher with StormWash™

- StormWash™
- Whisper Quiet Cleaning: 42 dBA
- AutoRelease™ Door
- 3rd Rack
- One-Touch Adjustable Racking System
- Ball Bearing Rack
- Digital Touch Controls
- Sanitize Option
- 6 Wash Cycles
- 6 Options
- Half-Load Cycle
- Express Cycle: 60 Minutes
- Full Stainless Steel Interior
- 15 Place Settings
- 3 Spray Wash Arms (Upper, Middle, Lower)
- Bar Handle Design

Available Colors



Fingerprint Resistant Stainless Steel
DW80R7061US/AA

Fingerprint Resistant Black Stainless Steel
DW80R7061UG/AA



DW80R7060



Top Control Dishwasher with StormWash™

- StormWash™
- Whisper Quiet Cleaning: 42 dBA
- AutoRelease™ Door
- 3rd Rack
- One-Touch Adjustable Racking System
- Ball Bearing Rack
- Digital Touch Controls
- Sanitize Option
- 6 Wash Cycles
- 6 Options
- Half-Load Cycle
- Express Cycle: 60 Minutes
- Full Stainless Steel Interior
- 15 Place Settings
- 3 Spray Wash Arms (Upper, Middle, Lower)
- Recessed Handle Design

Available Colors



Fingerprint Resistant Stainless Steel
DW80R7060US/AA

Fingerprint Resistant Black Stainless Steel
DW80R7060UG/AA



DW80R5061



Top Control Dishwasher with StormWash™

- StormWash™
- Quiet Cleaning: 48 dBA
- AutoRelease™ Door
- 3rd Rack
- One-Touch Adjustable Racking System
- Digital Touch Controls
- Sanitize Option
- 6 Wash Cycles
- 6 Options
- Half-Load Cycle
- Express Cycle: 60 Minutes
- Full Stainless Steel Interior
- 15 Place Settings
- 3 Spray Wash Arms (Upper, Middle, Lower)
- Bar Handle Design

Available Colors



Fingerprint Resistant Stainless Steel
DW80R5061US/AA

Fingerprint Resistant Black Stainless Steel
DW80R5061UG/AA

Fingerprint Resistant Tuscan Stainless Steel
DW80R5061UT/AA



DW80R5060



Top Control Dishwasher with StormWash™

- StormWash™
- Quiet Cleaning: 42 dBA
- AutoRelease™ Door
- 3rd Rack
- One-Touch Adjustable Racking System
- Ball Bearing Rack
- Digital Touch Controls
- Sanitize Option
- 6 Wash Cycles
- 6 Options
- Half-Load Cycle
- Express Cycle: 60 Minutes
- Full Stainless Steel Interior
- 15 Place Settings
- 3 Spray Wash Arms (Upper, Middle, Lower)
- Recessed Handle Design

Available Colors



Fingerprint Resistant Stainless Steel
DW80R5060US/AA



Fingerprint Resistant Black Stainless Steel
DW80R5060UG/AA



DW80N3030



Front Control Dishwasher with Digital Touch Controls

- Quiet Operation: 51 dBA
- Digital Touch Controls
- 3rd Rack
- Recessed Handle
- Stainless Steel Interior Door
- Advanced Wash System
- Water Consumption: 3.5 Gallons
- 4 Wash Cycles
- 5 Options
- 15 Place Settings
- Digital Water Leakage Sensor

Available Colors



Stainless Steel
DW80N3030US/AA



White
DW80N3030UW/AA



Black
DW80N3030UB/AA



DW80R2031



Top Control Dishwasher with Integrated Digital Touch Controls

- 55 dBA Noise Level
- Digital Touch Controls
- Adjustable Rack
- Stainless Steel Door
- Fully Integrated Top Control
- Advanced Wash System
- 4 Wash Cycles
- 5 Options
- 14 Place Settings

Available Colors



Stainless Steel
DW80R2031US/AA



White
DW80R2031UW/AA



Black
DW80R2031UB/AA



DW60R2014



Dishwasher with Integrated Digital Touch Controls

- 52 dBA Noise Level
- Digital Touch Controls
- Advanced Wash System
- 4 Wash Cycles
- 5 Options
- 12 Place Settings

Available Colors



Stainless Steel
DW60R2014US/AA

Dishwashers



DW50T6060

Dishwasher with Whisper Quiet Cleaning

- 18" Width
- Whisper Quiet Cleaning (46 dBA)
- AutoRelease™ Door
- Fingerprint Resistant Finish
- Express Cycle: 60 Minutes
- Hidden, Digital Touch Controls
- Full Stainless Steel Interior
- 5 Wash Cycles
- 4 Options
- 8 Place Settings
- 3 Spray Wash Arms (Upper, Middle, Lower)
- Rotary Clean System
- Pocket Handle

Available Colors



Fingerprint Resistant Stainless Steel
DW50T6060US/AA



Fingerprint Resistant Black Stainless Steel
DW50T6060UG/AA

Refrigerators

	Product Page Number	Specification Page Number
4-Door Flex	114	202
4-Door French Door	117	204
3-Door French Door	122	208
Side-by-Side	130	214
Top Freezer	132	215
Bottom Freezer	134	216
Stand Up Freezer	135	217
Wine Cooler	136	218



RF28R7551SR

It's all on your fridge

Plan meals, stream your favorite content, manage schedules and multi-task—all right from your fridge. Now more than ever, the Family Hub™ keeps you connected to the people and things you love.



Stay connected and in the know

Conveniently manage everyone's events, set reminders, leave notes and upload pictures on the Family Hub™.



RF28R7551DT, DW80R9950UT

Make meal planning easy

Search recipes, grocery shop through apps and plan weekly meals right on your fridge.



RF27T5501SG

AutoFill Water Pitcher

A built-in pitcher that automatically refills with filtered water and the option to infuse with a flavor of your choice.



FlexZone™

Convert from freezer to refrigerator with the touch of a button.





RF28N9780

28 cu. ft. 4-Door Flex Refrigerator with Family Hub™

- Large Capacity – 28 cu. ft.
 - FlexZone™
 - Triple and Metal Cooling
 - External Filtered Water and Ice Dispenser
 - Ice Max Ice Maker in the Refrigerator
 - Wine Rack
 - EZ Slide-Out Shelves in Freezer and FlexZone™
 - Connects to SmartThings App
 - Voice Control Enabled Via: Bixby
- Family Hub™**
- 21.5" Wi-Fi Enabled Touchscreen
 - 3 Built-In Cameras
 - 25W Built-In Speaker
 - Stream Music or Mirror Samsung Devices
 - Remotely Sync Calendars and Share Photos, Notes, and Memos
 - Food Management and Meal Planning with AI Recognition
 - Smart Recipes Based on Family Preferences
 - Voice Command to Build Shopping Lists

Available Colors



Fingerprint Resistant Stainless Steel RF28N9780SR

Fingerprint Resistant Black Stainless Steel RF28N9780SG



RF22N9781

22 cu. ft. Counter Depth 4-Door Flex Refrigerator with Family Hub™

- Capacity – 22 cu. ft.
 - FlexZone™
 - Triple and Metal Cooling
 - External Filtered Water and Ice Dispenser
 - Ice Max Ice Maker in the Refrigerator
 - Wine Rack
 - EZ Slide-Out Shelves in Freezer and FlexZone™
 - Connects to SmartThings App
 - Voice Control Enabled Via: Bixby
- Family Hub™**
- 21.5" Wi-Fi Enabled Touchscreen
 - 3 Built-In Cameras
 - 25W Built-In Speaker
 - Stream Music or Mirror Samsung Devices
 - Remotely Sync Calendars and Share Photos, Notes, and Memos
 - Food Management and Meal Planning with AI Recognition
 - Smart Recipes Based on Family Preferences
 - Voice Command to Build Shopping Lists

Available Colors



Fingerprint Resistant Stainless Steel RF22N9781SR

Fingerprint Resistant Black Stainless Steel RF22N9781SG

Warranty information on page 248
Full Specifications on page 202



RF28K9380

28 cu. ft. 4-Door Flex Food Showcase Refrigerator with FlexZone™

- Large Capacity – 28 cu. ft.
 - Food Showcase Door
 - FlexZone™
 - Triple and Metal Cooling
 - External Filtered Water and Ice Dispenser
 - Ice Max Ice Maker in the Refrigerator
 - Surface LED Lighting
 - Stainless-Look Display
- Stainless Steel Accents on Interior Shelving and Door Bins
 - Tempered Glass Spill-Proof Shelves
 - EZ Slide-Out Shelves in Freezer and FlexZone™
 - Flip-Up Shelf
 - Gallon Door Bin

Available Colors



Fingerprint Resistant Stainless Steel RF28K9380SR

Fingerprint Resistant Black Stainless Steel RF28K9380SG




RF22K9381

22 cu. ft. Counter Depth 4-Door Flex Food Showcase Refrigerator with FlexZone™

- Capacity – 22 cu. ft.
 - Food Showcase Door
 - FlexZone™
 - Triple and Metal Cooling
 - External Filtered Water and Ice Dispenser
 - Ice Max Ice Maker in the Refrigerator
 - High-Efficiency LED Lighting
- Stainless-Look Display
 - Stainless Steel Accents on Interior Shelving and Door Bins
 - Tempered Glass Spill-Proof Shelves
 - EZ Slide-Out Shelves in Freezer and FlexZone™
 - Flip-Up Shelf
 - Gallon Door Bin

Available Colors



Fingerprint Resistant Stainless Steel RF22K9381SR

Fingerprint Resistant Black Stainless Steel RF22K9381SG

Refrigerators 4-Door Flex



RF28K9070



28 cu. ft. 4-Door Flex Refrigerator with FlexZone™

- Large Capacity – 28 cu. ft.
- FlexZone™
- Triple Cooling System
- External Filtered Water and Ice Dispenser
- Ice Max Ice Maker in the Refrigerator
- Surface LED Lighting
- Stainless-Look Display
- Stainless Steel Accents on Interior Shelving and Door Bins
- Tempered Glass Spill-Proof Shelves
- EZ Slide-Out Shelves in Freezer and FlexZone™
- Flip-Up Shelf
- Gallon Door Bins

Available Colors



Fingerprint Resistant Stainless Steel
RF28K9070SR



Fingerprint Resistant Black Stainless Steel
RF28K9070SG



RF23J9011



23 cu. ft. Counter Depth 4-Door Flex Refrigerator with FlexZone™

- Large Capacity – 23 cu. ft.
- FlexZone™
- Triple Cooling System
- External Filtered Water and Ice Dispenser
- Ice Max Ice Maker in the Refrigerator
- High-Efficiency LED Lighting
- Stainless-Look Display
- Stainless Steel Accents on Interior Shelving and Door Bins
- Tempered Glass Spill-Proof Shelves
- Flip-Up Shelf
- Gallon Door Bins
- Two Clear Crispers

Available Colors



Fingerprint Resistant Stainless Steel
RF23J9011SR



Fingerprint Resistant Black

Stainless Steel
RF23J9011SG

Warranty information on page 248
Full Specifications on page 204

Refrigerators 4-Door French Door



RF23M8570



22 cu. ft. 4-Door Counter Depth French Door Refrigerator with Family Hub™

- Capacity – 22 cu. ft.
- FlexZone™ Drawer with 4 Temperature Settings and Smart Divider
- AutoFill Water Pitcher
- Twin Cooling Plus™
- External Filtered Water and Ice Dispenser
- Touch Button Display
- High-Efficiency LED Lighting
- Connects to SmartThings App
- Family Hub™
- 21.5" Wi-Fi Enabled Touchscreen
- 3 Built-In Cameras
- 25W Built-In Speaker
- Stream Music or Mirror Samsung Devices
- Remotely Sync Calendars and Share Photos, Notes, and Memos
- Food Management and Meal Planning with AI Recognition
- Smart Recipes Based on Family Preferences
- Voice Command to Build Shopping Lists

Available Colors



Stainless Steel
RF23M8570SR



Fingerprint Resistant Black Stainless Steel
RF23M8570SG

samsung.com/builder



RF23M8070



23 cu. ft. 4-Door Counter Depth French Door Refrigerator with FlexZone™

- Capacity – 23 cu. ft.
- FlexZone™ Drawer with 4 Temperature Settings and Smart Divider
- AutoFill Water Pitcher
- Twin Cooling Plus™
- External Filtered Water and Ice Dispenser
- Touch Button Display
- High-Efficiency LED Lighting
- Tempered Glass Spill-Proof Shelves
- Gallon Door Bins
- Two Crispers

Available Colors



Stainless Steel
RF23M8070SR



Fingerprint Resistant Black Stainless Steel
RF23M8070SG



Fingerprint Resistant Tuscan Stainless Steel
RF23M8070DT

Refrigerators 4-Door French Door



RF28R7551

28 cu. ft. 4-Door French Door Refrigerator with Family Hub™

- Large Capacity – 28 cu. ft.
 - FlexZone™ Drawer with 4 Temperature Settings and Smart Divider
 - Metal Cooling and Twin Cooling Plus™
 - Ice Max - Stores up to 4.2 lbs. of Ice
 - Two Humidity-Controlled Crispers
 - External Filtered Water and Ice Dispenser
 - EZ-Open Handle™
 - Connects to SmartThings App
 - Voice Control Enabled Via: Bixby
- Family Hub™**
- 21.5" Wi-Fi Enabled Touchscreen
 - 3 Built-In Cameras
 - 25W Built-In Speaker
 - Stream Music or Mirror Samsung Devices
 - Remotely Sync Calendars and Share Photos, Notes, and Memos
 - Food Management and Meal Planning with AI Recognition
 - Smart Recipes Based on Family Preferences
 - Voice Command to Build Shopping Lists

Available Colors

Fingerprint Resistant Stainless Steel
RF28R7551SR

Fingerprint Resistant Black Stainless Steel
RF28R7551SG

Fingerprint Resistant Tuscan Stainless Steel
RF28R7551DT



RF22R7551

22 cu. ft. 4-Door Counter Depth French Door Refrigerator with Family Hub™

- Capacity – 22 cu. ft.
 - FlexZone™ Drawer with 4 Temperature Settings and Smart Divider
 - Metal Cooling and Twin Cooling Plus™
 - Ice Max - Stores up to 2.7 lbs. of Ice
 - Two Humidity-Controlled Crispers
 - External Filtered Water and Ice Dispenser
 - EZ-Open Handle™
 - Connects to SmartThings App
 - Voice Control Enabled Via: Bixby
- Family Hub™**
- 21.5" Wi-Fi Enabled Touchscreen
 - 3 Built-In Cameras
 - 25W Built-In Speaker
 - Stream Music or Mirror Samsung Devices
 - Remotely Sync Calendars and Share Photos, Notes, and Memos
 - Food Management and Meal Planning with AI Recognition
 - Smart Recipes Based on Family Preferences
 - Voice Command to Build Shopping Lists

Available Colors

Fingerprint Resistant Stainless Steel
RF22R7551SR

Fingerprint Resistant Black Stainless Steel
RF22R7551SG

Fingerprint Resistant Tuscan Stainless Steel
RF22R7551DT

Refrigerators 4-Door French Door



RF28R7351

28 cu. ft. 4-Door French Door Refrigerator with Food Showcase

- Large Capacity – 28 cu. ft.
 - Food Showcase Door
 - AutoFill Water Pitcher
 - FlexZone™ Drawer with 4 Temperature Settings and Smart Divider
 - Metal Cooling and Twin Cooling Plus™
 - Ice Max - Stores up to 4.2 lbs. of Ice
 - Two Humidity-Controlled Crispers
 - External Filtered Water and Ice Dispenser
 - High-Efficiency LED Lighting
- EZ-Open Handle™ on Freezer Door and FlexZone™ Drawer
 - Tempered Glass Spill-Proof Shelves
 - Adjustable Shelves for Tall Oversized Items
 - Auto Pull-Out Upper Freezer Drawer
 - Gallon Door Bins
 - Dispenser Light
 - Voice Control Enabled Via: Bixby

Available Colors

Fingerprint Resistant Stainless Steel
RF28R7351SR

Fingerprint Resistant Black Stainless Steel
RF28R7351SG

Fingerprint Resistant Tuscan Stainless Steel
RF28R7351DT

RF22R7351

22 cu. ft. 4-Door Counter Depth French Refrigerator with Food Showcase

- Capacity – 22 cu. ft.
 - Food Showcase Door
 - AutoFill Water Pitcher
 - FlexZone™ Drawer with 4 Temperature Settings and Smart Divider
 - Metal Cooling and Twin Cooling Plus™
 - Ice Max - Stores up to 2.7 lbs. of Ice
 - Two Humidity-Controlled Crispers
 - External Filtered Water and Ice Dispenser
 - High-Efficiency LED Lighting
- EZ-Open Handle™ on Freezer Door and FlexZone™ Drawer
 - Tempered Glass Spill-Proof Shelves
 - Adjustable Shelves for Tall Oversized Items
 - Auto Pull-Out Upper Freezer Drawer
 - Gallon Door Bins
 - Dispenser Light
 - Voice Control Enabled Via: Bixby

Available Colors

Fingerprint Resistant Stainless Steel
RF22R7351SR

Fingerprint Resistant Black Stainless Steel
RF22R7351SG

Fingerprint Resistant Tuscan Stainless Steel
RF22R7351DT



RF28R7201



28 cu. ft. 4-Door French Door Refrigerator with FlexZone™ Drawer

- Large Capacity – 28 cu. ft.
- FlexZone™ Drawer with 4 Temperature Settings and Smart Divider
- Twin Cooling Plus™
- Ice Max - Stores up to 4.2 lbs. of Ice
- Two Humidity-Controlled Crispers
- External Filtered Water and Ice Dispenser
- High-Efficiency LED Lighting
- EZ-Open Handle™ on Freezer Door and FlexZone™ Drawer
- Tempered Glass Spill-Proof Shelves
- Adjustable Shelves for Tall Oversized Items
- Auto Pull-Out Upper Freezer Drawer
- Gallon Door Bins
- Dispenser Light
- Voice Control Enabled Via: Bixby

Available Colors



Fingerprint Resistant Stainless Steel
RF28R7201SR



Fingerprint Resistant Black Stainless Steel
RF28R7201SG



Fingerprint Resistant Tuscan Stainless Steel
RF28R7201DT



RF24R7201



23 cu. ft. 4-Door Counter Depth French Door Refrigerator with FlexZone™ Drawer

- Capacity – 23 cu. ft.
- FlexZone™ Drawer with 4 Temperature Settings and Smart Divider
- Twin Cooling Plus™
- Ice Max - Stores up to 2.7 lbs. of Ice
- Two Humidity-Controlled Crispers
- External Filtered Water and Ice Dispenser
- High-Efficiency LED Lighting
- EZ-Open Handle™ on Freezer Door and FlexZone™ Drawer
- Tempered Glass Spill-Proof Shelves
- Adjustable Shelves for Tall Oversized Items
- Auto Pull-Out Upper Freezer Drawer
- Gallon Door Bins
- Dispenser Light
- Voice Control Enabled Via: Bixby

Available Colors



Fingerprint Resistant Stainless Steel
RF24R7201SR



Fingerprint Resistant Black Stainless Steel
RF24R7201SG



Fingerprint Resistant Tuscan Stainless Steel
RF24R7201DT



RF25HMIDB



25 cu. ft. 4-Door French Door Refrigerator with External Water & Ice Dispenser

- Large Capacity – 25 cu. ft.
- Slim Width – 33" Wide
- SpaceMax™ Technology
- Full-Width Internal FlexZone™ Drawer
- Twin Cooling Plus™
- Ice Max™ Ice Maker - Produces up to 10 lbs. of Ice Daily and Stores 4.2 lbs.
- LED Display with Water and Ice Dispenser
- High-Efficiency LED Lighting
- EZ-Open Handle™
- Adjustable Spill-Proof Shelves

Available Colors



Fingerprint Resistant Stainless Steel
RF25HMIDBSR



Fingerprint Resistant Black Stainless Steel
RF25HMIDBSG

Refrigerators 3-Door French Door



RF27T5501

27 cu. ft. 3-Door French Door Refrigerator with Family Hub™

- Large Capacity – 26.5 cu. ft.
- All-Around Cooling
- External Filtered Water and Ice Dispenser with Light
- High-Efficiency LED Lighting
- Ice Max
- Auto Pull-Out Freezer Drawer
- Connects to SmartThings App
- Family Hub™
- 21.5" Wi-Fi Enabled Touchscreen
- 3 Built-In Cameras
- 25W Built-In Speaker
- Stream Music or Mirror Samsung Devices
- Remotely Sync Calendars and Share Photos, Notes, and Memos
- Food Management and Meal Planning with AI Recognition
- Smart Recipes Based on Family Preferences
- Voice Command to Build Shopping Lists

Available Colors



Fingerprint Resistant Stainless Steel
RF27T5501SR



Fingerprint Resistant Black Stainless Steel
RF27T5501SG



RF23R6301

22.5 cu. ft. 3-Door Counter Depth French Door Refrigerator with Food Showcase

- Capacity – 22.5 cu. ft.
- Food Showcase Door
- AutoFill Water Pitcher
- CoolSelect Pantry™ with Temperature Control and Pantry Divider
- Twin Cooling Plus™
- Ice Max - Stores up to 2.7 lbs. of Ice
- Two Humidity-Controlled Crispers
- External Filtered Water and Ice Dispenser with Light
- High-Efficiency LED Lighting
- EZ-Open Handle™ on Freezer Door
- Tempered Glass Spill-Proof Shelves
- Gallon Door Bins
- Voice Control Enabled Via: Bixby

Available Colors



Fingerprint Resistant Stainless Steel
RF23R6301SR



RF28R6301

28 cu. ft. 3-Door French Door Refrigerator with Food Showcase

- Large Capacity – 28 cu. ft.
- Food Showcase Door
- AutoFill Water Pitcher
- CoolSelect Pantry™ with Temperature Control and Pantry Divider
- Twin Cooling Plus™
- Ice Max - Stores up to 4.2 lbs. of Ice
- Two Humidity-Controlled Crispers
- External Filtered Water and Ice Dispenser with Light
- High-Efficiency LED Lighting
- EZ-Open Handle™ on Freezer Door
- Tempered Glass Spill-Proof Shelves
- Gallon Door Bins
- Voice Control Enabled Via: Bixby

Available Colors



Fingerprint Resistant Stainless Steel
RF28R6301SR



Fingerprint Resistant Black Stainless Steel
RF28R6301SG



Fingerprint Resistant Tuscan Stainless Steel
RF28R6301DT

Refrigerators 3-Door French Door



RF28R6221

28 cu. ft. 3-Door French Door Refrigerator with AutoFill Pitcher

- Large Capacity – 28 cu. ft.
- AutoFill Water Pitcher
- CoolSelect Pantry™ with Temperature Control and Pantry Divider
- Twin Cooling Plus™
- Ice Max - Stores up to 4.2 lbs. of Ice
- Two Humidity-Controlled Crispers
- External Filtered Water and Ice Dispenser with Light
- High-Efficiency LED Lighting
- EZ-Open Handle™ on Freezer Door
- Tempered Glass Spill-Proof Shelves
- Gallon Door Bins

Available Colors



Fingerprint Resistant Stainless Steel
RF28R6221SR

Refrigerators 3-Door French Door



RF26J7500

26 cu. ft. 3-Door French Door Refrigerator with CoolSelect Pantry™

- Capacity – 26 cu. ft.
- Slim Width – 33" Wide
- Twin Cooling Plus™
- CoolSelect Pantry™ with Temperature Control
- External Filtered Water and Ice Dispenser
- High-Efficiency Top and Side LED Lighting
- EZ-Open Handle™ on Freezer Door
- Adjustable Shelf for Tall Oversized Items
- Two Humidity-Controlled Crispers
- Tempered Glass Spill-Proof Shelves

Available Colors



Stainless Steel
RF26J7500SR



RF23R6201

23 cu. ft. 3-Door Counter Depth French Door Refrigerator with CoolSelect Pantry™

- Capacity – 23 cu. ft.
- Twin Cooling Plus™
- CoolSelect Pantry™ with Temperature Control and Pantry Divider
- Ice Max - Stores up to 2.7 lbs. of Ice
- Two Humidity-Controlled Crispers
- External Filtered Water and Ice Dispenser with Light
- High-Efficiency LED Lighting
- EZ-Open Handle™ on Freezer Door
- Tempered Glass Spill-Proof Shelves
- Gallon Door Bins
- Voice Control Enabled Via: Bixby

Available Colors



Fingerprint Resistant
Stainless Steel
RF23R6201SR



Fingerprint Resistant Black
Stainless Steel
RF23R6201SG



Fingerprint Resistant Tuscan
Stainless Steel
RF23R6201DT



White
RF23R6201WW

Warranty information on page 248
Full Specifications on page 208



RF28T5F01

28 cu. ft. 3-Door French Door Refrigerator with Family Hub™

- Large Capacity – 28 cu. ft.
- Fingerprint Resistant Finish
- High-Efficiency LED Lighting
- EZ-Open Handle™
- Full-Width Internal Refrigerator Drawer
- Voice Control Enabled Via: Bixby
- Adjustable Spill-Proof Shelves
- Door Alarm
- Water Filter Indicator
- All-Around Cooling
- Ice Max Ice Maker - Stores up to 5.5 lbs of Ice

Available Colors



Fingerprint Resistant
Stainless Steel
RF28T5F01SR



Fingerprint Resistant Black
Stainless Steel
RF28T5F01SG

samsung.com/builder

Refrigerators 3-Door French Door



RF28R6201

28 cu. ft. 3-Door French Door Refrigerator with CoolSelect Pantry™

- Large Capacity – 28 cu. ft.
- Twin Cooling Plus™
- Ice Max - Stores up to 4.2 lbs. of Ice
- Two Humidity-Controlled Crispers
- External Filtered Water and Ice Dispenser with Light
- High-Efficiency LED Lighting
- EZ-Open Handle™ on Freezer Door
- Tempered Glass Spill-Proof Shelves
- Gallon Door Bins
- Voice Control Enabled Via: Bixby

Available Colors



Fingerprint Resistant
Stainless Steel
RF28R6201SR



Fingerprint Resistant Black
Stainless Steel
RF28R6201SG



Fingerprint Resistant Tuscan
Stainless Steel
RF28R6201DT



White
RF28R6202WW

Refrigerators 3-Door French Door



RF27T5201

27 cu. ft. 3-Door French Door Refrigerator

- Large Capacity – 27 cu. ft.
- All-Around Cooling
- External Filtered Water and Ice Dispenser with Light
- High-Efficiency LED Lighting
- Ice Max
- Auto Pull-Out Freezer Drawer

Available Colors



Fingerprint Resistant Stainless Steel
RF27T5201SR



Fingerprint Resistant Black Stainless Steel
RF27T5201SG



White
RF27T5201WW



RF28T5021

28 cu. ft. Large Capacity 3-Door French Door Refrigerator with AutoFill Water Pitcher

- Large Capacity – 28 cu. ft.
- Fingerprint Resistant Finish
- High-Efficiency LED Lighting
- EZ-Open Handle™
- AutoFill Water Pitcher
- Full-Width Internal Refrigerator Drawer
- Adjustable Spill-Proof Shelves
- Door Alarm
- Water Filter Indicator
- All-Around Cooling
- Ice Max Ice Maker – Stores up to 5.5 lbs of Ice

Available Colors



Fingerprint Resistant Stainless Steel
RF28T5021SR



Fingerprint Resistant Black Stainless Steel
RF28T5021SG

Refrigerators 3-Door French Door



RF28T5101

28 cu. ft. Large Capacity 3-Door French Door Refrigerator with Internal Dispenser

- Large Capacity – 28 cu. ft.
- Fingerprint Resistant Finish
- High-Efficiency LED Lighting
- EZ-Open Handle™
- Internal Water Dispenser
- Full-width Internal Refrigerator Drawer
- Adjustable Spill-Proof Shelves
- Door Alarm
- Water Filter Indicator
- All-Around Cooling
- Ice Max Ice Maker – Stores up to 5.5 lbs of Ice

Available Colors



Fingerprint Resistant Stainless Steel
RF28T5101SR



Fingerprint Resistant Black Stainless Steel
RF28T5101SG



White
RF28T5101WW

RF28T5001

28 cu. ft. Large Capacity 3-Door French Door Refrigerator

- Large Capacity – 28 cu. ft.
- Fingerprint Resistant Finish
- High-Efficiency LED Lighting
- EZ-Open Handle™
- Full-Width Internal Refrigerator Drawer
- Adjustable Shelving
- All-Around Cooling
- Ice Max Ice Maker – Stores up to 5.5 lbs of Ice

Available Colors



Fingerprint Resistant Stainless Steel
RF28T5001SR



Fingerprint Resistant Black Stainless Steel
RF28T5001SG



White
RF28T5001WW



RF220NCT

22 cu. ft. 3-Door French Door Refrigerator

- Capacity – 22 cu. ft.
- Slim Width – 30" Wide
- Ice Maker in Freezer
- High-Efficiency LED Lighting
- Wide Pantry
- Two Humidity-Controlled Crispers
- Tempered Glass Spill-Proof Shelves
- Auto Pull-Out Upper Freezer Drawer

Available Colors



Stainless Steel
RF220NCTASR



Fingerprint Resistant Black
Stainless Steel
RF220NCTASG



White
RF220NCTAWW



RF20HFEN

20 cu. ft. 3-Door French Door 33" Width Refrigerator

- Capacity – 20 cu. ft.
- Slim Width – 33" Wide
- Automatic Filtered Ice Maker in Freezer
- LED Lighting
- Twin Cooling System®
- Surround Air Flow
- Power Freeze and Power Cool Options
- Two Humidity-Controlled Crispers
- Tempered Glass Shelves
- Gallon Door Bins
- EZ-Open Handle™ on Freezer Door

Available Colors



Stainless Steel
RF20HFENBSR



Fingerprint Resistant Black
Stainless Steel
RF20HFENBSG



White
RF20HFENBWW



RF18HFENB

18 cu. ft. Counter Depth French Door Refrigerator

- 18 cu. ft. Capacity
- 33" Wide
- LED Lighting
- Automatic Filtered Ice Maker in Freezer (External Filter Not Included)
- Twin Cooling System®
- Surround Air Flow
- Power Freeze and Power Cool Options
- Two Humidity-Controlled Crispers
- Tempered Glass Shelves
- Gallon Door Bins
- EZ-Open Handle™ on Freezer Door
- Door Alarm

Available Colors



Stainless Steel
RF18HFENBSR



Fingerprint Resistant Black
Stainless Steel
RF18HFENBSG



White
RF18HFENBWW



RS22T5561

22 cu. ft. Side-by-Side Counter Depth Refrigerator with Family Hub™

- Capacity – 21.5 cu. ft.
 - Minimal Display Dispenser: External Filtered Water and Ice
 - Bright LED Lighting
 - One Gallon Door Bin
 - Two Clear Drawers
 - All-Around Cooling
 - In-Door Ice Maker - Stores up to 4.4 lbs. of Ice
 - Connects to SmartThings App
 - Voice Control Enabled Via: Bixby
- Family Hub™**

 - 21.5" Wi-Fi Enabled Touchscreen
 - One Built-In Camera
 - 25W Built-In Speaker
 - Stream Music or Mirror Samsung Devices
 - Remotely Sync Calendars and Share Photos, Notes, and Memos
 - Food Management and Meal Planning with AI Recognition
 - Smart Recipes Based on Family Preferences
 - Voice Command to Build Shopping Lists

Available Colors



Fingerprint Resistant Stainless Steel
RS22T5561SR



Fingerprint Resistant Black Stainless Steel
RS22T5561SG



RS27T5561

27 cu. ft. Side-by-Side Refrigerator with Family Hub™

- Large Capacity – 26.7 cu. ft.
 - Minimal Display Dispenser: External Filtered Water and Ice
 - Bright LED Lighting
 - Two Gallon Door Bins
 - Two Clear Drawers
 - All-Around Cooling
 - In-Door Ice Maker - Stores up to 4.4 lbs. of Ice
 - Connects to SmartThings App
 - Voice Control Enabled Via: Bixby
- Family Hub™**

 - 21.5" Wi-Fi Enabled Touchscreen
 - One Built-In Camera
 - 25W Built-In Speaker
 - Stream Music or Mirror Samsung Devices
 - Remotely Sync Calendars and Share Photos, Notes, and Memos
 - Food Management and Meal Planning with AI Recognition
 - Smart Recipes Based on Family Preferences
 - Voice Command to Build Shopping Lists

Available Colors



Fingerprint Resistant Stainless Steel
RS27T5561SR



Fingerprint Resistant Black Stainless Steel
RS27T5561SG



RS22T5201

22 cu. ft. Side-by-Side Counter Depth Refrigerator

- Capacity – 22 cu. ft.
 - All-Around Cooling
 - Minimal Display Dispenser: External Filtered Water and Ice
 - Bright LED Lighting
- Three Gallon Door Bins
 - Two Clear Drawers
 - In-Door Ice Maker - Stores up to 4.4 lbs. of Ice

Available Colors



Fingerprint Resistant Stainless Steel
RS22T5201SR



Fingerprint Resistant Black Stainless Steel
RS22T5201SG



RS27T5200

27 cu. ft. Side-by-Side Refrigerator

- Large Capacity – 27.4 cu. ft.
 - External Filtered Water and Ice Dispenser with Light
 - Bright LED Lighting
 - Four Gallon Door Bins
- Two Clear Drawers
 - All-Around Cooling
 - In-Door Ice Maker - Stores up to 4.4 lbs. of Ice

Available Colors



Fingerprint Resistant Stainless Steel
RS27T5200SR



Fingerprint Resistant Black Stainless Steel
RS27T5200SG



White
RS27T5200WW



RT21M6215

21 cu. ft. Top-Freezer Refrigerator with FlexZone™

- Large Capacity – 21 cu. ft.
- FlexZone™
- Twin Cooling Plus™
- Slide & Reach Pantry
- Auto Ice Maker
- LED Top Lighting
- Humidity Controlled Crispers
- Two Gallon Door Bins
- Dairy Bin
- Reversible Door
- Recessed Door Handle

Available Colors



Stainless Steel
RT21M6215SR



Fingerprint
Resistant Black
Stainless Steel
RT21M6215SG



White
RT21M6215WW



RT18M6215

18 cu. ft. Top-Freezer Refrigerator with FlexZone™

- Large Capacity – 18 cu. ft.
- FlexZone™
- Twin Cooling Plus™
- Slide & Reach Pantry
- Auto Ice Maker
- LED Top Lighting
- Humidity Controlled Crispers
- Two Gallon Door Bins
- Dairy Bin
- Reversible Door
- Recessed Door Handle

Available Colors



Stainless Steel
RT18M6215SR



Fingerprint
Resistant Black
Stainless Steel
RT18M6215SG



White
RT18M6215WW



RT21M6213

21 cu. ft. Top-Freezer Refrigerator with FlexZone™

- Large Capacity – 21 cu. ft.
- FlexZone™
- Twin Cooling Plus™
- Slide & Reach Pantry
- LED Top Lighting
- Humidity Controlled Crispers
- Two Gallon Door Bins
- Dairy Bin
- Reversible Door
- Recessed Door Handle

Available Colors



Stainless Steel
RT21M6213SR



Fingerprint
Resistant Black
Stainless Steel
RT21M6213SG



White
RT21M6213WW



RT18M6213

18 cu. ft. Top-Freezer Refrigerator with FlexZone™

- Large Capacity – 18 cu. ft.
- FlexZone™
- Twin Cooling Plus®
- True No-Frost Technology
- LED Top Lighting
- Humidity Controlled Crispers
- Dairy Bin
- Reversible Door
- Recessed Door Handle

Available Colors



Stainless Steel
RT18M6213SR



RB10FSR4E



11 cu. ft. Bottom Mount Freezer 24" Width Refrigerator

- Capacity – 11.3 cu. ft.
- Slim Width – 24"
- Recessed Handle Design
- All-Around Cooling
- Spill-Proof Shelving
- One Gallon Door Bin
- High-Efficiency LED Lighting

Available Colors



Fingerprint Resistant Stainless Steel
RB10FSR4ESR



RZ11M7074



11.4 cu. ft. Convertible Upright Freezer

- Convertible Zone
- Organizational Options
- Reversible Door
- 11.4 cu. ft. Capacity
- High-Efficiency LED Lighting
- Digital Display Buttons
- 3 Spill-Proof Shelves
- 4 Crisper Drawers
- 3 Door Bins
- Door Alarm
- Adjustable Freezer Mode: Temperatures between 5°F and -8°F (0°F default temperature)
- Adjustable Fridge Mode: Temperatures between 44°F and 34°F (37°F default temperature)
- Mode Select - Switch between Freezer and Fridge Modes
- All-Around Cooling
- Surround AirFlow
- Power Freeze
- Cool Tight Door

Available Colors



Stainless Look
RZ11M7074SA/AA



RW51TS338

51-Bottle Capacity Wine Cooler

- Large Capacity of 51 Bottles
- Fingerprint Resistant Finish
- Reversible Wide-View Door
- Ice Blue LED Display
- High-Efficiency LED Lighting
- Dual Temperature Zone
- 5 Full Extension Shelves
- Child Lock
- Door Alarm
- Twin Cooling System™
- Surround Airflow
- Cool Tight Door

Available Colors



Fingerprint
Resistant
Stainless Steel
RW51TS338SR

	Product Page Number	Specification Page Number
FlexWash™ & FlexDry™	146	220
Front Load	148	222
Top Load	152	226
24" Compact	159	234
AirDresser	160	236



WF45R6300AW, DVE45R6300W

FlexWash™

Two washers in one lets you wash separate loads at the same time or independently.



Super Speed

Cut down on laundry time without sacrificing cleaning performance. Super Speed uses advanced cleaning technologies to wash a full load of laundry in just 30 minutes*, without sacrificing cleaning performance.



Active WaterJet

A built-in water faucet lets you easily pretreat soiled or heavily stained clothes with a press of a button. Scrub items right inside your washer, no laundry room sink needed.



ENERGY STAR® Certified

Eco-friendly and energy-efficient, Samsung dryers meet the government's strict energy efficiency standards.



Steam Sanitize+

The Steam Sanitize+ cycle removes 99.9% of germs and bacteria, over 95% of pollen and kills 100% of dust mites¹. Multi-Steam Technology steams away wrinkles, odors and static.



Sensor Dry

Automatically optimizes the time and temperature of your drying cycle to protect your clothes from heat damage, while avoiding excess energy use.





WV60M9900

6.0 cu. ft. FlexWash™ Washer

Lower Wash Convenience

- 6.0 cu. ft. Capacity
- FlexWash™
- Super Speed
- Steam Wash
- Smart Control
- PowerFoam™
- Smart Care
- VRT Plus™
- Self Clean+
- Interior Drum Light
- Voice Control Enabled Via: Bixby
- Riser Options Available*

Upper Wash Convenience

- 1.0 cu. ft. Capacity
- FlexWash™
- Smart Control
- Smart Care
- VRT™
- Self Clean+
- Swirl Drum Interior
- Direct Drive Motor
- 5 Preset Wash Cycles
- 7 Additional Wash Cycles
- Voice Control Enabled Via: Bixby

Available Colors



Fingerprint
Resistant Black
Stainless Steel
WV60M9900AV
DVE60M9900V
DVG60M9900V



White
WV60M9900AW
DVE60M9900W
DVG60M9900W



WV55M9600

5.5 cu. ft. FlexWash™ Washer

Lower Wash Convenience

- 4.5 cu. ft. Capacity
- FlexWash™
- Steam Wash
- Smart Control
- Smart Care
- VRT Plus™
- Self Clean+
- Diamond Drum Interior
- • Direct Drive Motor
- Voice Control Enabled Via: Bixby
- Riser Options Available*

Upper Wash Convenience

- 1.0 cu. ft. Capacity
- FlexWash™
- Smart Control
- Smart Care
- VRT™
- Self Clean+
- Diamond Drum Interior
- Direct Drive Motor
- 5 Preset Wash Cycles
- 7 Additional Wash Cycles
- Voice Control Enabled Via: Bixby

Available Colors



Fingerprint
Resistant Black
Stainless Steel
WV55M9600AV
DVE55M9600V
DVG55M9600V



White
WV55M9600AW
DVE55M9600W
DVG55M9600W

DVG55M9600 / DVE55M9600

7.5 cu. ft. FlexDry™ Dryer (Available in Gas & Electric)

Tumble Dryer

- 7.5 cu. ft. Capacity
- MultiSteam™
- Sensor Dry
- Vent Sensor
- Smart Control
- Smart Care
- Filter Check Indicator
- Internal Drum Light
- Reversible Door
- Heater (Electric Only)
- Cycle Time (Time Remaining) Display
- Riser Options Available*

Delicate Dryer

- Vent Sensor
- Smart Control
- Smart Care
- Cycle Time (Time Remaining) Display
- 4 Preset Dry Cycles
- 6 Additional Dry Cycles



WF50R8500 ¹

5.0 cu. ft. Smart Front Load Washer with Super Speed

- 5.0 cu. ft. Capacity
- Super Speed
- Steam
- Smart Control
- Smart Care
- VRT Plus™
- Self Clean+
- Interior Drum Light
- Stackable
- Direct Drive Motor
- 12 Preset Wash Cycles
- 10 Additional Wash Cycles
- 5 Temperature Settings
- Swirl+ Drum Interior
- Voice Control Enabled Via: Bixby
- Pedestal Options Available²

DVG50R8500 / DVE50R8500 ¹

7.5 cu. ft. Smart Dryer with Steam Sanitize+ (Available in Gas & Electric)

- 7.5 cu. ft. Capacity
- Steam Sanitize+
- Sensor Dry
- Smart Control
- Smart Care
- Vent Sensor
- Internal Drum Light
- Reversible Door
- Filter Check Indicator
- Drying Rack
- Dual Heaters
- Cycle Time (Time Remaining) Display
- 12 Preset Dry Cycles
- 12 Additional Dry Cycles
- 5 Temperature Settings
- Stainless Steel Drum Interior
- Pedestal Options Available²

Available Colors



Fingerprint Resistant Black Stainless Steel
WF50R8500AV
DVG50R8500V
DVE50R8500V

¹ADA Compliant when using a Samsung 27" wide riser (WE272NV, WE272NW, or WE272NC).
²Shown with optional pedestal. Compatible pedestal models: WE402NV, WE402NW, WE402NC.

Warranty information on page 248
Full Specifications on page 222, 224



WF45R6300 ¹

4.5 cu. ft. Smart Front Load Washer with Super Speed

- 4.5 cu. ft. Capacity
- Super Speed
- Steam
- Smart Control
- Smart Care
- VRT Plus™
- Swirl+ Drum Interior
- Self Clean+
- Direct Drive Motor
- 10 Preset Wash Cycles
- 9 Additional Wash Cycles
- 5 Temperature Settings
- Voice Control Enabled Via: Bixby
- Pedestal Options Available²

DVG45R6300 / DVE45R6300 ¹

7.5 cu. ft. Smart Dryer with Steam Sanitize+ (Available in Gas & Electric)

- 7.5 cu. ft. Capacity
- Steam Sanitize+
- Sensor Dry
- Vent Sensor
- Smart Control
- Smart Care
- Internal Drum Light
- Reversible Door
- Filter Check Indicator
- Dual Heaters
- Cycle Time (Time Remaining) Display
- 12 Preset Dry Cycles
- 10 Additional Dry Cycles
- 5 Temperature Settings
- Powder Coat Drum Interior
- Pedestal Options Available²

Available Colors



Champagne
WF45R6300AC
DVG45R6300C
DVE45R6300C



Fingerprint Resistant Black Stainless Steel
WF45R6300AV
DVG45R6300V
DVE45R6300V



White
WF45R6300AW
DVG45R6300W
DVE45R6300W

¹ADA Compliant when using a Samsung 27" wide riser (WE272NV, WE272NW, or WE272NC).
²Shown with optional pedestal. Compatible pedestal models: WE402NV, WE402NW, WE402NC.



WF45R6100 ¹

4.5 cu. ft. Front Load Washer with Steam

- 4.5 cu. ft. Capacity
- Steam
- Self Clean+
- Smart Care
- VRT Plus™
- Swirl+ Drum Interior
- Direct Drive Motor
- 10 Preset Wash Cycles
- 7 Additional Wash Cycles
- 5 Temperature Settings
- Pedestal Options Available²

DVG45R6100 / DVE45R6100 ¹

7.5 cu. ft. Dryer with Steam Sanitize+
(Available in Gas & Electric)

- 7.5 cu. ft. Capacity
- Steam Sanitize+
- Sensor Dry
- Smart Care
- Reversible Door
- Internal Drum Light
- Filter Check Indicator
- Single Heater
- Cycle Time (Time Remaining) Display
- 10 Preset Dry Cycles
- 9 Additional Dry Cycles
- 5 Temperature Settings
- Powder Coat Drum Interior
- Pedestal Options Available²

Available Colors



Champagne
WF45R6100AC
DVG45R6100C
DVE45R6100C



Platinum
WF45R6100AP
DVG45R6100P
DVE45R6100P



White
WF45R6100AW
DVG45R6100W
DVE45R6100W

¹ADA Compliant when using a Samsung 27" wide riser (WE272NV, WE272NW, or WE272NC).
²Shown with optional pedestal. Compatible pedestal models: WE402NV, WE402NW, WE402NC.

Warranty information on page 248
Full Specifications on page 222, 224



WF45T6000 ¹

4.5 cu. ft. Front Load Washer with Vibration Reduction
Technology Plus™

- 4.5 cu. ft. capacity
- VRT Plus™
- Self Clean+
- Swirl+ Drum Interior
- Smart Care
- Direct Drive Motor
- 10 Preset Wash Cycles
- 6 Additional Wash Cycles
- 5 Temperature Settings
- Pedestal Options Available²

DVG45T6000 / DVE45T6000 ¹

7.5 cu. ft. Dryer with Sensor Dry
(Available in Gas & Electric)

- 7.5 cu. ft. Capacity
- Sensor Dry
- Smart Care
- Filter Check Indicator
- Internal Drum Light
- Reversible Door
- Powder Coat Drum Interior
- Single Heater
- Cycle Time (Time Remaining) Display
- 10 Preset Dry Cycles
- 9 Additional Dry Cycles
- 5 Temperature Settings
- Pedestal Options Available²

DVG45T6020 / DVE45T6020 ¹

7.5 cu. ft. Long Vent Dryer with Sensor Dry
(Available in Gas & Electric)

- 7.5 cu. ft. Capacity
- Sensor Dry
- Smart Care
- Internal Drum Light
- Reversible Door
- 10 Preset Drying Cycles
- 9 Additional Drying Options
- 5 Temperature Levels
- 4-Way Venting
- LED Display: Ice Blue
- Child Lock
- Lint Filter Indicator
- Riser Options Available²

Available Colors



White
WF45T6000AW
DVG45T6000W
DVE45T6000W
DVE45T6020W
DVG45T6020W

¹ADA Compliant when using a Samsung 27" wide riser (WE272NV, WE272NW, or WE272NC).
²Shown with optional pedestal. Compatible pedestal model: WE402NW



WA54R7600



5.4 cu. ft. Top Load Washer with Super Speed

- 5.4 cu. ft. Capacity
- Super Speed
- Steam
- Active Water Jet
- Deep Fill
- Smart Care
- VRT Plus™
- Swirl+ Drum Interior
- Self Clean
- Soft Close Lid
- Direct Drive Motor
- 12 Preset Wash Cycles
- 9 Additional Wash Cycles
- 6 Temperature Settings

DVG54R7600 / DVE54R7600



7.4 cu. ft. Dryer with Steam Sanitize+
(Available in Gas & Electric)

- 7.4 cu. ft. Capacity
- Steam Sanitize+
- Sensor Dry
- Vent Sensor
- Smart Care
- Drying Rack
- Filter Check Indicator
- Internal Drum Light
- Reversible Door
- Cycle Time (Time Remaining) Display
- 12 Preset Dry Cycles
- 9 Additional Dry Cycles
- 5 Temperature Settings
- Stainless Steel Drum Interior

Available Colors



Champagne
WA54R7600AC
DVG54R7600C
DVE54R7600C



WA54R7200



5.4 cu. ft. Top Load Washer with Active Water Jet

- 5.4 cu. ft. Capacity
- Active Water Jet
- Deep Fill
- Smart Care
- VRT Plus™
- Swirl+ Drum Interior
- Self Clean
- Soft Close Lid
- Direct Drive Motor
- 10 Preset Wash Cycles
- 7 Additional Wash Cycles
- 5 Temperature Settings

DVG54R7200 / DVE54R7200



7.4 cu. ft. Dryer with Steam Sanitize+
(Available in Gas & Electric)

- 7.4 cu. ft. Capacity
- Steam Sanitize+
- Sensor Dry
- Vent Sensor
- Smart Care
- Filter Check Indicator
- Internal Drum Light
- Reversible Door
- Cycle Time (Time Remaining) Display
- 10 Preset Dry Cycles
- 9 Additional Dry Cycles
- 5 Temperature Settings
- Stainless Steel Drum Interior

Available Colors



Fingerprint Resistant Black
WA54R7200AV
DVG54R7200V
DVE54R7200V



White
WA54R7200AW
DVG54R7200W
DVE54R7200W



WA50R5400

5.0 cu. ft. Top Load Washer with Super Speed

- 5.0 cu. ft. Capacity
- Super Speed
- Active Water Jet
- EZ Access Tub
- Deep Fill
- Smart Care
- VRT Plus™
- Swirl+ Drum Interior
- Self Clean
- Soft Close Lid
- Direct Drive Motor
- 12 Preset Wash Cycles
- 8 Additional Wash Cycles
- 5 Temperature Settings

DVG50R5400 / DVE50R5400

7.4 cu. ft. Dryer with Steam Sanitize+
(Available in Gas & Electric)

- 7.4 cu. ft. Capacity
- Steam Sanitize+
- Sensor Dry
- Smart Care
- Filter Check Indicator
- Internal Drum Light
- Reversible Door
- Cycle Time (Time Remaining) Display
- 12 Preset Dry Cycles
- 9 Additional Dry Cycles
- 5 Temperature Settings
- Powder Coat Drum Interior

Available Colors



**Fingerprint
Resistant Black
Stainless Steel**
WA50R5400AV
DVG50R5400V
DVE50R5400V



White
WA50R5400AW
DVG50R5400W
DVE50R5400W



WA50T5300

5.0 cu. ft. Top Load Washer with Active Water Jet

- 5.0 cu. ft. Capacity
- Active Water Jet
- EZ Access Tub
- Deep Fill
- Smart Care
- VRT Plus™
- Swirl+ Drum Interior
- Self Clean
- Soft Close Lid
- Direct Drive Motor
- 12 Preset Wash Cycles
- 7 Additional Wash Cycles
- 5 Temperature Settings

DVG50T5300 / DVE50T5300

7.4 cu. ft. Dryer with Sensor Dry
(Available in Gas & Electric)

- 7.4 cu. ft. Capacity
- Sensor Dry
- Smart Care
- Filter Check Indicator
- Internal Drum Light
- Reversible Door
- Cycle Time (Time Remaining) Display
- 10 Preset Dry Cycles
- 9 Additional Dry Cycles
- 5 Temperature Settings
- Powder Coat Drum Interior

Available Colors



Champagne
WA50T5300AC
DVG50T5300C
DVE50T5300C



WA50R5200

5.0 cu. ft. Top Load Washer with Active Water Jet

- 5.0 cu. ft. Capacity
- Active Water Jet
- EZ Access Tub
- Deep Fill
- Smart Care
- VRT Plus™
- Swirl+ Drum Interior
- Self Clean
- Soft Close Lid
- Direct Drive Motor
- 10 Preset Wash Cycles
- 7 Additional Wash Cycles
- 5 Temperature Settings

DVG50R5200 / DVE50R5200

7.4 cu. ft. Dryer with Sensor Dry
(Available in Gas & Electric)

- 7.4 cu. ft. Capacity
- Sensor Dry
- Smart Care
- Filter Check Indicator
- Internal Drum Light
- Reversible Door
- Cycle Time (Time Remaining) Display
- 10 Preset Dry Cycles
- 9 Additional Dry Cycles
- 5 Temperature Settings
- Powder Coat Drum Interior

Available Colors



White
WA50R5200AW
DVG50R5200W
DVE50R5200W



WA45T3400

4.5 cu. ft. Top Load Washer with Active Water Jet

- 4.5 cu. ft. Capacity
- Active Waterjet
- VRT Plus™
- Self Clean
- Diamond Drum Interior
- Soft Close Lid
- AC Motor
- 10 Preset Wash Cycles
- 6 Additional Wash Cycles
- 5 Temperature Settings

DVG45T3400 / DVE45T3400

7.4 cu. ft. Dryer with Sensor Dry
(Available in Gas & Electric)

- 7.4 cu. ft. Capacity
- Sensor Dry
- Smart Care
- Filter Check Indicator
- Internal Drum Light
- Reversible Door
- Cycle Time (Time Remaining) Display
- 10 Preset Dry Cycles
- 7 Additional Dry Cycles
- 4 Temperature Settings
- Powder Coat Drum Interior

Available Colors



White
WA45T3400AW
DVG45T3400W
DVE45T3400W



WA45T3200

4.5 cu. ft. Top Load Washer with Vibration Reduction Technology Plus™

- 4.5 cu. ft. Capacity
- VRT Plus™
- Self Clean
- Diamond Drum Interior
- Soft Close Lid
- AC Motor
- 8 Preset Wash Cycles
- 4 Additional Wash Cycles
- 5 Temperature Settings

Available Colors



White
WA45T3200AW
DVG45T3200W
DVE45T3200W

DVG45T3200 / DVE45T3200

7.4 cu. ft. Dryer with Sensor Dry (Available in Gas & Electric)

- 7.4 cu. ft. Capacity
- Sensor Dry
- Smart Care
- Filter Check Indicator
- Internal Drum Light
- Reversible Door
- Cycle Time (Time Remaining) Display
- 8 Preset Dry Cycles
- 3 Additional Dry Cycles
- 4 Temperature Settings
- Powder Coat Drum Interior



WW22K6800

2.2 cu. ft. Compact Front Load Washer with Super Speed

- 2.2 cu. ft. Capacity
- Steam
- Super Speed
- VRT™
- Smart Care
- Self Clean+
- Diamond Drum Interior
- Digital Inverter Technology
- 12 Preset Wash Cycles
- 8 Additional Wash Cycles
- 5 Temperature Settings

Available Colors



White
WW22K6800AW
DV22K6800EW
DV22N6800HW

DV22K6800E

4.0 cu. ft. Compact Electric Dryer

- 4.0 cu. ft. Capacity
- Sensor Dry
- Smart Care
- Filter Check Indicator
- Internal Drum Light
- Reversible Door
- Dual Heater
- Cycle Time (Time Remaining) Display
- 12 Preset Dry Cycles
- 8 Additional Dry Cycles
- 5 Temperature Settings
- Stainless Steel Drum Interior

DV22N6800H

4.0 cu. ft. Compact Heat Pump Dryer

- 4.0 cu. ft. Capacity
- Ventless / Heat Pump
- Sensor Dry
- Smart Care
- Filter Check Indicator
- Internal Drum Light
- Reversible Door
- Cycle Time (Time Remaining) Display
- 12 Preset Dry Cycles
- 8 Additional Dry Cycles
- Stainless Steel Drum Interior



DF60R8200

AirDresser

- Air Hangers with Steam
- Sanitization
- Easy Installation
- Odor Removal
- Wi-Fi Connectivity
- Fresh Finish™
- Capacity: 3 Jackets & 3 Pants
- Heat Pump Drying
- Wrinkle Care
- Self Clean
- BAF Certified
- Dehumidification
- Soft Close Door

Available Colors



Dark Black
DF60R8200DG

Small Appliances

	Product Page Number	Specification Page Number
Jet™ Stick Vacuums	170	238
Clean Station™	172	239
Jet Mop	173	240
Robot Vacuums	174	241



Exceptional cleaning

Cleans hardwood, tile and carpeting with intense suction power. The air system optimizes airflow, while its multicyclonic air filtration instantly traps dust particles.



Easily check your vacuum

Check notifications on your vacuum, including the power level and brush type. Monitor alerts such as airflow issues, clogs, missing filter and more.



Keeps your filter clean

Provides consistent, powerful suction to keep dirt and debris from building up on the filter.¹



¹Based on internal testing using the IEC62885-2, cl. 5.9 compared with Samsung VS80N8014 KR/EN.

Ensures a more thorough clean

When emptying your dustbin with the Anti Dust Emitting structure, which prevents ultrafine dust from being released back into the air.




Powerful Robotic Suction

Delivers optimal cleaning results.



Edge Clean Master

Thoroughly cleans corners and edges
of the wall.





VS20R9046T3

Jet™ VS90 Premium Cordless Stick Vacuum

- Removable and Longer-Lasting Battery (60 minutes)¹
- More Advanced Cleaning Performance (200 Air Watts)²
- Lightweight Design
- Turbo Action Brush
- Jet Cyclone³
- 5-Layer HEPA Filtration System⁴
- Spinning Sweeper
- Dual Charging Station
- Digital Display
- Digital Inverter Motor
- Washable Dustbin
- Mini Motorized Tool

Available Colors



Titan ChroMetal
VS20R9046T3/AA



VS20T7536T5

Jet™ 75 Complete Cordless Stick Vacuum

- Removable/Reusable Battery
- More Advanced Cleaning Performance (200 Air Watts)
- Lightweight Design
- Turbo Action Brush
- Jet Cyclone
- 5-Layer HEPA Filtration System
- 2-in-1 Charging
- Digital Display
- Digital Inverter Motor
- Washable Dustbin

Available Colors



Titan ChroMetal
VS20T7536T5/AA



VS15T7032R4

Jet™ 70 Pet Cordless Stick Vacuum

- Removable/Reusable Battery¹
- Advanced Cleaning Performance (150 Air Watts)
- Lightweight Design
- Turbo Action Brush
- Jet Cyclone²
- 5-Layer HEPA Filtration System³
- 2-in-1 Charging
- Digital Display
- Digital Inverter Motor
- Washable Dustbin

Available Colors



Titan ChroMetal
VSS20T7536T5/AA

¹Stated run time applies to the minimum power level with a nonmotorized tool attached. Second battery sold separately. ²Based on internal testing using the IEC62885-2, cl. 5.9 compared with Samsung VS80N8014KR/EN. ³Based on internal testing, using Max mode, in accordance with the IEC62885-2 cl. 5.11 standard.



VCA-SAE90

Clean Station™

- Auto Empty Dustbin
- Anti-Dust Emitting Structure
- 5 Layered HEPA Filtration System¹
- 1600 W Consumption Power
- 0.06 cu. ft. Dustbin Capacity
- 3 Dust Bags- 2 Litre Capacity
- Air Pulse Technology
- Button Locking Structure
- LED Notification

Available Colors



Silver
VCA-SAE90A/AA



Airborne
VCA-SAE90B/AA

¹HEPA filtration system: High Efficiency Particulate Air filtration system.

Warranty information on page 248
Full Specifications on page 239, 240



VR20T6001MW

Jetbot Mop

- Dual Spin Technology
- Automatic Water Disperser
- Smart Sensor System
- 150-Minute Recharging Time
- 100-Minute Cleaning Time
- 63 dBA
- Li-ion Battery
- 8 Cleaning Modes: Auto, Manual, Spot, Edge, Intensive Cleaning, Step Cleaning, 50 min Cleaning, Pattern Cleaning
- Hand Mode for Floor-to-Wall Cleaning

Available Colors



White
VR20T6001MW/AA



VR2AM7065WS

POWERbot™ Robotic Vacuum

- Powerful Robotic Cleaning - 40x More Suction¹
- Edge Clean Master
- CycloneForce™ Technology
- Intelligent Power Control
- Schedule Program Cleaning
- Visionary Mapping™ Plus and FullView™ Sensor 2.0
- Recharge and Resume
- Washable Filter
- Battery Life - 90 min.
- Connects to SmartThings App
- Voice Control Enabled Via: Amazon Alexa and Google Home²

Available Colors



Satin Titanium
VR2AM7065WS/AA

VR1AM7040WG

POWERbot™ Robotic Vacuum

- Powerful Robotic Cleaning - 20x More Suction¹
- Edge Clean Master
- CycloneForce™ Technology
- Intelligent Power Control
- Combo Brush
- Visionary Mapping™ and FullView™ Sensor
- EasyPass™ Wheels
- Schedule Program Cleaning
- Recharge and Resume
- Connects to SmartThings App
- Voice Control Enabled Via: Amazon Alexa and Google Home²

Available Colors



Neutral Gray
VR1AM7040WG/AA

Reference

¹Tested internally on Samsung POWERbot VR7000 and Samsung conventional VR10F71UCAC.
²Requires wireless network and Samsung Smart Home and SmartThings App. The Samsung Smart Home and Smart Things app supports Android OS 4.0 (ICS) or later, which is optimized for Samsung smartphones (Galaxy S and Galaxy Note series). This app also supports iOS 7 or later for iPhone models. Smart Home App available in App Store and Play Store. Amazon Alexa device sold separately.

Warranty information on page 248
Full Specifications on page 241

	Specification Page Number
Built-In Cooking	178
Ranges	186
Microwaves	192
Ventilation	198
Dishwashers	200
Refrigerators	202
Laundry	220
Small Appliances	238
Glossary	242
Warranty	248
Index	249



Built-In Cooking Combination Wall Ovens

	NQ70M7770D	NQ70M6650D	NQ70T5511D
GENERAL			
California Prop 65	•	•	•
Sabbath Mode	•	•	•
TECHNOLOGY			
Wi-Fi Connectivity	•	•	•
Flex Duo	Lower		
Steam Cook	Lower	Lower	
Control Panel	Digital-Analog with 7" LCD Touch Screen	Glass Touch, Guiding Light	Glass Touch
Illuminated Knobs	•		
FEATURES & CONTROLS			
Capacity Upper / Lower (cu. ft.)	1.9 / 5.1 (2.8 / 2.2)	1.9 / 5.1	1.9 / 5.1
Oven			
Upper	Power Speed Cook Microwave	Speed Cook Microwave	Microwave
Lower	Dual Convection	Dual Convection	Traditional
Soft Open Door	Upper	Upper	Upper
Soft Close Door	Lower		
Self-Clean	Lower	Lower	Lower
Hybrid Clean	Lower	Lower	
Steam Clean			Lower
Delay Clean Option	•	•	•
Automatic Self-Clean Oven Door Lock	•	•	•
Microwave Oven	Upper	Upper	Upper
Convection	Power Convection	•	
Broil	•	•	•
Speed Convection	Power Speed Convection	•	
Speed Broil	•	•	
Auto Cook	•	•	•
Defrost	•	•	•
Sensor Cook	•	•	•
Fit Choice	•		
Slim Fry	•		
Power Auto Cook	•		
Popcorn	•	•	•
Soften / Melt	•	•	•
Add 30 sec.	•	•	•
Power Level	•	•	•
Turntable	•	•	•
Hot Plate	•	•	
Low Rack	•	•	
High Rack	•	•	•
True European Convection	Lower	Lower	
Rapid Preheat	•	•	
Clock and Kitchen Timer	•	•	•
Temperature Display	•	•	•
Delay Start	•	•	•
°C and °F Programmable	•	•	•
Control Lock	•	•	•
Interior Oven Lighting	LED Spotlights	LED Spotlights	Halogen
Certified Sabbath Mode	•	•	•
Hidden Bake Oven Interior	•	•	•
Bake	•	•	•
Broil	•	•	•
Convection Bake	•	•	
Convection Roast	•	•	
Steam Bake	•	•	
Steam Roast	•	•	
Bread Proof	•	•	•
Keep Warm	•		•
Healthy Cook	•		
Gourmet Cook	•		
Dehydrate	•		
Temperature Probe	•	•	
Heavy-Duty Oven Racks (Lower Oven)	3 (1 Gliding)	3 (1 Gliding)	2
Rack Positions	6 Lower	6 Lower	6 Lower
APPEARANCE			
Color(s) Available	Stainless, Fingerprint Resistant Black Stainless	Stainless, Fingerprint Resistant Black Stainless	Stainless, Fingerprint Resistant Black Stainless
Handle Color	Stainless, Fingerprint Resistant Black Stainless	Stainless, Fingerprint Resistant Black Stainless	Stainless, Fingerprint Resistant Black Stainless
Handle Design	Polygon	Polygon	Polygon
Oven Interior	Blue	Blue	Blue

Continued on next page

Built-In Cooking Combination Wall Ovens

CONTINUED	NQ70M7770D	NQ70M6650D	NQ70T5511D
WEIGHT & DIMENSIONS			
Approx. Shipping Weight (lbs.)	291.1	291.1	260.1
Net Weight (lbs.)	262.4	262.4	222.7
Oven Cabinet Width Required (in.)	30"	30"	30"
Oven Dimensions, Including Handle (W x H x D, in.)	29-7/8" x 43-1/4" x 25-11/16"	29-7/8" x 43-1/4" x 25-11/16"	29-3/4" x 43-1/4" x 26-5/8"
Overall Oven Interior Dimensions (W x H x D, in.)			
Upper	20.8" x 9.1" x 17"	20.8" x 9.1" x 17"	20.8" x 9.1" x 17"
Lower	24.9" x 18.4" x 19.1"	24.9" x 18.4" x 19.1"	24.9" x 18.4" x 19.1"
Cut-Out Dimensions (W x H x D, in.)	28-1/2" x 42-1/4" x 23-1/2"	28-1/2" x 42-1/4" x 23-1/2"	28-1/2" x 42-1/4" x 23-1/2"
POWER / RATINGS			
Kilowatts Rating @			
240 Volts	9.5 kW	8.2 kW	6.2 kW
208 Volts	7.2 kW	6.1 kW	4.7 kW
Amps Rating @			
240 Volts	40A	40A	30A
208 Volts	40A	30A	30A

Built-In Cooking Double Wall Ovens

	NV51K7770D	NV51K6650D	NV51T5511D
GENERAL			
California Prop 65	•	•	•
Sabbath Mode	•	•	•
TECHNOLOGY			
Wi-Fi Connectivity	•	•	•
Flex Duo	Upper		
Steam Cook	Upper	Upper	
Control Panel	Digital-Analog with 7" LCD Touch Screen	Glass Touch, Guiding Light	Glass Touch
Illuminated Knobs	•		
FEATURES & CONTROLS			
Capacity Upper / Lower (cu. ft.)	5.1 (2.8 / 2.2) / 5.1	5.1 / 5.1	5.1 / 5.1
Oven			
Upper	Dual Convection	Dual Convection	Traditional
Lower	Dual Convection	Dual Convection	Traditional
Soft Close Door	Upper / Lower		
Self-Clean	Upper / Lower	Upper / Lower	Upper / Lower
Hybrid Clean	Upper	Upper	
Steam Clean			Upper / Lower
Delay Clean Option	•	•	•
Automatic Self-Clean Oven Door Lock	•	•	•
True European Convection	Upper / Lower	Upper / Lower	
Rapid Preheat	•	•	
Clock and Kitchen Timer	•	•	•
Temperature Display	•	•	•
Delay Start	•	•	•
°C and °F Programmable	•	•	•
Control Lock	•	•	•
Interior Oven Lighting	LED Spotlights	LED Spotlights	Halogen
Certified Sabbath Mode	•	•	•
Hidden Bake Oven Interior	Upper / Lower	Upper / Lower	Upper / Lower
Bake	Upper / Lower	Upper / Lower	Upper / Lower
Broil	Upper / Lower	Upper / Lower	Upper / Lower
Convection Bake	Upper / Lower	Upper / Lower	
Convection Roast	Upper / Lower	Upper / Lower	
Convection Broil	Lower		
Steam Bake	Upper	Upper	
Steam Roast	Upper	Upper	
Bread Proof	Upper / Lower	Lower	Upper / Lower
Keep Warm	Upper / Lower	Lower	Upper / Lower
Healthy Cook	Upper / Lower		
Gourmet Cook	Upper / Lower		
Dehydrate	Upper / Lower		
Temperature Probe	Upper	Upper	
Heavy-Duty Oven Racks			
Upper	3 (1 Gliding)	3 (1 Gliding)	2
Lower	3 (1 Gliding)	3	2
Rack Positions	6 Upper / 6 Lower	6 Upper / 6 Lower	6 Upper / 6 Lower
APPEARANCE			
Color(s) Available	Stainless, Fingerprint Resistant Black Stainless	Stainless, Fingerprint Resistant Black Stainless	Stainless, Fingerprint Resistant Black Stainless
Handle Color	Stainless, Fingerprint Resistant Black Stainless	Stainless, Fingerprint Resistant Black Stainless	Stainless, Fingerprint Resistant Black Stainless
Handle Design	Polygon	Polygon	Flat Handle
Oven Interior	Blue	Blue	Blue
WEIGHT & DIMENSIONS			
Approx. Shipping Weight (lbs.)	306.4	288.8	265.2
Net Weight (lbs.)	273.4	260.1	236.3
Oven Cabinet Width Required (in.)	30"	30"	30"
Overall Dimensions, Including Handle (W x H x D, in.)	29-7/8" x 51-3/8" x 25-11/16"	29-7/8" x 51-3/8" x 25-11/16"	29-3/4" x 51-1/2" x 26-5/8"
Upper	24.9" x 18.4" x 19.1"	24.9" x 18.4" x 19.1"	24.9" x 18.4" x 19.1"
Lower	24.9" x 18.4" x 19.1"	24.9" x 18.4" x 19.1"	24.9" x 18.4" x 19.1"
Cut-Out Dimensions (W x H x D, in.)	28-1/2" x 50-1/4" x 23-1/2"	28-1/2" x 50-1/4" x 23-1/2"	28-1/2" x 50-1/4" x 23-1/2"
POWER / RATINGS			
Kilowatts Rating @			
240 Volts	10.6 kW	9.3 kW	8.9 kW
208 Volts	8.0 kW	7.0 kW	6.7 kW
Amps Rating @			
240 Volts	50A	40A	40A
208 Volts	40A	40A	40A

Built-In Cooking Single Wall Ovens

	NV51K7770S	NV51K6650S	NV51T5511S	NV31T4551S
GENERAL				
California Prop 65	•	•	•	
Sabbath Mode	•	•	•	•
ADA Compliant	•	•	•	•
TECHNOLOGY				
Wi-Fi Connectivity	•	•	•	•
Flex Duo	•			
Steam Cook	•	•		
Control Panel	Digital-Analog with 7" LCD Touch Screen	Glass Touch, Guiding Light	Glass Touch	Digital Touch Controls
Illuminated Knobs	•			
FEATURES & CONTROLS				
Capacity (cu. ft.)	5.1 (2.8 / 2.2)	5.1	5.1	3.1
Oven	Dual Convection	Dual Convection	Traditional	Convection
Soft Close Door	•			
Self-Clean	•	•	•	
Hybrid Clean	•	•		
Steam Clean			•	•
Delay Clean Option	•	•	•	
Automatic Self-Clean Oven Door Lock	•	•	•	
True European Convection	•	•		
Rapid Preheat	•	•		
Clock and Kitchen Timer	•	•	•	•
Temperature Display	•	•	•	
Delay Start	•	•	•	•
°C and °F Programmable	•	•	•	
Control Lock	•	•	•	
Interior Oven Lighting	LED Spotlights	LED Spotlights	Halogen	Halogen
Certified Sabbath Mode	•	•	•	•
Hidden Bake Oven Interior	•	•	•	•
Bake	•	•	•	•
Broil	•	•	•	•
Convection Bake	•	•		•
Convection Roast	•	•		•
Steam Bake	•	•		
Steam Roast	•	•		
Bread Proof	•	•	•	
Keep Warm	•	•	•	
Healthy Cook	•			
Gourmet Cook	•			
Dehydrate	•			
Temperature Probe	•	•		
Heavy-Duty Oven Racks (Lower Oven)	3 (1 Gliding)	3 (1 Gliding)	2	3
Rack Positions	6	6	6	5
APPEARANCE				
Color(s) Available	Stainless, Fingerprint Resistant Black Stainless	Stainless, Fingerprint Resistant Black Stainless	Stainless, Fingerprint Resistant Black Stainless	Stainless
Handle Color	Stainless, Fingerprint Resistant Black Stainless	Stainless, Fingerprint Resistant Black Stainless	Stainless, Fingerprint Resistant Black Stainless	
Handle Design	Polygon	Polygon	Flat Handle	
Oven Interior	Blue	Blue	Blue	
WEIGHT & DIMENSIONS				
Approx. Shipping Weight. (lbs.)	176.4	163.1	151.9	93.7
Net Weight (lbs.)	149.9	136.7	129.6	81.1
Oven Cabinet Width Required (in.)	30"	30"	30"	22-1/16"
Overall Dimensions, Including Handle (W x H x D, in.)	29-7/8" x 28-5/8" x 25-11/16"	29-7/8" x 28-5/8" x 25-11/16"	29-3/4" x 28-13/16" x 26-5/8"	23-7/16" x 23-1/2" x 24-9/16"
Overall Oven Interior Dimensions (W x H x D, in.)	24.9" x 18.4" x 19.1"	24.9" x 18.4" x 19.1"	24.9" x 18.4" x 19.1"	19 1/16" x 16" x 17 1/2"
Cut-Out Dimensions (W x H x D, in.)	28-1/2" x 27-1/4" x 23-1/2"	28-1/2" x 27-1/4" x 23-1/2"	28-1/2" x 27-1/4" x 23-1/2"	22-1/16" x 23-1/4" x 22-1/4"
POWER / RATINGS				
Kilowatts Rating @				
240 Volts	6.2 kW	4.9 kW	4.5 kW	3.3 kW
208 Volts	4.7 kW	3.7 kW	3.4 kW	2.5 kW
Amps Rating @				
240 Volts	30A	30A	20A	20A
208 Volts	30A	20A	20A	20A

Built-In Cooking Gas Cooktops

	NA36N7755T	NA30N7755T	NA36N6555T
GENERAL			>>
California Prop 65	•	•	•
ADA Compliant	•	•	•
TECHNOLOGY			>>
Wi-Fi Connectivity	•	•	•
Bluetooth Connected to Hood	•	•	
Control Type	Analog	Analog	Analog
Illuminated Knobs	•	•	•
FEATURES & CONTROLS			>>
Number of Burners	5	5	5
Control Location	Front	Front	Front
Heavy-Duty Knobs	•	•	•
Knob Cleaning	Dishwasher-Safe	Dishwasher-Safe	Dishwasher-Safe
BURNER CONFIGURATION			>>
Burner Type	Sealed	Sealed	Sealed
Ignition Type	Electronic	Electronic	Electronic
Burner–Left Front BTU (NG)	9,500	9,500	9,500
Burner–Left Rear BTU (NG)	9,500	9,500	9,500
Burner–Right Rear BTU (NG)	5,000 (Simmer)	5,000 (Simmer)	5,000 (Simmer)
Burner–Center BTU (NG)	22,000 (Dual Brass)	22,000 (Dual Brass)	19,000 (Dual)
GRATES			>>
Number of Grates	3	3	3
Grate Construction	Cast Iron	Cast Iron	Cast Iron
Grate Configuration	Continuous Edge-to-Edge	Continuous Edge-to-Edge	Continuous Edge-to-Edge
Griddle	Cast Iron	Cast Iron	Aluminum
Wok Grate	•	•	
APPEARANCE			>>
Color(s) Available	Stainless, Fingerprint Resistant Black Stainless	Stainless, Fingerprint Resistant Black Stainless	Stainless, Fingerprint Resistant Black Stainless
Cooktop Color	Stainless, Black	Stainless, Black	Stainless, Black
Cooktop Surface	Deep-Recessed	Deep-Recessed	Deep-Recessed
Knob Color	Stainless, Fingerprint Resistant Black Stainless	Stainless, Fingerprint Resistant Black Stainless	Stainless, Fingerprint Resistant Black Stainless
WEIGHT & DIMENSIONS			>>
Approx. Shipping Weight (lbs.)	94.4	74.5	83.8
Net Weight (lbs.)	31.3	27.6	30.9
Cabinet Width Compatibility (in.)	36"	30"	36"
Overall Dimensions (W x H x D, in.)	36" x 5-9/16" x 22-3/8"	30" x 5-9/16" x 22-3/8"	36" x 5-9/16" x 22-3/8"
Cut-Out Dimensions (W x D, in.)	33-7/8" x 19-1/8"	28-1/2" x 19-5/8"	33-7/8" x 19-1/8"
POWER / RATINGS			>>
Amp Rating @ 120 Volts, 60 Hertz	1A	1A	1A

Built-In Cooking Gas Cooktops

	NA30N6555T	NA36R5310F	NA30R5310F
GENERAL			
California Prop 65	•	•	•
ADA Compliant	•	•	•
TECHNOLOGY			
Wi-Fi Connectivity	•		
Bluetooth Connected to Hood			
Control Type	Analog	Analog	Analog
Illuminated Knobs	•		
FEATURES & CONTROLS			
Number of Burners	5	5	4
Control Location	Front	Front	Front
Heavy-Duty Knobs	•	•	•
Knob Cleaning	Dishwasher-Safe	Dishwasher-Safe	Dishwasher-Safe
BURNER CONFIGURATION			
Burner Type	Sealed	Sealed	Sealed
Ignition Type	Electronic	Electronic	Electronic
Burner–Left Front BTU (NG)	9,500	10,000	10,000
Burner–Left Rear BTU (NG)	9,500	10,000	13,000
Burner–Right Rear BTU (NG)	5,000 (Simmer)	5,000 (Simmer)	5,000 (Simmer)
Burner–Center BTU (NG)	19,000 (Dual)	17,000	
GRATES			
Number of Grates	3	3	2
Grate Construction	Cast Iron	Cast Iron	Cast Iron
Grate Configuration	Continuous Edge-to-Edge	Continuous Edge-to-Edge	Continuous Edge-to-Edge
Griddle	Aluminum		
Wok Grate			
APPEARANCE			
Color(s) Available	Stainless, Fingerprint Resistant Black Stainless	Stainless, Fingerprint Resistant Black Stainless	Stainless, Fingerprint Resistant Black Stainless
Cooktop Color	Stainless, Black	Stainless, Black	Stainless, Black
Cooktop Surface	Deep-Recessed	Deep-Recessed	Deep-Recessed
Knob Color	Stainless, Fingerprint Resistant Black Stainless	Stainless, Fingerprint Resistant Black Stainless	Stainless, Fingerprint Resistant Black Stainless
WEIGHT & DIMENSIONS			
Approx. Shipping Weight (lbs.)	74.5	78.9	71.0
Net Weight (lbs.)	271	66.5	60.5
Cabinet Width Compatibility (in.)	30"	36"	30"
Overall Dimensions (W x H x D, in.)	30" x 5-9/16" x 22-3/8"	36" x 5-11/16" x 21"	30" x 5-11/16" x 21"
Cut-Out Dimensions (W x D, in.)	28-1/2" x 19-5/8"	33-7/8" x 19-1/8"	28-1/2" x 19-5/8"
POWER / RATINGS			
Amps Rating @ 120 Volts, 60 Hertz	1A	1A	1A

Built-In Cooking Electric Cooktops

	NZ36K7880U	NZ30K7880U	NZ36K7570R	NZ30K7570R	NZ36K6430R
GENERAL	>>				
California Prop 65	•	•	•	•	•
ADA Compliant	•	•	•	•	•
TECHNOLOGY	>>				
Wi-Fi Connectivity	•	•	•	•	•
Bluetooth Connected to Hood	•	•	•	•	
Control Type	Digital-Analog	Digital-Analog	Digital-Analog	Digital-Analog	Analog
Illuminated Knobs					•
FEATURES	>>				
Element Type	Induction	Induction	Radiant	Radiant	Radiant
Number of Elements	5	4	5	5	5
Power Boost	4 Elements	3 Elements			
Virtual Flame Technology	3 Elements	2 Elements			
Sync Elements	FlexZone™	FlexZone™	•	•	
Hot Surface Indicators	•	•	•	•	•
Cooktop "On" Indicators	•	•	•	•	•
Pan Presence & Size Sensor	•	•			
Kitchen Timer	•	•	•	•	
Simmer	4 Elements	3 Elements	•	•	•
Melt Setting	•	•	•	•	
CONTROLS	>>				
Knob Type	Magnetic	Magnetic	Magnetic	Magnetic	Knob
Location	Front	Front	Front	Front	Front
Child Lock	•	•	•	•	
All-Off	•	•	•	•	
All-Pause	•	•			
ELEMENT CONFIGURATION	>>				
Element—Left Front (Watts)	1,800 (2,600 Boost)	1,800 (2,600 Boost)	7" - 1,500	7" - 1,500 (Sync)	7" - 1,500
Element—Left Rear (Watts)	1,800 (2,600 Boost)	1,800 (2,600 Boost)	7" - 1,500	7" - 1,500 (Sync)	7" - 1,500
Element—Right Front (Watts)	8" - 2,200 (3,200 Boost)	6" - 1,400 (1,800 Boost)	6" / 9" - 3,300	5" / 8" - 2,000	6" / 9" - 3,300
Element—Right Rear (Watts)	6" - 1,400 (1,800 Boost)		6" - 1,200	6" - 1,200 (Melt)	6" - 1,200
Element—Center (Watts)	7" / 11" - 3,600 (4,800 Boost)	7" / 11" - 3,600 (4,800 Boost)	6" / 9" / 12" - 3,000	6" / 9" - 3,300 (Rapid Boil™)	6" / 9" / 12" - 3,000
APPEARANCE	>>				
Color(s) Available	Stainless, Fingerprint Resistant Black Stainless	Stainless, Fingerprint Resistant Black Stainless	Stainless, Fingerprint Resistant Black Stainless	Stainless, Fingerprint Resistant Black Stainless	Stainless, Fingerprint Resistant Black Stainless
Cooktop Color	Black	Black	Black	Black	Black
Cooktop Surface	Ceramic-Glass	Ceramic-Glass	Ceramic-Glass	Ceramic-Glass	Ceramic-Glass
Cooktop Frame	Stainless Trim, Black Stainless Trim	Stainless Trim, Black Stainless Trim	Stainless Trim, Black Stainless Trim	Stainless Trim, Black Stainless Trim	Stainless Trim, Black Stainless Trim
Knob Color	Black Stainless	Black Stainless	Black Stainless	Black Stainless	Black Stainless
WEIGHT & DIMENSIONS	>>				
Approx. Shipping Weight (lbs.)	69.9	60.8	51.8	48.4	50.7
Net Weight (lbs.)	58.8	49.8	41.2	35.7	41.2
Cabinet Width Compatibility (in.)	36"	30"	36"	30"	36"
Overall Dimensions (W x H x D, in.)	36" x 4" x 21-1/4"	30" x 4" x 21-1/4"	36" x 5-1/16" x 21-1/4"	30" x 5-1/16" x 21-1/4"	36" x 5-1/16" x 21-1/4"
Cut-Out Dimensions (W x H x D, in.)	33-7/8" x 19-1/8"	28-1/2" x 19-9/16"	33-7/8" x 19-1/8"	28-1/2" x 19-9/16"	33-7/8" x 19-1/8"
POWER / RATINGS	>>				
Kilowatts Rating @ 240 Volts	10.8 kW	8.6 kW	10.5 kW	9.5 kW	10.5 kW
Amps Rating @ 240 Volts	45A	40A	40A	40A	40A

Built-In Cooking Electric Cooktops

	NZ30K6330R	NZ36R5330R	NZ30R5330R	NZ24T4360R
GENERAL	>>			
California Prop 65	•	•	•	
ADA Compliant	•	•	•	
TECHNOLOGY	>>			
Wi-Fi Connectivity	•			
Bluetooth Connected to Hood				
Control Type	Analog	Analog	Analog	Digital-Touch
Illuminated Knobs				
FEATURES	>>			
Element Type	Radiant	Radiant	Radiant	Radiant
Number of Elements	5	5	4	4
Power Boost				
Virtual Flame Technology				
Sync Elements				
Hot Surface Indicators	•	•	•	•
Cooktop "On" Indicators	•	•	•	
Pan Presence & Size Sensor				
Kitchen Timer				•
Simmer	•	•	•	•
Melt Setting				
CONTROLS	>>			
Type	Knob	Knob	Knob	
Location	Front	Front	Front	Top
Child Lock				•
All-Off				
All-Pause				
COOKTOP	>>			
Element—Left Front (Watts)	7" - 1,500	7" - 1,500	7" - 1,500	5" / 8" - 2000
Element—Left Rear (Watts)	7" - 1,500	7" - 1,500	7" - 1,500 (Simmer)	7" - 1,500
Element—Right Front (Watts)	5" / 8" - 2,000	9" - 2,500	5" / 8" - 2,000	6" - 1,200
Element—Right Rear (Watts)	6" - 1,200 (Melt)	6" - 1,200		6" - 1,200
Element—Center (Watts)	6" / 9" - 3,300 (Rapid Boil™)	9" / 12" - 3,000	9" - 2,500	
APPEARANCE	>>			
Color(s) Available	Stainless, Fingerprint Resistant Black Stainless	Black	Black	Black
Cooktop Color	Black	Black	Black	Black
Cooktop Surface	Ceramic-Glass	Ceramic-Glass	Ceramic-Glass	Ceramic-Glass
Cooktop Frame	Stainless Trim, Black Stainless Trim	Black	Black	Black
Knob Color	Black Stainless	Black Stainless	Black Stainless	
WEIGHT & DIMENSIONS	>>			
Approx. Shipping Weight (lbs.)	48.5	50.7	46.1	29.3
Net Weight (lbs.)	35.7	43.4	39.5	24.3
Cabinet Width Compatibility (in.)	30"	36"	30"	23-5/8"
Overall Dimensions (W x H x D, in.)	30" x 5-1/16" x 21-1/4"	36" x 5-1/8" x 21-1/4"	30" x 5-1/8" x 21-1/4"	23-5/8" x 3-3/8" x 20-7/16"
Cut-Out Dimensions (W x D, in.)	28-1/2" x 19-9/16"	33-7/8" x 19-1/8"	28-1/2" x 19-9/16"	22-1/8" x 3-3/8" x 19"
POWER / RATINGS	>>			
Kilowatts Rating @ 240 Volts	9.5 kW	9.7 kW	7.5 kW	3.5 kW
Amp Rating @ 240 Volts	40A	40A	40A	14.5A

Ranges Slide-In Gas

	NY63T8751	NX60T8751	NX60T8711
GENERAL	>>		
Dual Fuel	•		
California Prop 65	•	•	•
CSA Certification			
ETL Certification	•	•	•
Wi-Fi Connectivity	•	•	•
Voice Enabled	•	•	•
Sabbath Mode	•	•	•
ADA Compliant	•	•	•
COOKTOP	>>		
Burner—Left Front (BTU)	16,000	16,000	16,000
Burner—Left Rear (BTU)	9,500	9,500	9,500
Burner—Right Front (BTU)	23,000 (Dual Valve - Brass)	23,000 (Dual Valve - Brass)	22,000 (Dual Valve - Brass)
Burner—Right Rear (BTU)	5,000	5,000	5,000
Burner—Center (BTU)	10,000, Oval	10,000, Oval	10,000, Oval
Cooktop Burners	5	5	5
Edge-to-Edge Grates	•	•	•
Griddle	Reversible - Cast Iron	Reversible - Cast Iron	Reversible - Cast Iron
Wok Ring	•	•	•
OVEN	>>		
Capacity Upper / Lower (cu. ft.)	6.3 (3.4 / 2.7)	6.0 (3.4 / 2.5)	6.0
Self Clean	•	•	•
Convection	•	•	•
Auto Conversion	•	•	•
Convection Bake	•	•	•
Convection Roast	•	•	•
Air Fry with Tray	•	•	•
Temperature Probe	•	•	•
Favorite Cook (App Based)	•	•	•
Dehydrate	•	•	•
Breadproof	•	•	•
Child Lock	•	•	•
Delay Start	•	•	•
Racks (Total Number)	2	2	2
Standard Racks	1	1	
Broil Racks			1
Gliding Racks	1	1	
Interior Oven Light (Watts)	2 Incandescent - 40	2 Incandescent - 40	1 Incandescent - 40
Storage Drawer	•	•	•
APPEARANCE	>>		
Control Panel	Intelligent Controls	Intelligent Controls	Intelligent Controls
Handle Design	Flat Handle	Flat Handle	Flat Handle
Illuminated Knob	•	•	•
Color(s) Available	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless, Fingerprint Resistant Tuscan Stainless
Filler Kit (Included)	•	•	•
WEIGHT & DIMENSIONS	>>		
Product Weight (lbs.)	246	257	236
Product Dimensions (W x H x D, in.)	29-15/16" x 36-1/4" ~ 37" x 28-11/16"	29-15/16" x 36-1/4" ~ 37" x 28-11/16"	29-15/16" x 36-1/4" ~ 37" x 28-11/16"
Oven Cavity Dimensions (W x H x D, in.)	24-13/16" x 22-7/16" x 19-3/4"	24-13/16" x 21-5/8" x 19-5/8"	24-13/16" x 21-5/8" x 19-5/8"
Shipping Weight (lbs.)	265	276	254
Shipping Dimensions (W x H x D, in.)	33-1/16" x 41-3/4" x 30-5/16"	33-1/16" x 41-3/4" x 30-5/16"	33-1/16" x 41-3/4" x 30-5/16"
POWER / RATINGS	>>		
Electrical Rating	240V / 60 Hz / 40A	120V / 60 Hz / 20A	120V / 60 Hz / 20A
LP Conversion Kit (Included)	•	•	•

Ranges Slide-In Gas

	NX60T8511	NX60T8311	NX60T8111
GENERAL	>>		
Dual Fuel			
California Prop 65	•	•	•
CSA Certification			
ETL Certification	•	•	•
Wi-Fi Connectivity	•	•	•
Voice Enabled			
Sabbath Mode	•	•	•
ADA Compliant	•	•	•
COOKTOP	>>		
Burner—Left Front (BTU)	16,000	16,000	16,000
Burner—Left Rear (BTU)	9,500	9,500	9,500
Burner—Right Front (BTU)	18,000 (Dual Ring - Brass)	17,000	17,000
Burner—Right Rear (BTU)	5,000	5,000	5,000
Burner—Center (BTU)	10,000, Oval	10,000, Oval	9,500, Round
Cooktop Burners	5	5	5
Edge-to-Edge Grates	•	•	•
Griddle	Aluminum	Integrated - Cast Iron	
Wok Ring			
OVEN	>>		
Capacity Upper / Lower (cu. ft.)	6.0	6.0	6.0
Self Clean	•	•	•
Convection	•	•	
Auto Conversion	•	•	
Convection Bake	•	•	
Convection Roast	•	•	
Air Fry with Tray	•		
Temperature Probe			
Favorite Cook (App Based)	•	•	•
Dehydrate	•	•	
Breadproof	•	•	•
Child Lock	•	•	•
Delay Start	•	•	•
Racks (Total Number)	2	2	2
Standard Racks	1	1	1
Broil Racks	1	1	1
Gliding Racks			
Interior Oven Light (Watts)	1 Incandescent - 40	1 Incandescent - 40	1 Incandescent - 40
Storage Drawer	•	•	•
APPEARANCE	>>		
Control Panel	Glass Touch with LED	Glass Touch with LED	Glass Touch with LED
Handle Design	Flat Handle	Flat Handle	Flat Handle
Illuminated Knob			
Color(s) Available	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless, Fingerprint Resistant Tuscan Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless
Filler Kit (Included)	•	•	•
WEIGHT & DIMENSIONS	>>		
Product Weight (lbs.)	225	216	216
Product Dimensions (W x H x D, in.)	29-15/16" x 36-1/4" ~ 37" x 28-11/16"	29-15/16" x 36-1/4" ~ 37" x 28-11/16"	29-15/16" x 36-1/4" ~ 37" x 28-11/16"
Oven Cavity Dimensions (W x H x D, in.)	24-13/16" x 21-5/8" x 19-5/8"	24-13/16" x 21-5/8" x 19-5/8"	24-13/16" x 21-5/8" x 19-5/8"
Shipping Weight (lbs.)	243	227	227
Shipping Dimensions (W x H x D, in.)	33-1/16" x 41-3/4" x 30-5/16"	33-1/16" x 41-3/4" x 30-5/16"	33-1/16" x 41-3/4" x 30-5/16"
POWER / RATINGS	>>		
Electrical Rating	120V / 60 Hz / 20A	120V / 60 Hz / 20A	120V / 60 Hz / 20A
LP Conversion Kit (Included)	•	•	•

Ranges Slide-In Electric

	NE63T8751	NE63T8711	NE63T8511	NE63T8311	NE63T8111
GENERAL					
California Prop 65	•	•	•	•	•
CSA Certification	•	•	•	•	•
ETL Certification					
Wi-Fi Connectivity	•	•	•	•	•
Voice Enabled	•	•			
Sabbath Mode	•	•	•	•	•
ADA Compliant	•	•	•	•	•
COOKTOP					
Element—Left Front (Watts)	6" / 9" - 3,600 - Express Boil™	6" / 9" - 3,600 - Express Boil™	6" / 9" - 3,300 - Rapid Boil™	6" / 9" - 3,000	6" / 9" - 3,000
Element—Left Rear (Watts)	6" - 1,200	6" - 1,200	6" - 1,200	6" - 1,200	6" - 1,200
Element—Right Front (Watts)	6" / 9" / 12" - 3,000	6" / 9" / 12" - 3,000	6" / 9" / 12" - 3,000	9" / 12" - 3,000	6" / 9" - 3,000
Element—Right Rear (Watts)	6" - 1,200	6" - 1,200	6" - 1,200	6" - 1,200	6" - 1,200
Element—Center (Watts)	Warm Zone (100)	Warm Zone (100)	Warm Zone (100)	Warm Zone (100)	Warm Zone (100)
Cooktop Elements	5	5	5	5	5
Hot Surface Light	•	•	•	•	•
Cooktop On Indicator Light			•	•	•
OVEN					
Capacity Upper / Lower (cu. ft.)	6.3 (3.4 / 2.7)	6.3	6.3	6.3	6.3
Self Clean	•	•	•	•	•
Steam Clean	•	•	•	•	•
Convection	•	•	•	•	
Auto Conversion	•	•	•	•	
Convection Bake	•	•	•	•	
Convection Roast	•	•	•	•	
Air Fry with Tray	•	•	•		
Temperature Probe	•	•			
Favorite Cook (App Based)	•	•	•	•	•
Dehydrate	•	•	•	•	
Breadproof	•	•	•	•	•
Child Lock	•	•	•	•	•
Delay Start	•	•	•	•	•
Racks (Total Number)	2	2	2	2	2
Standard Racks	1	2	2	2	2
Gliding Racks	1				
Interior Oven Light	2 Incandescent - 40	1 Incandescent - 40	1 Incandescent - 40	1 Incandescent - 40	1 Incandescent - 40
Storage Drawer	•	•	•	•	•
APPEARANCE					
Control Panel	Intelligent Controls	Intelligent Controls	Glass Touch with LED	Glass Touch with LED	Glass Touch with LED
Handle Design	Flat	Flat	Flat	Flat	Flat
Illuminated Knob	•	•			
Color(s) Available	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless, Fingerprint Resistant Tuscan Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless, Fingerprint Resistant Tuscan Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless
Filler Kit (Included)	•	•	•	•	•
WEIGHT & DIMENSIONS					
Product Weight (lbs.)	213	191	187	183	183
Product Dimensions (W x H x D, in.)	29-15/16" x 36" ~ 36-3/4" x 28-11/16"	29-15/16" x 36" ~ 36-3/4" x 28-11/16"	29-15/16" x 36" ~ 36-3/4" x 28-11/16"	29-15/16" x 36" ~ 36-3/4" x 28-11/16"	29-15/16" x 36" ~ 36-3/4" x 28-11/16"
Oven Cavity Dimensions (W x H x D, in.)	24-13/16" x 22-7/16" x 19-3/4"	24-13/16" x 22-7/16" x 19-3/4"	24-13/16" x 22-7/16" x 19-3/4"	24-13/16" x 22-7/16" x 19-3/4"	24-13/16" x 22-7/16" x 19-3/4"
Shipping Weight (lbs.)	225	208	194	187	187
Shipping Dimensions (W x H x D, in.)	33-1/16" x 41-3/4" x 30-5/16"	33-1/16" x 41-3/4" x 30-5/16"	33-1/16" x 41-3/4" x 30-5/16"	33-1/16" x 41-3/4" x 30-5/16"	33-1/16" x 41-3/4" x 30-5/16"
POWER / RATINGS					
Electrical Rating	240V / 60 Hz / 40A	240V / 60 Hz / 40A	240V / 60 Hz / 40A	240V / 60 Hz / 40A	240V / 60 Hz / 40A

Ranges Freestanding Gas

	NX58K7850	NX58M6850	NX58T7511	NX58R5601	NX58R4311
GENERAL					
California Prop 65	•	•	•	•	•
CSA Certification					
ETL Certification	•	•	•	•	•
Wi-Fi Connectivity	•	•			
Voice Enabled					
Sabbath Mode	•	•	•	•	•
ADA Compliant					
COOKTOP					
Burner—Left Front (BTU)	15,000	15,000	15,000	15,000	12,000
Burner—Left Rear (BTU)	9,500	9,500	9,500	9,500	9,500
Burner—Right Front (BTU)	18,000, Dual Ring	16,000	18,000, Dual Ring	17,000	17,000
Burner—Right Rear (BTU)	5,000	5,000	5,000	5,000	5,000
Burner—Center (BTU)	10,000, Oval	10,000, Oval	10,000, Oval	9,500, Oval	9,500, Oval
Cooktop Burners	5	5	5	5	5
Edge-to-Edge Grates					
Griddle	•		•	•	
Wok Ring	•				
OVEN					
Capacity Upper / Lower (cu. ft.)	5.8 (3.4 / 2.3)	5.8 (3.4 / 2.3)	5.8	5.8	5.8
Self Clean	•	•	•	•	•
Convection	•	•	•	•	
Auto Conversion	•	•	•	•	
Convection Bake	•	•	•	•	
Convection Roast	•	•	•	•	
Air Fry with Tray			•		
Favorite Cook (App Based)	•	•		•	•
Slow Cook	•	•	•	•	
Dehydrate	•	•	•	•	
Breadproof	•	•	•	•	
Child Lock	•	•	•	•	•
Delay Start	•	•	•	•	•
Racks (Total Number)	3	3	2	2	2
Standard Racks	2	3	2	2	2
Gliding Racks	1				
Interior Oven Light	2 Incandescent - 40	2 Incandescent - 40	1 Incandescent - 40	1 Incandescent - 40	1 Incandescent - 40
Storage Drawer	•	•	•	•	•
APPEARANCE					
Control Panel	Membrane Touch	Membrane Touch	Membrane	Membrane	Membrane
Handle Design	Round	Round	Flat	Flat	Flat
Color(s) Available	Stainless, Fingerprint Resistant Black Stainless	Stainless, Fingerprint Resistant Black Stainless	Stainless, Fingerprint Resistant Black Stainless	Stainless, Fingerprint Resistant Black Stainless, White	Stainless, Fingerprint Resistant Black Stainless
WEIGHT & DIMENSIONS					
Product Weight (lbs.)	226	210	186	186	183
Product Dimensions (W x H x D, in.)	29-15/16" x 46-1/2" x 28-7/16"	29-15/16" x 46-1/2" x 28-7/16"	29-15/16" x 46-1/2" x 28-7/16"	29-15/16" x 46-1/2" x 28-7/16"	29-15/16" x 46-1/2" x 28-7/16"
Oven Cavity Dimensions (W x H x D, in.)	25" x 21-1/8" x 19"	25" x 21-1/8" x 19"	25" x 21-1/8" x 19"	25" x 21-1/8" x 19"	25" x 21-1/8" x 19"
Shipping Weight (lbs.)	254	254	233	233	210
Shipping Dimensions (W x H x D, in.)	33-1/16" x 50-5/8" x 30-5/16"	33-1/16" x 50-5/8" x 30-5/16"	33-1/16" x 50-5/8" x 30-5/16"	33-1/16" x 50-5/8" x 30-5/16"	33-1/16" x 50-5/8" x 30-5/16"
POWER / RATINGS					
Electrical Rating	120V / 60 Hz / 20A	120V / 60 Hz / 20A	120V / 60 Hz / 20A	120V / 60 Hz / 20A	120V / 60 Hz / 20A
LP Conversion Kit (Included)	•	•	•	•	•

Ranges Freestanding Electric

	NE59J7850	NE59M6850	NE59T7511	NE59R4321	NE59T4311
GENERAL					
California Prop 65	•	•	•	•	•
CSA Certification	•	•	•	•	•
ETL Certification					
Wi-Fi Connectivity		•			
Voice Enabled					
Sabbath Mode	•	•	•	•	•
ADA Compliant					
COOKTOP					
Element—Left Front (Watts)	Bridge - 1,800	6" / 9" - 3,000	6" / 9" - 3,300 - Rapid Boil™	6" / 9" - 3,000	6" / 9" - 3,000
Element—Left Rear (Watts)	Bridge - 1,800	6" - 1,200	6" - 1,200	6" - 1,200	6" - 1,200
Element—Right Front (Watts)	6" / 9" / 12" - 3,000	9" / 12" - 3,000	9" / 12" - 3,000	9" / 12" - 3,000	6" / 9" - 3,000
Element—Right Rear (Watts)	6" - 1,200	6" - 1,200	6" - 1,200	6" - 1,200	6" - 1,200
Element—Center (Watts)	Warm Zone (100)	Warm Zone (100)	Warm Zone (100)	Warm Zone (100)	Warm Zone (100)
Cooktop Elements	5	5	5	5	5
Hot Surface Light	•	•	•	•	•
Cooktop on Indicator Light	•	•	•	•	•
OVEN					
Capacity (cu. ft.) Upper / Lower	5.9 (2.7 / 3.0)	5.9 (2.7 / 3.0)	5.9	5.9	5.9
Self Clean	•	•	•	•	•
Steam Clean	•	•	•	•	•
Convection	•	•	•	•	
Auto Conversion	•	•	•	•	
Convection Bake	•	•	•	•	
Convection Roast	•	•	•	•	
Air Fry with Tray			•		
Favorite Cook (App Based)	•	•			
Slow Cook	•	•	•	•	
Dehydrate	•	•	•	•	
Breadproof	•	•	•	•	
Child Lock	•	•	•	•	•
Delay Start	•	•	•	•	•
Racks (Total Number)	3	3	2	2	2
Standard Racks	2	3	2	2	2
Split Racks	1				
Interior Oven Light	2 Incandescent - 40	2 Incandescent - 40	1 Incandescent - 40	1 Incandescent - 40	1 Incandescent - 40
Storage Drawer	Warming	•	•	•	•
APPEARANCE					
Control Panel	Membrane Touch	Membrane Touch	Membrane	Membrane	Membrane
Handle Design	Round	Round	Flat	Flat	Flat
Color(s) Available	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless, Black, White	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless
WEIGHT & DIMENSIONS					
Product Weight (lbs.)	196	180	156	156	153
Product Dimensions (W X H X D, in.)	29-15/16" x 46-11/16" x 28-5/16"	29-15/16" x 46-11/16" x 28-5/16"	29-15/16" x 46-11/16" x 28-5/16"	29-15/16" x 46-11/16" x 28-5/16"	29-15/16" x 46-11/16" x 28-5/16"
Oven Cavity Dimensions (W X H X D, in.)	25" x 21-1/16" x 19-1/4"	25" x 21-1/16" x 19-1/4"	25" x 21-1/16" x 19-1/4"	25" x 21-1/16" x 19-1/4"	25" x 21-1/16" x 19-1/4"
Shipping Weight (lbs.)	217	217	183	166	166
Shipping Dimensions (W X H X D, in.)	33" x 50-3/8" x 30-1/4"	33" x 50-3/8" x 30-1/4"	33" x 50-3/8" x 30-1/4"	33" x 50-3/8" x 30-1/4"	33" x 50-3/8" x 30-1/4"
POWER / RATINGS					
Electrical Rating	240V / 60 Hz / 40A	240V / 60 Hz / 40A	240V / 60 Hz / 40A	240V / 60 Hz / 40A	240V / 60 Hz / 40A

THIS PAGE IS INTENTIONALLY LEFT BLANK

Microwaves Over-the-Range

	MC17T8000	ME21K7010	ME21M706	ME21R7051	>>
GENERAL					
California Title 24 Compliant	•	•	•	•	
California Prop 65	•	•	•	•	
CAPACITY					
Total (cu. ft.)	1.7	2.1	2.1	2.1	
FEATURES					
Watts—Microwave (IEC-705 Test Procedure)					
Cooking Modes					
Microwave (Watts)	950	1,000	1,000	1,000	
Convection (Watts)	1,750				
Grill (Watts)	900	1,500			
Wi-Fi Enabled	•				
Factory-Set Recirculation	•	•	•	•	
CONTROLS					
Sensor Controls					
Beverage	•	•	•	•	
Defrost	•	•	•	•	
Melt		•	•	•	
Popcorn	•	•	•	•	
Potato	•	•	•	•	
Reheat	•	•	•	•	
CONTROLS TOUCHPAD					
Child Lock	•	•	•	•	
Electronic Touch Controls	•	•	•	•	
Steam Clean	•				
OVEN					
Interior / Cooktop Lighting	•	•	•	•	
Oven Racks			•	•	
Turntable	•	•	•	•	
Turntable Diameter (in.)	13-9/16"	14-3/16"	14-3/16"	14-3/16"	
APPEARANCE					
Color(s) Available	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless, Fingerprint Resistant Tuscan Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless	
Case Color	Black	Black	Black	Black	
Handle Color	Stainless	Stainless	Stainless	Stainless	
Handle Design	Round	Round	Recessed	Flat	
Oven Interior	Ceramic Enamel	Ceramic Enamel	Ceramic Enamel	Ceramic Enamel	
Touchpad	Membrane	Glass Touch	Glass Touch	Membrane	
WEIGHT & DIMENSIONS					
Approx. Shipping Weight (lbs.)	85.8	69.4	69.4	67.2	
Net Weight (lbs.)	74.4	59.1	59.1	60	
Overall Dimensions (W x H x D, in.)	29-7/8" x 16-15/16" x 18-9/16"	29-7/8" x 16-15/16" x 18-7/16"	29-7/8" x 17-1/16" x 16-1/2"	29-7/8" x 17-1/16" x 16-1/2"	
Cavity Interior Dimensions (W x H x D, in.)	20-1/8" x 10-5/16" x 14"	22-1/8" x 10-13/16" x 14-7/8"	22-1/8" x 10-13/16" x 14-1/4"	29-43/50" x 16-48/50" x 18-17/25"	
POWER / RATINGS					
Exhaust Vent Fan (CFM)	300	400	400	400	
Input Volts / Hertz	120V / 60 Hz	120V / 60 Hz	120V / 60 Hz	120V / 60 Hz	
Input Amps / Watts (max.)	14.5A / 1,700W	14.5A / 1,700W	14.5A / 1,700W	14.5A / 1,700W	

Microwaves Over-the-Range

	ME19R7041	ME17R7021	ME16K3000
GENERAL			
California Title 24 Compliant	•	•	•
California Prop 65	•	•	•
CAPACITY			
Total (cu. ft.)	1.9	1.7	1.6
FEATURES			
Watts—Microwave (IEC-705 Test Procedure)			
Cooking modes			
Microwave (Watts)	1,000	1,000	1,000
Convection (Watts)			
Grill (Watts)			
Wi-Fi Enabled			
Factory-Set Recirculation	•	•	•
CONTROLS			
Sensor controls			
Beverage	•	•	
Defrost	•	•	
Melt	•	•	•
Popcorn	•	•	•
Potato	•	•	•
Reheat	•	•	•
CONTROLS TOUCHPAD			
Child Lock	•	•	
Electronic Touch Controls	•	•	•
Steam Clean			
OVEN			
Interior / Cooktop Lighting	•	•	•
Oven Racks			
Turntable	•	•	•
Turntable Diameter (in.)	14-3/16"	11-1/2"	11-1/2"
APPEARANCE			
Color(s) Available	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless, Fingerprint Resistant Tuscan Stainless, White, Black	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless, White, Black	Stainless
Case Color	Black	Black	Black
Handle Color	Stainless	Stainless	Stainless
Handle Design	Flat	Flat	Round ¹
Oven Interior	Ceramic Enamel	Epoxy	Epoxy
Touchpad	Membrane	Membrane	Membrane
WEIGHT & DIMENSIONS			
Approx. Shipping Weight (lbs.)	62.4	55.1	51.8
Net Weight (lbs.)	55.4	48.3	44.2
Overall Dimensions (W x H x D, in.)	20-13/16" x 10-13/16" x 14-9/16"	33-3/8" x 20-13/16" x 19-3/8"	29-7/8" x 16-1/2" x 15-1/8"
Cavity Interior Dimensions (W x H x D, in.)	29-7/8" x 17-1/16" x 16-1/2"	19-5/16" x 9-5/8" x 14-3/8"	19-5/16" x 9-5/8" x 14-3/8"
POWER / RATINGS			
Exhaust Vent Fan (CFM)	400	300	300
Input Volts / Hertz	120V / 60 Hz	120V / 60 Hz	120V / 60 Hz
Input Amps / Watts (max.)	14.5A / 1,700W	13.5A / 1,580W	13.5A / 1,580W

Microwaves Countertop

	MC12J8035	MC11K7035	MG11T5018	MG11H2020
GENERAL	>>			
California Prop 65	•	•	•	•
CAPACITY	>>			
Total (cu. ft.)	1.2	1.1	1.1	1.1
FEATURES	>>			
Cooking Modes				
Microwave (Watts)	950	1,000	1,000	1,000
Convection (Watts)	1,650	1,600		
Grill (Watts)	1,600	1,300	1,500	1,300
Electronic Touch Controls	Glass	Glass	Membrane	Membrane
Electronic Digital Display with Clock	•	•	•	•
Display On / Off	•	•	•	•
Sensor Controls				
Popcorn		•		
Beverage		•		
Lunch / Snack		•		
Reheat		•		
Vegetable		•		
Potato		•		
Breakfast		•		
Dinner Plate		•		
Auto / Time Defrost	•	•	•	•
Power Levels	10	10	10	10
Turntable	•	•	•	•
Turntable Diameter (in.)	15"	13-9/16"	12-7/16"	12-7/16"
Cooking Complete Reminder	•	•	•	•
Child Lock	•	•	•	•
APPEARANCE	>>			
Color(s) Available	Fingerprint Resistant Black Stainless	Fingerprint Resistant Black Stainless	Charcoal, White, Mint, Pink	Stainless
Case Color	Black	Black	Black	Black
WEIGHT & DIMENSIONS	>>			
Approx. Shipping Weight (lbs.)	73.9	50.7	41.9	38.6
Net Weight (lbs.)	62.8	44.1	34	35.3
Overall Dimensions (W x H x D, in.)	20-13/16" x 15-7/8" x 18-1/2"	20-9/16" x 12-3/16" x 19-15/16"	20-3/8" x 11-3/4" x 16-1/8"	20-3/8" x 11-11/16" x 15-13/16"
Cavity Interior Dimensions ((W x H x D, in.)	15-3/4" x 8-5/8" x 15-5/8"	14-11/16" x 9-1/8" x 14-9/16"	14-1/16" x 10-1/16" x 14-1/16"	14-3/4" x 10-1/16" x 14-3/4"
POWER / RATINGS	>>			
Input Volts / Hertz	120V / 60 Hz	120V / 60 Hz	120V / 60 Hz	120V / 60 Hz
Input Amps / Watts (max.)	14A / 1,650W	14A / 1,600W	13.3A / 1,600W	13.3A / 1,600W

Microwaves Countertop

	MS19M8000	MS19M8020	MS14K6000
GENERAL			
California Prop 65	•	•	•
CAPACITY			
Total (cu. ft.)	1.9	1.9	1.4
FEATURES			
Cooking Modes			
Microwave (Watts)	950	950	1,000
Convection (Watts)			
Grill (Watts)			
Electronic Touch Controls	Membrane	Membrane	Membrane
Electronic Digital Display with Clock	•	•	•
Display On / Off	•	•	•
Sensor Controls			
Popcorn	•	•	•
Beverage	•	•	•
Lunch / Snack	•	•	•
Reheat	•	•	•
Vegetable	•	•	•
Potato	•	•	•
Breakfast	•	•	•
Dinner Plate	•	•	•
Auto / Time Defrost	•	•	•
Power Levels	10	10	10
Turntable	•	•	•
Turntable Diameter (in.)	15-9/16"	15-9/16"	14-3/16"
Cooking Complete Reminder	•	•	•
Child Lock	•	•	•
APPEARANCE			
Color(s) Available	Stainless, Fingerprint Resistant Black Stainless	Black Stainless, Fingerprint Resistant Black Stainless	Stainless
Case Color	Black	Black	Black
WEIGHT & DIMENSIONS			
Approx. Shipping Weight (lbs.)	48	48	40.8
Net Weight (lbs.)	43	43	37.5
Overall Dimensions (W x H x D, in.)	23-5/8" x 13-9/32" x 18-7/16"	23-5/8" x 13-9/32" x 18-7/16"	14-3/4" x 9-13/16" x 16-1/16"
Cavity Interior Dimensions (W x H x D, in.)	17-3/8" x 10-5/8" x 17-13/16"	17-3/8" x 10-5/8" x 17-13/16"	20-3/8" x 11-3/4" x 16-1/8"
POWER / RATINGS			
Input Volts / Hertz	120V / 60 Hz	120V / 60 Hz	120V / 60 Hz
Input Amps / Watts (max.)	13.3A / 1,600W	13.3A / 1,600W	13.3A / 1,600W

Microwaves Built-In Trim Kit

	MA-TK3080CT	MA-TK8020TG	MA-TK8020TS	MC12J8035CT	MS19M8020TG	MS19M8000AS
GENERAL						
California Prop 65	•	•	•			
APPEARANCE						
Color(s) Available	Stainless	Fingerprint Resistant Black Stainless	Stainless			
WEIGHT & DIMENSIONS						
Dimensions (W x H x D, in.)	29-3/4" x 20-5/64" x 1-1/4"	23-5/8" x 13-9/32" x 18-7/16"	23-5/8" x 13-9/32" x 18- 7/16"	29-3/4"	29-3/4"	29-3/4"
30" Deluxe Trim Kit				MA-TK3080CT- Stainless	MA-TK8020TG- Fingerprint Resistant Black Stainless	MA-TK8020TS - Stainless

THIS PAGE IS INTENTIONALLY LEFT BLANK

Ventilation Chimney Hoods

	NK36K7000W	NK30K7000W	NK36R5000W	NK30R5000W	>>
GENERAL					
HVI Certified					
California Prop 65	•	•	•	•	
California Title 24 Compliant					
ADA Compliant	• ¹	• ¹	• ¹	• ¹	
TECHNOLOGY					
Wi-Fi Connectivity	•	•			
Bluetooth® Connected Hood	•	•			
FEATURES & CONTROLS					
Control Type	Electronic Touch	Electronic Touch	Mechanical	Mechanical	
Control Location	Front-Centered	Front-Centered	Front-Centered	Front-Centered	
CFM	390 (600 Capable)	390 (600 Capable)	390	390	
Noise Level (dBa / Sones Rating)	74 / 10.8	74 / 10.8	70 / 7.0	70 / 7.0	
Number of Fan Speeds	4	4	3	3	
Number of Blowers	1	1	1	1	
FILTERS					
Number of Filters	3	2	3	2	
Included Grease Filter Type	Baffle Filter	Baffle Filter	Aluminum Mesh	Aluminum Mesh	
Filter Cleaning	Dishwasher-Safe	Dishwasher-Safe	Dishwasher-Safe	Dishwasher-Safe	
LIGHTING					
Number of Cooktop Lights	2	2	2	2	
Lighting Control	On / Off	On / Off	On / Off	On / Off	
Type of Lighting	LED	LED	LED	LED	
Light Bulb(s)	Included	Included	Included	Included	
INSTALLATION					
Mounting	Wall	Wall	Wall	Wall	
Venting Type	Convertible	Convertible	Convertible	Convertible	
Exhaust Direction	Top	Top	Top	Top	
Round Duct Diameter (in.)	6	6	6	6	
APPEARANCE					
Color(s) Available	Stainless, Fingerprint Resistant Black Stainless	Stainless, Fingerprint Resistant Black Stainless	Stainless, Fingerprint Resistant Black Stainless	Stainless, Fingerprint Resistant Black Stainless	
WEIGHT & DIMENSIONS					
Approx. Shipping Weight (lbs.)	60.4	56.7	39.9	36.8	
Net Weight (lbs.)	48.5	44.1	27.3	25.4	
Cabinet Width Compatibility (in.)	36"	30"	36"	30"	
Overall Dimensions (W x H x D, in.)	36" x 25-7/16" x 19-11/16"	30" x 25-7/16" x 19-11/16"	36" x 28-3/8" x 19-11/16"	30" x 28-3/8" x 19-11/16"	
POWER / RATINGS					
Amps Rating @ 120 Volts	15A	15A	15A	15A	
OPTIONAL ACCESSORIES					
Hood Extension Kit (Up to 12 ft. Ceiling)	NK-AE705PWS/G	NK-AE705PWS/G	NK-AE505PWS/G	NK-AE505PWS/G	
Recirculation Kit	NK-AF030FNB	NK-AF030FNB	NK-AF020FNB	NK-AF020FNB	
Charcoal Filter	NK-AR050FNB	NK-AR050FNB	NK-AR040FNB	NK-AR040FNB	

Ventilation Under Cabinet Hoods

	NK36N7000U	NK30N7000U
GENERAL		
HVI Certified		
California Prop 65	•	•
California Title 24 Compliant		
ADA Compliant	• ²	• ²
TECHNOLOGY		
Wi-Fi Connectivity	•	•
Bluetooth® Connected Hood	•	•
FEATURES & CONTROLS		
Control Type	Electronic Touch	Electronic Touch
Control Location	Front-Centered	Front-Centered
CFM	390 (600 Capable)	390 (600 Capable)
Noise Level (dBa / Sones Rating)	75 / 8.2	75 / 8.2
Number of Fan Speeds	4	3
Number of Blowers	1	1
FILTERS		
Number of Filters	3	2
Included Grease Filter Type	Baffle Filter	Baffle Filter
Filter Cleaning	Dishwasher-Safe	Dishwasher-Safe
LIGHTING		
Number of Cooktop Lights	2	2
Lighting Control	On / Off	On / Off
Type of Lighting	LED	LED
Light Bulb(s)	Included	Included
INSTALLATION		
Mounting	Built-In	Built-In
Venting Type	Convertible	Convertible
Exhaust Direction	Top	Top
Round Duct Diameter (in.)	6	6
APPEARANCE		
Color(s) Available	Stainless, Fingerprint Resistant Black Stainless	Stainless, Fingerprint Resistant Black Stainless
WEIGHT & DIMENSIONS		
Approx. Shipping Weight (lbs.)	47.7	45.2
Net Weight (lbs.)	38.6	34.2
Cabinet Width Compatibility (in.)	36"	30"
Overall Dimensions (W x H x D, in.)	36" x 9-3/4" x 19-3/4"	30" x 9-3/4" x 19-3/4"
POWER / RATINGS		
Amps Rating @ 120 Volts	15A	15A
OPTIONAL ACCESSORIES		
Recirculation Kit	NK-AF030FNB	NK-AF030FNB
Charcoal Filter	NK-AR050FNB	NK-AR050FNB

Dishwashers

	DW80R9950	DW80R7060 DW80R7061	DW80R5060 DW80R5061	DW80N3030
GENERAL >>				
ENERGY STAR® Certified	•	•	•	•
CEE Tier1 Qualified	•	•		
Normal Wash Gallons Per Cycle	3.2	3.2	3.5	3.5
Kilowatt Hrs. / Yr.	239	239	265	255
California Prop 65	•	•	•	•
Wi-Fi Connect	•			
ADA Compliant				
FEATURES >>				
Place Settings	15	15	15	15
Front Appearance	Top Control	Top Control	Top Control	Front Control
Wash System	Linear Wash	Stormwash™	Stormwash™	Rotary
Water Filtration	Removable Filter	Removable Filter	Disposer	Removable Filter
Sensor	Clean Sensor	Clean Sensor	Clean Sensor	Clean Sensor
Rinse Aid Dispenser	With Indicator & Adjustment	With Indicator & Adjustment	With Indicator & Adjustment	With Indicator & Adjustment
Capacitive Touch Controls	•	•	•	•
End-of-Cycle Indicators	•	•	•	•
Exterior Status LED	•	•	•	•
Cycles / Options	7 / 8	6 / 6	6 / 6	4 / 5
3-Digit Countdown Display	•	•	•	•
Last Cycle Memory	•	•	•	•
Audible End-of-Cycle Signal	•	•	•	•
Cycles	Auto / Normal / Heavy / Delicate / Express 60 / Rinse Only / Self Clean	Auto / Normal / Heavy / Delicate / Express 60 / Rinse Only	Auto / Normal / Heavy / Delicate / Express 60 / Rinse Only	Auto / Normal / Heavy / Express 60
Options				
Half Load (Lower Rack)	•	•	•	
Zone Booster™ (Left Only)	•			
Speed Booster	•			
Hi-Temp Wash	•	•	•	•
Sanitize (NSF Certified)	•	•	•	•
Delay Start	•	•	•	•
Control Lock	•	•	•	•
RACKING >>				
Third Rack	•	•	•	•
Upper Rack	Adjustable Height, Soft Rail	Adjustable Height, Soft Rail	Adjustable Height	Adjustable Height
Adjustable Tines	•	•	•	
Cutlery Basket	•	•	•	•
DRY >>				
Heated Dry				•
AutoRelease™ Dry	•	•	•	
Condensing Dry				
SOUND INSULATION PACKAGE >>				
dBA	39	42	48	51
INSTALLATION >>				
Built-up-Floor Capable	•	•	•	•
Top- / Side-Mount Brackets	•	•	•	•
FLOOR PROTECTION >>				
Leak Sensor	•	•	•	•
APPEARANCE >>				
Color(s) Available	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless, Fingerprint Resistant Tuscan Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless, Fingerprint Resistant Tuscan Stainless	Stainless, Black, White
Handle Design	Recessed	Handle / Recessed	Handle / Recessed	Recessed
Interior	Stainless	Stainless	Stainless	Hybrid
Door Liner	Stainless	Stainless	Stainless	Plastic
Tub Liner	Stainless	Stainless	Stainless	Stainless
WEIGHT & DIMENSIONS >>				
Approx. Shipping Weight (lbs.)	101	106	106	75
Net Weight (lbs.)	95	95	95	71
Overall Dimensions (W x H x D, in.)	23-7/8" x 33-7/8" - 35" x 25"	23-7/8" x 33-7/8"-- 35" x 24-3/4"	23-7/8" x 33-7/8"-- 35" x 24-3/4"	23-3/4" x 33-3/4" x 24-5/8"
POWER / RATINGS >>				
Amps Rating @ 120 Volts	15A	15A	15A	15A

Dishwashers

	DW80R2031	DW60R2014	DW50T6060
GENERAL			
ENERGY STAR® Certified	•	•	•
CEE Tier1 Qualified			
Normal Wash Gallons Per Cycle	3.5	3.5	3.4
Kilowatt Hrs. / Yr.	249	265	259
California Prop 65	•	•	
Wi-Fi Connect			
ADA Compliant		•	•
FEATURES			
Place Settings	14	12	8
Front Appearance	Top Control	Front Control	Top Control
Wash System	Rotary	Rotary	Rotary
Water Filtration	Removable Filter	Removable Filter	Removable Filter
Sensor	Clean Sensor	Clean Sensor	Clean Sensor
Rinse Aid Dispenser	With Indicator & Adjustment	With Indicator & Adjustment	
Capacitive Touch Controls	•		
End-of-Cycle Indicators	•	•	
Exterior Status LED	•	•	
Cycles / Options	4 / 3	4 / 5	5 / 4
3-Digit Countdown Display	•	•	
Last Cycle Memory	•	•	
Audible End-of-Cycle Signal	•	•	
Cycles	Auto / Normal / Heavy / Express 60	Auto / Normal / Heavy / Express 60	Auto / Normal / Heavy / Delicate / Express 60
Options			
Half Load (Lower Rack)		•	
Zone Booster™ (Left Only)			
Speed Booster			
Hi-Temp Wash	•	•	•
Sanitize (NSF Certified)	•	•	•
Delay Start	•	•	•
Control Lock	•	•	•
RACKING			
Third Rack			
Upper Rack	Adjustable Height	Adjustable Height	Adjustable Height
Adjustable Tines			
Cutlery Basket	•	•	•
DRY			
Heated Dry	•		
AutoRelease™ Dry			•
Condensing Dry		•	
SOUND INSULATION PACKAGE			
dBA	55	52	46
INSTALLATION			
Built-up-Floor Capable	•	•	
Top- / Side-Mount Brackets	•	•	
FLOOR PROTECTION			
Leak Sensor	•	•	•
APPEARANCE			
Color(s) Available	Stainless, Black, White	Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless
Handle Design	Handle	Recessed	Recessed
Interior	Hybrid	Stainless	Stainless
Door Liner	Plastic	Stainless	Stainless
Tub Liner	Stainless	Stainless	Stainless
WEIGHT & DIMENSIONS			
Approx. Shipping Weight (lbs.)	74	99	86
Net Weight (lbs.)	64	82	73
Overall Dimensions (W x H x D, in.)	23-3/4" x 33-3/4" x 24-5/8"	23-5/8" x 32-1/16" x 22-6/7"	18" x 32-1/16"-- 33-1/4" x 22-7/16"
POWER / RATINGS			
Amps Rating @ 120 Volts	15A	15A	15A

Refrigerators 4-Door Flex™

	RF28N9780	RF22N9781	RF28K9380	RF22K9381	RF23J9011	RF28K9070
GENERAL						
ENERGY STAR® Certified	•	•	•	•	•	•
TECHNOLOGY						
Family Hub™	•	•				
AKG Speaker	•	•				
Wi-Fi & Bixby Enabled	•	•	Wi-Fi Only	Wi-Fi Only	•	Wi-Fi Only
FlexZone™ Convertible Compartment	•	•	•	•	•	•
Triple Cooling (3 Evaporators)	•	•	•	•	•	•
Surround Air Flow	•	•	•	•	•	•
CAPACITY						
Total (cu. ft.)	27.9	22.0	28.0	22.1	22.5	28.1
Refrigerator (cu. ft.)	16.4	13.2	16.5	13.3	13.6	16.6
Freezer (cu. ft.)	11.5	8.8	11.5	8.8	8.9	11.5
ICE & WATER						
Exterior Ice & Water Dispenser	•	•	•	•	•	•
Ice Production Capacity (Daily)	8.8	5.1	8.6	5.0	5.0	8.8
Ice Storage Capacity	4.2	2.9	4.2	2.9	2.9	4.2
Cubed / Crushed Ice	•	•	•	•	•	•
Water Filter Model	HAF-CIN/EXP (DA29-00020B)	HAF-CIN/EXP (DA29-00020B)	HAF-CIN/EXP (DA29-00020B)	HAF-CIN/EXP (DA29-00020B)	HAF-CIN/EXP (DA29-00020B)	HAF-CIN/EXP (DA29-00020B)
Water Filter Indicator	•	•	•	•	•	•
FRESH-FOOD FEATURES						
Food Showcase			•	•		
Metal Cooling	•	•	•	•		
Power Cool Available	•	•	•	•	•	•
Door Alarm	•	•	•	•	•	•
Energy Saver	•	•	•	•	•	•
Tempered Glass Shelves						
Total #	5	5	5	5	5	5
Slide-In	1	1	1	1	1	1
1/2 Shelf	1 (Flip-Up)	1 (Flip-Up)	1 (Flip-Up)	1 (Flip-Up)	1 (Flip-Up)	1 (Flip-Up)
Crisper Drawers						
Total #	2	2	2	2	2	2
Humidity Control	(Fresh Air-Tight Box)	•	(Fresh Air-Tight Box)	•	•	(Fresh Air-Tight Box)
# Door Bins						
Left Side	3	3	3	3	3	3
Right Side	3	3	3	3	3	3
Total # Gallon-Size Bins						
Wine Rack	•	•	•	•		
Lighting						
LED	•		•			•
HE LED		•		•	•	
FREEZER FEATURES						
FlexZone™ Compartment						
Temperature Control	-8°~-5°, 23°, 30°, 35°, 41°F	-8°~-5°, 23°, 30°, 35°, 41°F	-8°~-5°, 23°, 30°, 41°F	-8°~-5°, 23°, 30°, 41°F	-8°~-5°, 23°, 30°, 41°F	-8°~-5°, 23°, 30°, 41°F
# Pull-Out Drawers	2	2	2	2	2	2
# Slide-Out Shelves	1	1	1	1	1	1
# Door Bins (Guards)	3	3	3	3	3	3
Left Freezer Compartment						
# Pull-Out Drawers	2	2	2	2	2	2
# Slide-Out Shelves	1	1	1	1	1	1
# Door Bins (Guards)	3	3	3	3	3	3
Power Freeze Available	•	•	•	•	•	•
Lighting						
HE LED	•	•	•	•	•	•
APPEARANCE						
Color(s) Available	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless
Handle Design	Recessed	Recessed	Recessed	Recessed	Recessed	Recessed
Door Design	Contour	Contour	Contour	Contour	Contour	Contour
Cool Tight Door	•	•	•	•	•	•
Adjustable Rollers	•	•	•	•	•	•
WEIGHT & DIMENSIONS						
Approx. Shipping Weight (lbs.)	385	364	404	366	386	362
Net Weight (lbs.)	364	342	377	342	353	337
Height To Top Of Door (in.)	70-3/4"	70-3/4"	70-3/4"	70-3/4"	70-3/4"	70-3/4"
Height To Top Of Hinge (in.)	71-7/8"	71-7/8"	71-7/8"	71-7/8"	71-7/8"	71-7/8"
Height To Top Of Case (in.)	70-3/4"	70-3/4"	70-3/4"	70-3/4"	70-3/4"	70-3/4"

Continued on next page

Refrigerators 4-Door Flex™

	RF28N9780	RF22N9781	RF28K9380	RF22K9381	RF23J9011	RF28K9070
CONTINUED						
WEIGHT & DIMENSIONS						
Case Depth without Door (in.)	29-7/16"	24"	29-7/16"	24"	24"	29-7/16"
Case Depth Less Door Handle (in.)	34-5/16"	29"	34-5/16"	29"	28-7/8"	34-5/16"
Case Depth with Door Handle (in.)	34-5/16"	29"	34-5/16"	29"	28-7/8"	34-5/16"
Width (in.)	35-3/4"	35-3/4"	35-3/4"	35-3/4"	35-3/4"	35-3/4"
Air Clearances						
Each side (in.)	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"
Top (in.)	3/8"	3/8"	3/8"	3/8"	3/8"	3/8"
Back (in.)	2"	2"	2"	2"	2"	2"
POWER / RATINGS						
Power Rating	115V / 60 Hz / 5.3A	115V / 60 Hz / 5.3A	115V / 60 Hz / 5.3A	115V / 60 Hz / 5.3A	115V / 60 Hz / 5.3A	115V / 60 Hz / 5.3A

Refrigerators 4-Door French Door

	RF23M8570	RF23M8070	RF28R7551	RF22R7551
GENERAL				
ENERGY STAR® Certified	•	•	•	•
Sabbath Mode Capable		•		
TECHNOLOGY				
Family Hub™	•		•	•
Wi-Fi & Bixby Enabled	•	Adapter Required	•	•
FlexZone™ Drawer (Middle)	•	•	•	•
Twin Cooling Plus (2 Evaporators)	•	•	•	•
Surround Air Flow	•	•	•	•
CAPACITY				
Total (cu. ft.)	22.2	22.6	27.7	22.2
Refrigerator (cu. ft.)	12.5	12.9	15.6	12.6
FlexZone™ Drawer (cu. ft.)	3.1	3.1	3.8	3.1
Freezer (cu. ft.)	6.6	6.6	8.3	6.5
ICE & WATER				
Exterior Ice & Water Dispenser	•	•	•	•
Daily Ice Production Capacity (lbs.)	4.8	4.8	10.0	4.8
Ice Storage Capacity (lbs.)	2.7	2.7	4.2	2.7
Cubed / Crushed Ice	•	•	•	•
Water Filter Model	HAF-QIN / EXP (DA97-17376B)	HAF-QIN / EXP (DA97-17376B)	HAF-QIN / EXP (DA97-17376B)	HAF-QIN / EXP (DA97-17376B)
Water Filter Indicator	•	•	•	•
FRESH-FOOD FEATURES				
Food Showcase				
Metal Cooling				
Power Cool Available	•	•	•	•
Door Alarm	•	•	•	•
Energy Saver	•	•	•	•
Tempered Glass Shelves				
Total #	5	5	5	5
Slide-In	1	1	1	1
1/2 Shelf	1 (Foldable)	1 (Foldable)	1 (Foldable)	1 (Foldable)
Crisper Drawers				
Total #	2	2	2	2
Humidity Control			•	•
FlexZone™ Drawer Temperature Settings (4-step)	Meat, Beverage, Deli, Wine 29°, 33°, 37°, 42°F	Meat, Beverage, Deli, Wine 29°, 33°, 37°, 42°F	Meat, Beverage, Deli, Wine 29°, 33°, 37°, 42°F	Meat, Beverage, Deli, Wine 29°, 33°, 37°, 42°F
Autofill Water Pitcher with Infuser	•	•		
# Door Bins				
Left Side	4	4	3	3
Right Side	3	3	3	3
Lighting				
LED	•	•	•	•
FREEZER FEATURES				
Full-Width Freezer Drawer				
Auto Pull-Out Drawer	•	•	•	•
Drawer Dividers	2	2	2	2
Easy Open Handle™	•	•	•	•
Power Freeze Available	•	•	•	•
Lighting				
HE LED	•	•	•	•
APPEARANCE				
Color(s) Available	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless, Fingerprint Resistant Tuscan Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless, Fingerprint Resistant Tuscan Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless, Fingerprint Resistant Tuscan Stainless
Handle Design	Recessed	Recessed	Flat	Flat
Door Design	Flat	Flat	Sleek Edge	Sleek Edge
Cool Tight Door	•	•	•	•
Adjustable Rollers	•	•	•	•
WEIGHT & DIMENSIONS				
Approx. Shipping Weight (lbs.)	375	366	368	346
Net Weight (lbs.)	351	342	346	324
Height to Top of Door (in.)	68-7/8"	68-7/8"	68-7/8"	68-7/8"
Height to Top of Hinge (in.)	70"	70"	70"	70"
Height to Top of Case (in.)	68-7/8"	68-7/8"	68-7/8"	68-7/8"
Case Depth without Door (in.)	24"	24"	29-1/2"	24-1/8"
Case Depth Less Door Handle (in.)	29-1/4"	29-1/4"	34"	28-1/2"
Case Depth with Door Handle (in.)	29-1/4"	29-1/4"	36-1/2"	31"
Width (in.)	35-3/4"	35-3/4"	35-3/4"	35-3/4"
Air Clearances				
Each side (in.)	3/8"	3/8"	3/8"	3/8"
Top (in.)	3/8"	3/8"	3/8"	3/8"
Back (in.)	2"	2"	2"	2"
POWER / RATINGS				
Power Rating	115V / 60 Hz / 6.0A	115V / 60 Hz / 6.0A	115V / 60 Hz / 5.3A	115V / 60 Hz / 5.3A

Refrigerators 4-Door French Door

	RF28R7351	RF22R7351	RF28R7201	RF24R7201
GENERAL				
ENERGY STAR® Certified	•	•	•	•
Sabbath Mode Capable	•	•	•	•
ADA Compliant	•	•	•	•
TECHNOLOGY				
Wi-Fi & Bixby Enabled	•	•	•	•
FlexZone™ Drawer (Middle)	•	•	•	•
Twin Cooling Plus (2 Evaporators)	•	•	•	•
Surround Air Flow	•	•	•	•
CAPACITY				
Total (cu. ft.)	27.8	22.4	28.0	22.6
Refrigerator (cu. ft.)	15.7	12.8	15.9	13.0
FlexZone™ Drawer (cu. ft.)	3.8	3.1	3.8	3.1
Freezer (cu. ft.)	8.3	6.5	8.3	6.5
ICE & WATER				
Exterior Ice & Water Dispenser	•	•	•	•
Daily Ice Production Capacity (lbs.)	10.0	4.8	10.0	4.8
Ice Storage Capacity (lbs.)	4.2	2.7	4.2	2.7
Cubed / Crushed Ice	•	•	•	•
Water Filter Model	HAF-QIN/EXP (DA97-17376B)	HAF-QIN/EXP (DA97-17376B)	HAF-QIN/EXP (DA97-17376B)	HAF-QIN/EXP (DA97-17376B)
Water Filter Indicator	•	•	•	•
FRESH-FOOD FEATURES				
Food Showcase	•	•		
Metal Cooling	•	•		
Power Cool Available	•	•	•	•
Door Alarm	•	•	•	•
Energy Saver	•	•	•	•
Tempered Glass Shelves				
Total #	5	5	5	5
Slide-In	1	1	1	1
1/2 Shelf	1 (Foldable)	1 (Foldable)	1 (Foldable)	1 (Foldable)
Crisper Drawers				
Total #	2	2	2	2
Humidity Control	•	•	•	•
FlexZone™ Drawer Temperature Settings (4-step)	Meat, Beverage, Deli, Wine 29°, 33°, 37°, 42°F	Meat, Beverage, Deli, Wine 29°, 33°, 37°, 42°F	Meat, Beverage, Deli, Wine 29°, 33°, 37°, 42°F	Meat, Beverage, Deli, Wine 29°, 33°, 37°, 42°F
Autofill Water Pitcher with Infuser	•	•		
# Door Bins				
Left Side	3	3	3	3
Right Side	3	3	3	3
Lighting				
LED	•	•	•	•
FREEZER FEATURES				
Full-Width Freezer Drawer				
Auto Pull-Out Drawer	•	•	•	•
Drawer Dividers	2	2	2	2
Easy Open Handle™	•	•	•	•
Power Freeze Available	•	•	•	•
Lighting				
HE LED	•	•	•	•
APPEARANCE				
Color(s) Available	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless,Fingerprint Resistant Tuscan Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless,Fingerprint Resistant Tuscan Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless,Fingerprint Resistant Tuscan Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless,Fingerprint Resistant Tuscan Stainless
Handle Design	Flat	Flat	Flat	Flat
Door Design	Sleek Edge	Sleek Edge	Sleek Edge	Sleek Edge
Cool Tight Door	•	•	•	•
Adjustable Rollers	•	•	•	•
WEIGHT & DIMENSIONS				
Approx. Shipping Weight (lbs.)	381	355	351	337
Net Weight (lbs.)	359	333	328	315
Height to Top of Door (in.)	68-7/8"	68-7/8"	68-7/8"	68-7/8"
Height to Top of Hinge (in.)	70"	70"	70"	70"
Height to Top of Case (in.)	68-7/8"	68-7/8"	68-7/8"	68-7/8"
Case Depth without Door (in.)	29-3/8"	24"	29-3/8"	24"
Case Depth Less Door Handle (in.)	34"	28 -5/8"	34"	28-5/8"
Case Depth with Door Handle (in.)	36-1/2"	31"	36-1/2"	31"
Width (in.)	35-3/4"	35-3/4"	35-3/4"	35-3/4"
Air Clearances				
Each Side (in.)	3/8"	3/8"	3/8"	3/8"
Top (in.)	3/8"	3/8"	3/8"	3/8"
Back (in.)	2"	2"	2"	2"
POWER / RATINGS				
Power Rating	115V / 60 Hz / 5.0A	115V / 60 Hz / 5.0A	115V / 60 Hz / 5.0A	115V / 60 Hz / 5.0A

Refrigerators 4-Door French Door

	RF25HMIDB
GENERAL	
ENERGY STAR® Certified	•
TECHNOLOGY	
FlexZone™ Convertible Compartment	•
FlexZone™ Drawer (Middle)	•
Twin Cooling Plus (2 Evaporators)	•
Surround Air Flow	•
CAPACITY	
Total (cu. ft.)	24.7
Refrigerator (cu. ft.)	14.0
FlexZone™ Drawer (cu. ft.)	3.4
Freezer (cu. ft.)	7.3
ICE & WATER	
Exterior Ice & Water Dispenser	•
Daily Ice Production Capacity (lbs.)	10.0
Ice Storage Capacity (lbs.)	4.2
Cubed / Crushed Ice	•
Water Filter Model	HAF-CIN/EXP (DA29-00020B)
Water Filter Indicator	•
FRESH-FOOD FEATURES	
Power Cool Available	•
Door Alarm	•
Tempered Glass Shelves	
Total #	5
Slide-In	1
Adjustable	•
Spill-Proof	•
Crisper Drawers	
Total #	2
Humidity Control	•
FlexZone™ Drawer Temperature Settings (4-step)	Meat, Beverage, Deli, Wine 29°, 33°, 37°, 42°F
Cool Select Pantry	
Full Width Drawer	•
Internal Water Dispenser	•
# Door Bins	
Left Side	3
Right Side	3
Total # Gallon-Size Bins	6
Lighting	
HE LED	•
FREEZER FEATURES	
Full-Width Freezer Drawer	
Auto Pull-Out Drawer	•
Drawer Dividers	1
Easy Open Handle™	•
Power Freeze Available	•
Lighting	
HE LED	•
APPEARANCE	
Color(s) Available	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless
Handle Design	Flat
Door Design	Contour
WEIGHT & DIMENSIONS	
Approx. Shipping Weight (lbs.)	364
Net Weight (lbs.)	340
Height to Top of Door (in.)	68-7/8"
Height to Top of Hinge (in.)	70"
Height to Top of Case (in.)	68-7/8"
Case Depth without Door (in.)	29-5/8"
Case Depth Less Door Handle (in.)	34"
Case Depth with Door Handle (in.)	36-1/2"
Width (in.)	32-3/4"
Air Clearances	
Each Side (in.)	3/8"
Top (in.)	3/8"
Back (in.)	2"
POWER / RATINGS	
Power Rating	115V / 60 Hz / 5.3A

THIS PAGE IS INTENTIONALLY LEFT BLANK

Refrigerators 3-Door French Door

	RF27T5501	RF23R6301	RF28R6301	RF28R6221	RF26J7500
GENERAL					
ENERGY STAR® Certified	•	•	•	•	•
Sabbath Mode Capable		•	•	•	
ADA Compliant		•	•	•	
TECHNOLOGY					
Family Hub™	•				
Wi-Fi & Bixby Enabled	•	•	•	•	
Twin Cooling Plus (2 Evaporators)	•	•	•	•	•
Surround Air Flow	•	•	•	•	
CAPACITY					
Total (cu. ft.)	26.5	22.5	27.8	28.0	25.5
Refrigerator (cu. ft.)	17.9	15.6	18.9	19.1	17.8
Freezer (cu. ft.)	8.6	6.9	8.9	8.9	7.7
ICE & WATER					
Exterior Ice & Water Dispenser	•	•	•	•	•
Ice Production Capacity (Daily)	9	5.2	10.0	10.0	9.9
Ice Storage Capacity	4.2	2.7	4.2	4.2	4.2
Cubed / Crushed Ice	•	•	•	•	•
Water Filter Model	HAF-QIN/EXP	HAF-QIN/EXP (DA97-17376B)	HAF-QIN/EXP (DA97-17376B)	HAF-QIN/EXP (DA97-17376B)	HAF-CIN/EXP (DA29-00020B)
Water Filter Indicator	•	•	•	•	•
FRESH-FOOD FEATURES					
Food Showcase		•	•		
Metal Cooling		•	•		
Power Cool Available	•	•	•	•	•
Door Alarm	•	•	•	•	•
Energy Saver	•	•	•	•	•
Tempered Glass Shelves					
Total #	4	5	5	5	5
Slide-In		1	1	1	
1/2 Shelf		1 (Foldable)	1 (Foldable)	1 (Foldable)	1
Slide-Out					
Fixed					3
Spill-Proof					•
Under-Shelf Deli Drawer					
Crisper Drawers					
Total #	2	2	2	2	2
Humidity Control	•	•	•	•	•
FlexZone™ Drawer Temperature Settings (4-step)					
Cool Select Pantry					
Full Width Drawer	•	•	•	•	•
3-Level Independent Controls	•	•	•	•	•
Autofill Water Pitcher with Infuser		•	•	•	
Internal Water Dispenser					
# Door Bins					
Left Side	3	3	3	3	3
Right Side	3	4	4	3	3
Total # Gallon-Size Bins					
Wine Rack					
Lighting					
LED	•	•	•	•	
HE LED					•
FREEZER FEATURES					
Full-Width Freezer Drawer					
Auto Pull-Out Drawer	•	•	•	•	•
Drawer Dividers	1	2	2	2	1
Easy Open Handle™	•	•	•	•	•
Power Freeze Available	•	•	•	•	•
Lighting					
LED					
HE LED	•	•	•	•	•
APPEARANCE					
Color(s) Available	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless	Fingerprint Resistant Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless, Fingerprint Resistant Tuscan Stainless	Fingerprint Resistant Stainless	Stainless
Handle Design	Flat	Flat	Flat	Flat	Flat
Door Design	Contour	Sleek Edge	Sleek Edge	Sleek Edge	Contour
Cool Tight Door	•	•	•	•	•
Adjustable Rollers	•	•	•	•	•

Continued on next page

Refrigerators 3-Door French Door

CONTINUED	RF27T5501	RF23R6301	RF28R6301	RF28R6221	RF26J7500
WEIGHT & DIMENSIONS					
Approx. Shipping Weight (lbs.)	318	334	334	320	313
Net Weight (lbs.)	309	325	325	310	301
Height to Top of Door (in.)	68-5/8"	68-7/8"	68-7/8"	68-7/8"	68-7/8"
Height to Top of Hinge (in.)	70"	70"	70"	70"	70"
Height to Top of Case (in.)	68-5/8"	68-7/8"	68-7/8"	68-7/8"	68-7/8"
Case Depth without Door (in.)	28-7/8"	28-7/8"	28-7/8"	28-7/8"	29-5/8"
Case Depth Less Door Handle (in.)	32-7/8"	33-1/2"	33-1/2"	33-1/2"	34"
Case Depth with Door Handle (in.)	35-3/8"	36"	36"	36"	36-7/16"
Width (in.)	35-3/4"	35-3/4"	35-3/4"	35-3/4"	32-13/20"
Air Clearances					
Each Side (in.)	3/8"	3/8"	3/8"	3/8"	3/8"
Top (in.)	3/8"	3/8"	3/8"	3/8"	3/8"
Back (in.)	2"	2"	2"	2"	2"
POWER / RATINGS					
Power Rating	115V / 60 Hz / 5.3A	115V / 60 Hz / 5.0A	115V / 60 Hz / 5.0A	115V / 60 Hz / 5.0A	115V / 60 Hz / 5.3A

Refrigerators 3-Door French Door

	RF23R6201	RF28T5F01	RF28R6201	RF27T5201	RF28T5021
GENERAL					
ENERGY STAR® Certified	•	•	•	•	•
Sabbath Mode Capable	•		•	•	•
ADA Compliant	•	•	•		•
TECHNOLOGY					
Family Hub™		•			
Wi-Fi & Bixby Enabled	•	•	•		
Twin Cooling Plus (2 Evaporators)	•		•		
Surround Air Flow	•	•	•	•	•
CAPACITY					
Total (cu. ft.)	22.6	27.7	28.0	27.0	28.2
Refrigerator (cu. ft.)	15.7	19.1	19.1	18.4	19.6
Freezer (cu. ft.)	6.9	8.6	8.9	8.6	8.6
ICE & WATER					
Exterior Ice & Water Dispenser	•		•	•	
Ice Production Capacity (Daily)	5.2	3	10.0	9	3
Ice Storage Capacity	4.2	5.5	4.2	4.2	5.5
Cubed / Crushed Ice	•	Cubed Only	•	•	
Water Filter Model	HAF-QIN/EXP (DA97-17376B)	HAF-QIN	HAF-QIN/EXP (DA97-17376B)	HAF-QIN/EXP	HAF-QIN
Water Filter Indicator	•	•	•	•	•
FRESH-FOOD FEATURES					
Food Showcase					
Metal Cooling					
Power Cool Available	•	•	•	•	•
Door Alarm	•	•	•	•	•
Energy Saver	•		•	•	
Tempered Glass Shelves					
Total #	5	5	5	4	5
Slide-In	1		1		
1/2 Shelf	1 (Foldable)		1 (Foldable)		
Slide-Out					
Fixed					•
Adjustable					•
Spill-Proof		•			•
Under-Shelf Deli Drawer					
Crisper Drawers					
Total #	2	2	2	2	2
Humidity Control	•	•	•	•	•
FlexZone™ Drawer Temperature Settings (4-step)					
Cool Select Pantry					
Full Width Drawer	•	•	•	•	
3-Level Independent Controls	•		•	•	
Autofill Water Pitcher with Infuser					•
Internal Water Dispenser					
# Door Bins					
Left Side	3	3	3	3	3 (1 Regular Bin)
Right Side	3	3	3	3	3
Total # Gallon-Size Bins					5
Wine Rack					
Lighting					
LED	•		•	•	
HE LED		•			•
FREEZER FEATURES					
Full-Width Freezer Drawer					
Auto Pull-Out Drawer	•	•	•	•	•
Drawer Dividers	2	1	2	1	1
Easy Open Handle™	•	•	•	•	
Power Freeze Available	•	•	•	•	•
Lighting					
LED					
HE LED	•	•	•	•	•
APPEARANCE					
Color(s) Available	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless, Fingerprint Resistant Tuscan Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless, Fingerprint Resistant Tuscan Stainless, White (02)	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless, White	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless
Handle Design	Flat	Flat	Flat	Flat	Flat
Door Design	Sleek Edge	Sleek Edge	Sleek Edge	Contour	Sleek Edge
Cool Tight Door	•	•	•	•	•
Adjustable Rollers	•	•	•	•	•

Continued on next page

Refrigerators 3-Door French Door

CONTINUED	RF23R6201	RF28T5F01	RF28R6201	RF27T5201	RF28T5021
WEIGHT & DIMENSIONS					
Approx. Shipping Weight (lbs.)	300	298	323	305	287
Net Weight (lbs.)	279	289	314	295	278
Height to Top of Door (in.)	68-7/8"	68-7/8"	68-7/8"	68-5/8"	68-7/8"
Height to Top of Hinge (in.)	70"	70"	70"	70"	70"
Height to Top of Case (in.)	68-7/8"	68-7/8"	68-7/8"	68-5/8"	68-7/8"
Case Depth without Door (in.)	24"	28-7/8"	28-7/8"	28-7/8"	28-7/8"
Case Depth Less Door Handle (in.)	28-1/2"	32-7/8"	33-1/2"	32-7/8"	32-7/8"
Case Depth with Door Handle (in.)	31"	35-3/8"	36"	35-3/8"	35-3/8"
Width (in.)	35-3/4"	35-3/4"	35-3/4"	35-3/4"	35-3/4"
Air Clearances					
Each Side (in.)	3/8"	3/8"	3/8"	3/8"	3/8"
Top (in.)	3/8"	3/8"	3/8"	3/8"	3/8"
Back (in.)	2"	2"	2"	2"	2"
POWER / RATINGS					
Power Rating	115V / 60 Hz / 5.0A	115V / 60Hz / 5.3A	115V / 60 Hz / 5.0A	115V / 60 Hz / 5.3A	115V / 60Hz / 5.3A

Refrigerators 3-Door French Door

	RF28T5101	RF28T5001	RF220NCT	RF20HFEN	RF18HFENB
GENERAL					
ENERGY STAR® Certified	•	•	Meets DOE Standards	Meets DOE Standards	Meets DOE Standards
Sabbath Mode Capable	•	•			
ADA Compliant	•	•			
TECHNOLOGY					
Family Hub™					
Wi-Fi & Bixby Enabled					
Twin Cooling Plus (2 Evaporators)			Mono Cooling	•	•
Surround Air Flow	•	•	•	•	•
CAPACITY					
Total (cu. ft.)	28.2	28.2	21.8	19.4	17.5
Refrigerator (cu. ft.)	19.6	19.6	14.8	12.8	11.8
Freezer (cu. ft.)	8.6	8.6	7.0	6.6	5.7
ICE & WATER					
Exterior Ice & Water Dispenser					
Ice Production Capacity (Daily)	3	5.5	3.7	3.3	3.3
Ice Storage Capacity	5.5	3.0	4.2	5.5	5.5
Cubed / Crushed Ice	Cubed Only	Cubed Only	Cubed Only	Cubed Only	Cubed Only
Water Filter Model	HAF-QIN	HAF-QIN	HAF-CIN/EXP (DA29-00020B)	HAF-CIN/EXP (DA29-00020B)	HAF-CIN/EXP (DA29-00020B)
Water Filter Indicator	•	•			
FRESH-FOOD FEATURES					
Food Showcase					
Metal Cooling					
Power Cool Available	•	•	•	•	•
Door Alarm	•	•	•	•	•
Energy Saver			•	•	•
Tempered Glass Shelves					
Total #	5	5	5	3	3
Slide-In					
1/2 Shelf					
Slide-Out					
Fixed				4	4
Adjustable	•				
Spill-Proof	•	•	•	•	•
Under-Shelf Deli Drawer				•	•
Crisper Drawers					
Total #	2	2	2	2	2
Humidity Control	•	•	•	•	•
FlexZone™ Drawer Temperature Settings (4-step)					
Cool Select Pantry					
Full Width Drawer	•		•		
3-Level Independent Controls					
Autofill Water Pitcher with Infuser					
Internal Water Dispenser	•				
# Door Bins					
Left Side	3 (1 regular)	3	3	4	4
Right Side	3	3	3	3	3
Total # Gallon-Size Bins	6	6			
Wine Rack					
Lighting					
LED				•	•
HE LED	•	•	•		
FREEZER FEATURES					
Full-Width Freezer Drawer					
Auto Pull-Out Drawer	•		•	•	•
Drawer Dividers	1	1	1	1	
Easy Open Handle™	•	•	•	•	•
Power Freeze Available	•		•	•	•
Lighting					
LED				•	•
HE LED	•	•	•		
APPEARANCE					
Color(s) Available	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless, White	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless, White	Stainless, Fingerprint Resistant Black Stainless, White	Stainless, Fingerprint Resistant Black Stainless, White	Stainless, Fingerprint Resistant Black Stainless, White
Handle Design	Flat	Flat	Round	Round	Round
Door Design	Sleek Edge	Sleek Edge	Contour	Contour	Contour
Cool Tight Door	•				
Adjustable Rollers	•	•	•	•	•

Continued on next page

Refrigerators 3-Door French Door

CONTINUED	RF28T5101	RF28T5001	RF220NCT	RF20HFEN	RF18HFENB
WEIGHT & DIMENSIONS					
Approx. Shipping Weight (lbs.)	287	284	276	267	236
Net Weight (lbs.)	278	276	251	243	220
Height to Top of Door (in.)	68-7/8"	68-7/8"	65-3/8"	68-3/4"	68-3/4"
Height to Top of Hinge (in.)	70"	70"	66-3/4"	70-1/8"	70-1/8"
Height to Top of Case (in.)	68-7/8"	68-7/8"	65-3/8"	68-3/4"	68-3/4"
Case Depth without Door (in.)	28-7/8"	28-7/8"	30-1/2"	26-1/4"	24-5/16"
Case Depth Less Door Handle (in.)	32-7/8"	32-7/8"	33-7/8"	30"	28-3/16"
Case Depth with Door Handle (in.)	35-3/8"	35-3/8"	36-1/4"	32-1/2"	30-9/16"
Width (in.)	35-3/4"	35-3/4"	29-3/4"	32-1/8"	32-3/16"
Air Clearances					
Each Side (in.)	3/8"	3/8"	3/8"	3/8"	3/8"
Top (in.)	3/8"	3/8"	3/8"	3/8"	3/8"
Back (in.)	2"	2"	2"	2"	1"
POWER / RATINGS					
Power Rating	115V / 60Hz / 5.3A	115V / 60Hz / 5.3A	115V / 60 Hz / 5.3A	115V / 60 Hz / 5.3A	115V / 60 Hz / 3A

Refrigerators Side-By-Side

	RS22T5561	RS27T5561	RS22T5201	RS27T5200
GENERAL				
ENERGY STAR® Certified	•	•	•	Meets DOE Standards
Sabbath Mode Capable			•	•
ADA Compliant			•	•
TECHNOLOGY				
Family Hub™	•	•		
Wi-Fi & Bixby Enabled	•	•	•	
Twin Cooling Plus (2 Evaporators)	Mono Cooling	Mono Cooling	Mono Cooling	Mono Cooling
Surround Air Flow	Multi Air Flow	Multi Air Flow	Multi Air Flow	Multi Air Flow
CAPACITY				
Total (cu. ft.)	21.5	26.7	22.0	27.4
Refrigerator (cu. ft.)	14.1	17.2	14.6	17.9
Freezer (cu. ft.)	7.4	9.5	7.4	9.5
ICE & WATER				
Exterior Ice & Water Dispenser	•	•	•	•
Cubed / Crushed Ice	•	•	•	•
Water Filter Model	HAF-QIN/EXP (DA97-17376B)	HAF-QIN/EXP (DA97-17376B)	HAF-QIN/EXP (DA97-17376B)	HAF-QIN/EXP (DA97-17376B)
FRESH-FOOD FEATURES				
Power Cool Available	•	•	•	•
Door Alarm	•	•	•	•
Tempered Glass Shelves				
Total #	4	4	4	4
Crisper Drawers				
Total #	2	2	2	2
# Door Bins				
Right Side	5	5	5	5
Wine Rack				
Lighting				
LED	•	•	•	•
FREEZER FEATURES				
FlexZone™ Compartment				
Temperature Control	4	4	5	5
# Pull-Out Drawers	2	2	1	1
# Slide-Out Shelves	2	2	2	2
Power Freeze Available	•	•	•	•
Lighting				
LED	•	•	•	•
APPEARANCE				
Color(s) Available	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless
Handle Design	Recessed	Recessed	Recessed	Recessed
Door Design	Flat	Flat	Flat	Flat
Cool Tight Door	•	•	•	•
WEIGHT & DIMENSIONS				
Approx. Shipping Weight (lbs.)	265	315	247	298
Net Weight (lbs.)	256	306	238	289
Height to Top of Door (in.)	68-5/8"	68-5/8"	68-5/8"	68-5/8"
Height to Top of Hinge (in.)	70-1/16"	70-1/16"	70-1/16"	70-1/16"
Height to Top of Case (in.)	68-5/8"	68-5/8"	68-5/8"	68-5/8"
Case Depth without Door (in.)	24"	28-15/16"	24"	28-15/16"
Case Depth Less Door Handle (in.)	28-5/8"	33-1/2"	28-5/8"	33-1/2"
Case Depth with Door Handle (in.)	28-5/8"	33-1/2"	28-5/8"	33-1/2"
Width (in.)	35-7/8"	35-7/8"	35-7/8"	35-7/8"
Air Clearances				
Each Side (in.)	3/8"	3/8"	3/8"	3/8"
Top (in.)	3/8"	3/8"	3/8"	3/8"
Back (in.)	2"	2"	2"	2"
POWER / RATINGS				
Power Rating	115V / 60 Hz / 5.0A	115V / 60 Hz / 5.0A	115V / 60 Hz / 5.0A	115V / 60 Hz / 5.0A

Refrigerators Top Freezer

	RT21M6215	RT21M6213	RT18M6215	RT18M6213
GENERAL				
ENERGY STAR® Certified	•	•	•	•
Sabbath Mode Capable	•	•	•	•
TECHNOLOGY				
FlexZone™ Convertible Compartment	Freezer	Freezer	Freezer	•
Twin Cooling Plus (2 Evaporators)	•	•	•	•
Surround Air Flow	•	•	•	
CAPACITY				
Total (cu. ft.)	21.1	21.1	17.6	17.6
Refrigerator (cu. ft.)	15.4	15.4	12.7	12.7
Freezer (cu. ft.)	5.7	5.7	4.9	4.9
ICE & WATER				
Ice Production Capacity (Daily)	3.75	Optional Quick Connect Ice Maker 3.75	3.75	Optional Quick Connect Ice Maker 3.75
Ice Storage Capacity	5.5	5.5	5.5	
Cubed / Crushed Ice	Cubed Only	Cubed Only	Cubed Only	Cubed Only
Water Filter Model				RA-TIM063PP/AA
FRESH-FOOD FEATURES				
Power Cool Available	•	•	•	
Tempered Glass Shelves				
Total #	3	3	3	3
Adjustable				•
Spill-Proof				•
Crisper Drawers				
Total #	2	2	2	2
Humidity Control	•	•	•	•
Cool Select Pantry				
Full Width Drawer	•	•	•	
# Door Bins				
Left Side	2	2	2	3
Right Side	2	2	2	
Total # Gallon-Size Bins				
Lighting				
LED	•	•	•	•
HE LED				
FREEZER FEATURES				
FlexZone™ Compartment				
Temperature Control	Freezer-Fridge Convertible	Freezer-Fridge Convertible	Freezer-Fridge Convertible	Freezer-Fridge Convertible
# Pull-Out Drawers				
# Slide-Out Shelves	1 (Fixed)	1 (Fixed)	1 (Fixed)	1 (Fixed)
# Door Bins (Guards)	2	2	2	2
Drawer Dividers				
Power Freeze Available	•	•	•	•
Lighting				
LED	•	•	•	•
HE LED				
APPEARANCE				
Color(s) Available	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless, White	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless, White	Fingerprint Resistant Stainless, Fingerprint Resistant Black Stainless, White	Stainless
Handle Design	Recessed	Recessed	Recessed	Recessed
Door Design	Flat (Reversible)	Flat (Reversible)	Flat (Reversible)	Flat (Reversible)
Cool Tight Door	•	•	•	
WEIGHT & DIMENSIONS				
Approx. Shipping Weight (lbs.)	218	196	216	194
Net Weight (lbs.)	201	181	198	178. 5
Height to Top of Door (in.)	66-3/4"	66-3/4"	66-3/4"	66-3/4"
Height to Top of Hinge (in.)	67-3/4"	66-3/4"	67-3/4"	65-11/16"
Height to Top of Case (in.)	66-3/4"	66-3/4"	66-3/4"	65-11/16"
Case Depth without Door (in.)	28-1/2"	28-1/2"	28-1/2"	28-1/2"
Case Depth Less Door Handle (in.)	31-7/8"	31-7/8"	31-7/8"	31-7/8"
Case Depth with Door Handle (in.)	31-7/8"	31-7/8"	31-7/8"	31-7/8"
Width (in.)	32-7/8"	28-3/4"	32-7/8"	28-3/4"
Air Clearances				
Each Side (in.)	3/8"	3/8"	3/8"	3/8"
Top (in.)	3/8"	3/8"	3/8"	3/8"
Back (in.)	2"	2"	2"	2"
POWER / RATINGS				
Power Rating	115V / 60 Hz / 3.5A	115V / 60 Hz / 3.5A	115V / 60 Hz / 3.5A	115V / 60Hz / 3.5A

Refrigerators Bottom Freezer

	RB10FSR4E
GENERAL	
ENERGY STAR® Certified	•
TECHNOLOGY	
Twin Cooling Plus (2 Evaporators)	All Around
Surround Air Flow	•
CAPACITY	
Total (cu. ft.)	11.3
Refrigerator (cu. ft.)	7.5
Freezer (cu. ft.)	3.8
FRESH-FOOD FEATURES	
Door Alarm	•
Energy Saver	•
Tempered Glass Shelves	
Total #	4
Crisper Drawers	
Total #	1
# Door Bins	
Left Side	4
Right Side	4
Lighting	
LED	•
FREEZER FEATURES	
Full-Width Freezer Drawer	
Drawer Dividers	3
Power Freeze Available	•
Lighting	
HE LED	•
APPEARANCE	
Color(s) Available	Fingerprint Resistant Stainless
Handle Design	Recessed
Door Design	Contour
Cool Tight Door	•
WEIGHT & DIMENSIONS	
Approx. Shipping Weight (lbs.)	152
Net Weight (lbs.)	139
Height to Top of Door (in.)	70-1/8"
Height to Top of Hinge (in.)	70-1/8"
Height to Top of Case (in.)	70-1/8"
Case Depth without Door (in.)	24-3/8"
Case Depth Less Door Handle (in.)	26-5/8"
Case Depth with Door Handle (in.)	26-5/8"
Width (in.)	23-3/8"
Air Clearances	
Each Side (in.)	3/8"
Top (in.)	3/8"
Back (in.)	2"
POWER / RATINGS	
Power Rating	115V / 60Hz / 3.0A

Refrigerators Stand Up Freezer

	RZ11M7074SA
GENERAL	
ENERGY STAR® Certified	•
TECHNOLOGY	
FlexZone™ Convertible Compartment	•
Surround Air Flow	•
CAPACITY	
Total (cu. ft.)	11.4
FRESH-FOOD FEATURES	
Door Alarm	•
Crisper Drawers	
Total #	4
Humidity Control	•
FREEZER FEATURES	
FlexZone™ Compartment	
Temperature Control	Freezer-Fridge Convertible
# Pull-Out Drawers	4
# Slide-Out Shelves	3
# Door Bins (Guards)	3
Easy Open Handle™	•
Lighting	
HE LED	•
APPEARANCE	
Color(s) Available	Stainless Look
Handle Design	Bar Handle
Door Design	Flat (Reversible)
Cool Tight Door	•
WEIGHT & DIMENSIONS	
Approx. Shipping Weight (lbs.)	179
Net Weight (lbs.)	168
Height to Top of Door (in.)	73"
Height to Top of Hinge (in.)	73"
Height to Top of Case (in.)	73"
Case Depth without Door (in.)	22-7/8"
Case Depth Less Door Handle (in.)	22-7/8"
Case Depth with Door Handle (in.)	27-3/8"
Width (in.)	23-3/8"
Air Clearances	
Each Side (in.)	2"
Top (in.)	2"
Back (in.)	2"
POWER / RATINGS	
Power Rating	115V / 60Hz / 3.5A

Refrigerators Wine Cooler

	RW51TS338SR
TECHNOLOGY	
Twin Cooling Plus (2 Evaporators)	•
Surround Air Flow	•
CAPACITY	
Total (cu. ft.)	51 Bottles
FRESH-FOOD FEATURES	
Lighting	
HE LED	•
FREEZER FEATURES	
Lighting	
HE LED	•
APPEARANCE	
Color(s) Available	Fingerprint Resistant Stainless
Handle Design	
Cool Tight Door	•
WEIGHT & DIMENSIONS	
Approx. Shipping Weight (lbs.)	157 3/5
Net Weight (lbs.)	143 3/10
Height to Top of Door (in.)	34-1/16"
Height to Top of Hinge (in.)	34-1/16"
Height to Top of Case (in.)	34-1/16"
Case Depth without Door (in.)	21-7/8"
Case Depth Less Door Handle (in.)	23-13/16"
Case Depth with Door Handle (in.)	26
Width (in.)	23-13/16"
Air Clearances	
Each Side (in.)	1/8"
Top (in.)	1/8"
Back (in.)	1-1/16"
POWER / RATINGS	
Power Rating	115V / 60Hz

THIS PAGE IS INTENTIONALLY LEFT BLANK

Laundry FlexWash™ Washers

	WV60M9900		WV55M9600	
	Lower Washer	Upper Washer	Lower Washer	Upper Washer
GENERAL				
UFAS Compliant				
ENERGY STAR® Certified	•		•	
California Prop 65	•	•	•	•
ADA Compliant				
CAPACITY				
Total (cu. ft.)	5.0	1.0	4.5	1.0
KEY FEATURES				
FlexWash™	•	•	•	•
AddWash™				
activewash™				
Active WaterJet				
SuperSpeed	•			
EZ Access Tub				
Deep Fill				
Steam	•		•	
PowerFoam™	•			
Wi-Fi Connectivity	•	•	•	•
Smart Control	•	•	•	•
Smart Care	•	•	•	•
VRT™ Plus	•		•	
VRT™		•		•
Internal Water Heater	•		•	
Self Clean+	•	•	•	•
Max. RPM Spin Speed	1,300	800	1,300	800
Cycle Time (Time Remaining) Display	•	•	•	•
Cycle Time (Default)				
Normal (8 lbs. Load)(min.)	45	43 (2 lbs. load)	59	43 (2 lbs. load)
SuperSpeed	30			
Soft Close Lid				
Interior Drum Light	•			
Garment+	•	•	•	•
Direct Drive Motor	•	•	•	•
WASH SETTINGS				
Cycles				
Total # of Cycles	12	5	9	5
Eco Cold	•			
Normal	•	•	•	•
Heavy Duty	•		•	
Perm Press	•		•	
Sanitize	•		•	
Colors / Darks				
Allergen				
Towels	•			
Bedding	•		•	
Bedding / Waterproof				
Deep Steam				
Deep Clean				
Deep Wash				
Whites	•		•	
Active Wear	•	•		•
Delicates	•	•	•	•
Wool				
Quick Wash	•		•	
Rinse + Spin	•	•	•	•
Spin Only (Long Key)		•		•
Downloadable Cycles				
Options				
Total # of Options	11	7	10	7
SuperSpeed	•			
Steam	•		•	
Self Clean+ / Self Clean	•	•	•	•
Delay End (24 hrs.)	•		•	
My Cycle				
Pre Wash				
Pre Soak	•		•	
Fabric Softener				
Deep Fill				
Extra Rinse		•	•	•

Continued on next column

CONTINUED	WV60M9900		WV55M9600	
	Lower Washer	Upper Washer	Lower Washer	Upper Washer
WASH SETTINGS				
Extra Spin				
Spin Only	•		•	
Wash Temp (Cold / Warm)		•		•
Smart Control	•	•	•	•
Smart Care	•	•	•	•
Drum Light	•			
Child Lock	•	•	•	•
Sound	•	•	•	•
Temperature Settings				
Extra Hot	•		•	
Hot	•		•	
Warm	•		•	
Eco Warm				
Cool	•		•	
Cold	•		•	
Tap Cold				
Rinse Settings				
5 Times	•			
4 Times	•			
3 Times	•			
2 Times	•			
1 Time	•			
Spin Settings				
High	•			
Medium High	•		•	
Medium	•		•	
Low	•		•	
No Spin	•		•	
Soil Settings				
Extra Heavy	•			
Heavy	•		•	
Normal	•		•	
Light	•		•	
Extra Light	•			
Water Level				
Extra High				
High				
Medium				
Low				
Auto Level				
APPEARANCE				
Color(s) Available	Fingerprint Resistant Black Stainless, White		Fingerprint Resistant Black Stainless, White	
Interior Drum				
Design	Swirl		Diamond	
Stainless	•	•	•	•
Pulsator Material (Top Load Models)				
Closet-Depth Fit (40" Installation)				
WEIGHT & DIMENSIONS				
Overall Dimensions (W x H x D, in.)	27" x 46-15/16" x 34"		27" x 46-15/16" x 34"	
Approx. Shipping Weight (lbs.)	319		304	
Net Weight (lbs.)	308		293	
POWER / RATINGS				
Integrated Modified Energy Factor (IMEF)	2.92	1.15	2.92	1.15
Integrated Water Factor (IWF)	2.9	12.0	2.9	12.0
Electrical Requirement (Volts / Hertz / Amps)	120V / 60 Hz / 15A		120V / 60 Hz / 15A	
ACCESSORIES				
Stacking Kit				
Pedestal Compatibility				
WE272N	•	•	•	•
WE402N				
WE272NV	•	•		
WE272NW	•	•		
Water Inlet Hose Included				

	DVE60M9900 DVG60M9900		DVE55M9600 DVG55M9600	
	Tumble Dryer	Delicate Dryer	Tumble Dryer	Delicate Dryer
GENERAL				
UFAS Compliant				
ENERGY STAR® Certified	•		•	
California Prop 65	•	•	•	•
ADA Compliant				
CAPACITY				
Total (cu. ft.)	7.5		7.5	
KEY FEATURES				
Sensor Dry	•		•	
Steam	•		•	
Vent Sensor	•	•	•	•
Vent Blockage Test	•	•	•	•
Wi-fi Connectivity	•	•	•	•
Smart Control	•	•	•	•
Smart Care	•	•	•	•
Filter Check Indicator	•		•	
Mixed Load Bell	•		•	
Internal Drum Light	•		•	
Drying Rack		•		•
Heater (Electric Only)	•		•	
Ventless / Heat Pump				
Cycle Time (Time Remaining) Display	•	•	•	•
Cycle Time (Electric / Gas) Normal (8 lbs. Load)(min.)	75 / 42	55	75 / 42	55
DRY SETTINGS				
Cycles				
Total # Cycles	12	4	9	4
Steam Cycles				
Refresh	•		•	
Wrinkle Away	•		•	
Steam Sanitize+	•		•	
Sensor Dry Cycles				
Eco Normal				
Normal	•		•	
Heavy Duty	•		•	
Towels	•			
Perm Press	•		•	
Active Wear	•			
Bedding	•			
Delicates	•		•	
Wool				
Sanitize				
Shirts				
Manual Dry				
Time Dry	•		•	
Air Fluff	•		•	
Quick Dry				
Wrinkle Release				
40' Express				
Refresh				
Delicate Dry				
Sweater		•		•
Shirt / Blouse		•		•
Undergarment		•		•
Accessory		•		•
Downloadable Cycles				
Options				
Total # of Options	11	7	11	6
Eco Dry	•		•	
Adjust Time (Up)	•		•	
Adjust Time (Down)	•		•	
Anti Static	•		•	
Mixed Load Bell	•		•	
Smart Control	•	•	•	•
Smart Care	•	•	•	•
Drum Light	•		•	
Child Lock	•	•	•	•

Continued on next column

Laundry FlexDry™ Dryers

CONTINUED	DVE60M9900 DVG60M9900		DVE55M9600 DVG55M9600	
	Tumble Dryer	Delicate Dryer	Tumble Dryer	Delicate Dryer
DRY SETTINGS				
Sound	•	•	•	•
Wrinkle Prevent	•		•	
Time+		•		•
SuperSpeed		•		
Air Dry		•		•
My Cycle				
Small Load Care				
Dry Level				
Very Dry	•		•	
More Dry	•		•	
Normal Dry	•		•	
Less Dry	•			
Damp Dry	•		•	
Temperature				
High	•		•	
Medium	•		•	
Med Low	•			
Low	•		•	
Extra Low	•		•	
Time				
150 min.				
120 min.				
90 min.				
80 min.				
60 min.	•		•	
50 min.	•			
40 min.	•		•	
30 min.	•		•	
20 min.	•		•	
APPEARANCE				
Color(s) Available	Fingerprint Resistant Black Stainless, White		Fingerprint Resistant Black Stainless, White	
Drum Material	STS		STS	
Reversible Door	•		•	
Vent Exhaust: 4-Way (Electric) / 3-Way (Gas)	•	•	•	•
Closet-Depth Fit (40" Installation)				
WEIGHT & DIMENSIONS				
Overall Dimensions (W x H x D, in.)	27" x 46-15/16" x 32-1/2"		27" x 46-15/16" x 32-1/2"	
Approx. Shipping Weight (lbs.)	178		178	
Net Weight (lbs.)	167		167	
POWER SOURCE				
Electric Models (Volts / Hertz / Amps)	120V / 240V / 60 Hz / 30A		120V / 240V / 60 Hz / 30A	
Gas Models (Volts / Hertz / Amps)	120V / 60 Hz / 15A		120V / 60 Hz / 15A	
ACCESSORIES				
Stacking Kit				
Pedestal Compatibility				
WE272N	•		•	
WE402N				
WE272NV	•			
WE272NW	•			
LP Conversion Kit	LPKIT-3 (22K BTU)		LPKIT-3 (22K BTU)	
Vent Conversion Kit (Side / Bottom Venting)	DV-2A		DV-2A	

Laundry Front Load Washers

	WF50R8500	WF45R6300	WF45R6100	WF45T6000
GENERAL				
UFAS Compliant				
ENERGY STAR® Certified	•	•	•	•
California Prop 65	•	•	•	•
ADA Compliant	¹	¹	¹	¹
CAPACITY				
Total (cu. ft)	5.0	4.5	4.5	4.5
KEY FEATURES				
FlexWash™				
AddWash™				
activewash™				
Active WaterJet				
SuperSpeed	•	•		
EZ Access Tub				
Deep Fill				
Steam Wash	•	•	•	
PowerFoam™				
Wi-Fi Connectivity	•	•		
Smart Control	•	•		
Smart Care	•	•	•	•
VRT Plus	•	•	•	•
Internal Water Heater	•	•	•	
Self Clean+	•	•	•	•
Max. RPM Spin Speed	1,200	1,200	1,200	1,200
Cycle Time (Time Remaining) Display	•	•	•	•
Cycle Time (Default)				
Normal (8 lbs. Load)(min.)	45	45	45	45
SuperSpeed	30	30		
Soft Close Lid				
Interior Drum Light	•			
Garment+	•	•	•	•
Direct Drive Motor	•	•	•	•
WASH SETTINGS				
Cycles				
Total # of Cycles	12	12	10	10
Eco Cold				
Normal	•	•	•	•
Heavy Duty	•	•	•	•
Perm Press	•	•	•	•
Sanitize	•	•	•	
Colors / Darks				
Allergen				
Towels				
Bedding	•	•	•	
Bedding / Waterproof				
Deep Steam				
Deep Clean				
Deep Wash				
Whites	•	•	•	•
Stain Away				
Active Wear	•	•		•
Delicates	•	•	•	•
Wool				
Quick Wash	•	•	•	
Rinse + Spin	•	•	•	•
Self Clean+ / Self Clean	•	•	•	•
Downloadable Cycles	•	•		
Options				
Total # of Options	10	9	7	6
SuperSpeed	•	•		
Steam	•	•	•	
Delay End (24 hrs.)	•	•	•	
My Cycle				•
Pre Wash				
Pre Soak	•	•	•	•
Fabric Softener				•
Deep Fill				
Extra Rinse				
Extra Spin				
Spin Only	•	•	•	•
Wash Temp (Cold / Warm)				•
Smart Control	•	•		

Continued on next page

Laundry Front Load Washers

	WF50R8500	WF45R6300	WF45R6100	WF45T6000
CONTINUED				
WASH SETTINGS				
Smart Care				•
Drum Light	•			•
Child Lock	•	•	•	•
Sound	•	•	•	•
Temperature Settings				
Extra Hot	•	•	•	•
Hot	•	•	•	•
Warm	•	•	•	•
Eco Warm				•
Cool	•	•	•	•
Cold	•	•	•	•
Tap Cold				•
Rinse Settings				
5 Times	•	•	•	•
4 Times	•	•	•	•
3 Times	•	•	•	•
2 Times	•	•	•	•
1 Time	•	•	•	•
Spin Settings				
High	•	•	•	•
Medium High	•	•	•	•
Medium	•	•	•	•
Low	•	•	•	•
No Spin	•	•	•	•
Soil Settings				
Heavy	•	•	•	•
Medium Heavy	•	•	•	•
Normal	•	•	•	•
Medium Low	•	•	•	•
Light	•	•	•	•
Water Level				
Extra High				
High				
Medium				
Low				
Auto Level				
APPEARANCE				
Color(s) Available	Fingerprint Resistant Black Stainless, White	Champagne, Fingerprint Resistant Black Stainless, White	Champagne, Platinum, White	White
Interior Drum				
Design	Swirl+	Swirl+	Swirl+	Swirl+
Stainless	•	•	•	•
Pulsator Material (Top Load Models)				
Closet-Depth Fit (40" Installation)		•	•	•
WEIGHT & DIMENSIONS				
Overall Dimensions (W x H x D, in.)	27" x 38-3/4" x 33-1/2"	27" x 38-3/4" x 31-3/8"	27" x 38-3/4" x 31-3/8"	27" x 38-3/4" x 31-3/8"
Approx. Shipping Weight (lbs.)	218	205	205	205
Net Weight (lbs.)	214	201	201	200
POWER / RATINGS				
Integrated Modified Energy Factor (IMEF)	2.92	2.92	2.92	2.95
Integrated Water Factor (IWF)	2.9	2.9	2.9	2.9
Electrical Requirement (Volts / Hertz / Amps)	120V / 60 Hz / 15A	120V / 60 Hz / 15A	120V / 60 Hz / 15A	120V / 60 Hz / 15A
ACCESSORIES				
Stacking Kit	SKK-8K	SKK-8K	SKK-8K	SKK-8K
Pedestal Compatibility				
WE272NV	•	•	•	
WE272NW	•	•	•	•
WE272NC				
Pedestal Compatibility				
WE402NV	•	•	•	
WE402NW	•	•	•	•
WE402NC	•	•	•	
WE402NP				
Water Inlet Hose Included				

Laundry Front Load Dryers

	DVE50R8500 DVG50R8500	DVE45R6300 DVG45R6300	DVE45R6100 DVG45R6100	DVE45T6000 DVG45T6000	DVG45T6020 DVE45T6020
GENERAL					
UFAS Compliant					
ENERGY STAR® Certified	•	•			
California Prop 65	•	•	•	•	•
ADA Compliant	• ¹	• ¹	• ¹	• ¹	• ¹
CAPACITY					
Total (cu. ft.)	7.5	7.5	7.5	7.5	7.5
KEY FEATURES					
Sensor Dry	•	•	•	•	•
Steam	•	•	•		
Vent Sensor	•	•			
Vent Blockage Test	•	•	•	•	•
Wi-Fi Connectivity	•	•			
Smart Control	•	•			
Smart Care	•	•	•	•	•
Filter Check Indicator	•	•	•	•	•
Mixed Load Bell	•	•	•	•	•
Internal Drum Light	•	•	•	•	•
Drying Rack	•				
Heater (Electric Only)	Dual	Dual	Single	Single	Single
Cycle Time (Time Remaining) Display	•	•	•	•	•
Cycle Time (Electric / Gas) Normal (8 lbs. Load)(min.)	75 / 42	75 / 42	42	42	42
DRY SETTINGS					
Cycles					
Total # Cycles	12	12	10	10	10
Steam Cycles					
Refresh	•	•	•		
Wrinkle Away					
Steam Sanitize+	•	•	•		
Sensor Dry Cycles					
Eco Normal					
Normal	•	•	•	•	•
Heavy Duty	•	•	•	•	•
Towels					
Perm Press	•	•	•	•	•
Active Wear	•	•		•	•
Bedding	•	•	•	•	•
Delicates	•	•	•	•	•
Wool					
Sanitize				•	•
Shirts					
Manual Dry					
Time Dry	•	•	•	•	•
Air Fluff	•	•	•	•	•
Quick Dry	•	•	•	•	•
Wrinkle Release					
40' Express					
Refresh					
Delicate Dry					
Sweater					
Shirt / Blouse					
Undergarment					
Accessory					
Downloadable Cycles	•	•			
Options					
Total # of Options	10	10	9	9	9
Eco Dry	•	•	•	•	•
Adjust Time (Up)	•	•	•	•	•
Adjust Time (Down)	•	•	•	•	•
Anti Static					
Mixed Load Bell	•	•	•	•	•
Smart Control	•	•			
Smart Care	•	•	•	•	•
Drum Light	•	•	•	•	•
Child Lock	•	•	•	•	•
Sound	•	•	•	•	•
Wrinkle Prevent	•	•	•	•	•
Time+					
SuperSpeed					
Air Dry					

Continued on next page

Laundry Front Load Dryers

	DVE50R8500 DVG50R8500	DVE45R6300 DVG45R6300	DVE45R6100 DVG45R6100	DVE45T6000 DVG45T6000	DVG45T6020 DVE45T6020
CONTINUED					
DRY SETTINGS					
My Cycle					
Small Load Care					
Dry Level					
Very Dry	•	•	•	•	•
More Dry	•	•	•	•	•
Normal Dry	•	•	•	•	•
Less Dry	•	•	•	•	•
Damp Dry	•	•	•	•	•
Temperature					
High	•	•	•	•	•
Medium High	•	•	•	•	•
Medium	•	•	•	•	•
Medium Low	•	•	•	•	•
Low	•	•	•	•	•
Time					
150 min.					
120 min.					
90 min.					
80 min.					
60 min.	•	•	•	•	•
50 min.	•	•	•	•	•
40 min.	•	•	•	•	•
30 min.	•	•	•	•	•
20 min.	•	•	•	•	•
APPEARANCE					
Color(s) Available	Fingerprint Resistant Black Stainless, White	Champagne, Fingerprint Resistant Black Stainless, White	Champagne, Platinum, White	White	White
Drum Material	STS	Powder Coat	Powder Coat	Powder Coat	Powder Coat
Reversible Door	•	•	•	•	•
Vent Exhaust: 4-Way (Electric) / 3-Way (Gas)	•	•	•	•	•
Closet-Depth Fit (40" installation)		•	•	•	•
WEIGHT & DIMENSIONS					
Overall Dimensions (W x H x D, in.)	27" x 38-3/4" x 31-3/4"	27" x 38-3/4" x 31-1/2"	27" x 38-3/4" x 31-1/2"	27" x 38-3/4" x 31-1/2"	27" x 38-3/4" x 31-1/2"
Approx. Shipping Weight (lbs.)	130	130	130	130	130
Net Weight (lbs.)	123	123	123	123	123
POWER SOURCE					
Electric Models (Volts / Hertz / Amps)	120V / 240V / 60 Hz / 30A	120V / 240V / 60 Hz / 30A	120V / 240V / 60 Hz / 30A	120V / 240V / 60 Hz / 30A	120V / 240V / 60 Hz / 30A
Gas Models (Volts / Hertz / Amps)	120V / 60 Hz / 15A	120V / 60 Hz / 15A	120V / 60 Hz / 15A	120V / 60 Hz / 15A	120V / 60 Hz / 15A
ACCESSORIES					
Stacking Kit	SKK-8K	SKK-8K	SKK-8K	SKK-8K	SKK-8K
Riser Compatibility					
WE272NW	•	•	•	•	•
WE272NV	•	•	•		
WE272NC		•			
Pedestal Compatibility					
WE402NW	•	•	•	•	•
WE402NC		•	•		
WE402NV	•	•			
WE402NP			•		
LP Conversion Kit	LPKIT-4 (20K BTU)	LPKIT-4 (20K BTU)	LPKIT-4 (20K BTU)	LPKIT-4 (20K BTU)	LPKIT-4 (20K BTU) Vent Conversion
Vent Conversion Kit (Side / Bottom Venting)	DV-2A	DV-2A	DV-2A	DV-2A	DV-2A

Laundry Top Load Washers

	WA54R7600	WA54R7200	WA50R5400	WA50T5300
GENERAL				
UFAS Compliant				
ENERGY STAR® Certified	•	•	•	•
California Prop 65	•	•	•	•
ADA Compliant				
CAPACITY				
Total (cu. ft.)	5.4	5.4	5.0	5.0
KEY FEATURES				
FlexWash™				
AddWash™				
activewash™				
Active WaterJet	•	•	•	•
SuperSpeed	•		•	
EZ Access Tub			•	•
Deep Fill	•	•	•	•
Steam Wash	•			
PowerFoam™				
Wi-Fi Connectivity				
Smart Control				
Smart Care	•	•	•	•
VRT™ Plus	•	•	•	•
Internal Water Heater	•			
Self Clean	•	•	•	•
Max. RPM Spin Speed	750	750	750	750
Cycle Time (Time Remaining) Display	•	•	•	•
Cycle Time (Default)				
Normal (8 lbs. Load)(min.)	56	56	56	56
SuperSpeed	36		36	
Soft Close Lid	•	•	•	•
Interior Drum Light				
Garment+				
Direct Drive Motor	•	•	•	•
WASH SETTINGS				
Cycles				
Total # of Cycles	12	10	12	12
Eco Cold				
Normal	•	•	•	•
Heavy Duty	•	•	•	•
Perm Press	•	•	•	•
Sanitize				
Steam Sanitize	•			
Colors / Dark	•		•	•
Allergen				
Towels				
Bedding				
Bedding / Waterproof	•	•	•	•
Deep Steam				
Deep Clean				
Deep Wash				
Whites	•	•	•	•
Stain Away				
Active Wear	•		•	•
Delicates	•	•	•	•
Wool				
Quick Wash	•	•	•	•
Rinse + Spin	•	•	•	•
Spin Only (Long Key)		•	•	•
Self Clean	•	•	•	•
Downloadable Cycles				
Options				
Total # of Options	9	7	8	7
SuperSpeed	•		•	
Steam				
Self Clean				
Delay End (24 hrs.)	•	•	•	•
My Cycle				
Pre Wash				
Pre Soak	•	•	•	•
Fabric Softener	•	•	•	•
Deep Fill	•	•	•	•
Extra Rinse				
Extra Spin				

Continued on next page

Laundry Top Load Washers

	WA54R7600	WA54R7200	WA50R5400	WA50T5300
CONTINUED				
WASH SETTINGS				
Spin Only	•			
Wash Temp (Cold / Warm)				
Smart Control				
Smart Care	•	•	•	•
Drum Light				
Child Lock	•	•	•	•
Sound	•	•	•	•
Temperature Settings				
Extra Hot	•	•	•	•
Hot	•	•	•	•
Warm	•	•	•	•
Eco Warm				
Cool	•	•	•	•
Cold	•	•	•	•
Tap Cold	•			
Rinse Settings				
5 Times	•	•	•	•
4 Times	•	•	•	•
3 Times	•	•	•	•
2 Times	•	•	•	•
1 Time	•	•	•	•
Spin Settings				
High	•	•	•	•
Medium High	•	•	•	•
Medium	•	•	•	•
Low	•	•	•	•
No Spin	•	•	•	•
Soil Settings				
Heavy	•	•	•	•
Medium Heavy	•	•	•	•
Normal	•	•	•	•
Medium Low	•	•	•	•
Light	•	•	•	•
Water Level				
Extra High				
High				
Medium				
Low				
Auto Level				
APPEARANCE				
Color(s) Available	Champagne, Fingerprint Resistant Black Stainless, White	Fingerprint Resistant Black Stainless, White	Fingerprint Resistant Black Stainless, White	Champagne
Interior Drum				
Design	Swirl+	Swirl+	Swirl+	Swirl+
Stainless				
Pulsator Material (Top Load Models)	STS	PP	PP	PP
Closest-Depth Fit (40" Installation)				
WEIGHT & DIMENSIONS				
Overall Dimensions (W x H x D, in.)	27-9/16" x 44-9/16" x 29-7/16"	27-9/16" x 44-9/16" x 29-7/16"	27-9/16" x 44-9/16" x 29-7/16"	27-1/2" x 44-9/16" x 29-7/16"
Approx. Shipping Weight (lbs.)	143.3	141.1	141.1	141.1
Net Weight (lbs.)	134.5	132.3	132.3	132.3
POWER / RATINGS				
Integrated Modified Energy Factor (IMEF)	2.06	2.06	2.06	2.06
Integrated Water Factor (IWF)	4.3	4.3	4.3	4.3
Electrical Requirement (Volts / Hertz / Amps)	120V / 60 Hz / 15A	120V / 60 Hz / 15A	120V / 60 Hz / 15A	120V / 60 Hz / 15A
ACCESSORIES				
Stacking Kit				
Pedestal Compatibility				
WE272N				
WE402N				
Water Inlet Hose Included				

Laundry Top Load Washers

	WA50R5200	WA45T3400	WA45T3200
GENERAL			
UFAS Compliant			
ENERGY STAR® Certified	•		
California Prop 65	•	•	•
ADA Compliant			
CAPACITY			
Total (cu. ft.)	5.0	4.5	4.5
KEY FEATURES			
FlexWash™			
AddWash™			
activewash™			
Active WaterJet	•	•	
SuperSpeed			
EZ Access Tub	•	•	•
Deep Fill	•	•	•
Steam Wash			
PowerFoam™			
Wi-Fi Connectivity			
Smart Control			
Smart Care	•	•	•
VRT™ Plus	•	•	•
Internal Water Heater			
Self Clean	•	•	•
Max. RPM Spin Speed	750	700	700
Cycle Time (Time Remaining) Display	•	•	•
Cycle Time (Default)			
Normal (8 lbs. Load)(min.)	56	66	66
SuperSpeed			
Soft Close Lid	•	•	•
Interior Drum Light			
Garment+			
Direct Drive Motor	•	AC Motor	AC Motor
WASH SETTINGS			
Cycles			
Total # of Cycles	10	10	8
Eco Cold			
Normal	•	•	•
Heavy Duty	•	•	•
Perm Press	•	•	
Sanitize			
Steam Sanitize			
Colors / Dark			
Allergen			
Towels			
Bedding			
Bedding / Waterproof	•	•	•
Deep Steam			
Deep Clean			
Deep Wash			
Whites	•	•	•
Stain Away			
Active Wear			
Delicates	•	•	•
Wool			
Quick Wash	•	•	•
Rinse + Spin	•	•	•
Spin Only (Long Key)	•	•	
Self Clean	•	•	•
Downloadable Cycles			
Options			
Total # of Options	7	6	4
SuperSpeed			
Steam			
Self Clean			
Delay End (24 hrs.)	•	•	
My Cycle			
Pre Wash			
Pre Soak	•	•	
Fabric Softener	•		
Deep Fill	•		
Extra Rinse		•	•
Extra Spin			

Continued on next page

Warranty information on page 248
Product information on page 156

Laundry Top Load Washers

	WA50R5200	WA45T3400	WA45T3200
CONTINUED			
WASH SETTINGS			
Spin Only			•
Wash Temp (Cold / Warm)			
Smart Control			
Smart Care	•	•	•
Drum Light			
Child Lock	•	•	•
Sound	•	•	
Temperature Settings			
Extra Hot	•		
Hot	•	•	•
Warm	•	•	•
Eco Warm		•	•
Cool	•	•	•
Cold	•	•	•
Tap Cold			
Rinse Settings			
5 Times	•		
4 Times	•		
3 Times	•		
2 Times	•		
1 Time	•		
Spin Settings			
High	•		
Medium High	•		
Medium	•		
Low	•		
No Spin	•		
Soil Settings			
Heavy	•		
Medium Heavy	•	•	•
Normal	•	•	•
Medium Low	•	•	•
Light	•		
Water Level			
Extra High		•	•
High		•	•
Medium		•	•
Low		•	•
Auto Level		•	•
APPEARANCE			
Color(s) Available	White	White	White
Interior Drum			
Design	Swirl+	Diamond	Diamond
Stainless			
Pulsator Material (Top Load Models)	PP	PP	PP
Closest-Depth Fit (40" Installation)			
WEIGHT & DIMENSIONS			
Overall Dimensions (W x H x D, in.)	27-9/16" x 44-9/16" x 29-7/16"	27" x 44" x 29-5/16"	27" x 44" x 29-5/16"
Approx. Shipping Weight (lbs.)	141.1	145.5	145.5
Net Weight (lbs.)	132.3	134.5	134.5
POWER / RATINGS			
Integrated Modified Energy Factor (IMEF)	2.06	1.57	1.57
Integrated Water Factor (IWF)	4.3	6.50	6.50
Electrical Requirement (Volts / Hertz / Amps)	120V / 60 Hz / 15A	120V / 60 Hz / 15A	120V / 60 Hz / 15A
ACCESSORIES			
Stacking Kit			
Pedestal Compatibility			
WE272N			
WE402N			
Water Inlet Hose Included			

samsung.com/builder

Laundry Top Load Dryers

	DVE54R7600 DVG54R7600	DVE54R7200 DVG54R7200	DVE50R5400 DVG50R5400	DVE50T5300 DVG50T5300
GENERAL				
UFAS Compliant				
ENERGY STAR® Certified	•	•		
California Prop 65	•	•	•	•
ADA Compliant				
CAPACITY				
Total (cu. ft.)	7.4	7.4	7.4	7.4
KEY FEATURES				
Sensor Dry	•	•	•	•
Steam	•	•	•	
Vent Sensor	•	•		
Vent Blockage Test	•	•	•	•
Wi-Fi Connectivity				
Smart Control				
Smart Care	•	•	•	•
Filter Check Indicator	•	•	•	•
Mixed Load Bell	•	•	•	•
Internal Drum Light	•	•	•	•
Drying Rack	•			
Door Safety				
Heater (Electric Only)				
Ventless / Heat Pump				
Cycle Time (Time Remaining) Display	•	•	•	•
Cycle Time (Electric / Gas) Normal (8 lbs. Load)(min.)	75 / 42	75 / 42	42	42
DRY SETTINGS				
Cycles				
Total # Cycles	12	10	12	10
Steam Cycles				
Refresh	•	•	•	
Wrinkle Away	•	•	•	
Steam Sanitize+	•	•	•	
Sensor Dry Cycles				
Eco Normal				
Normal	•	•	•	•
Heavy Duty	•	•	•	•
Towels				
Perm Press	•	•	•	•
Active Wear	•		•	
Bedding	•	•	•	•
Delicates	•	•	•	•
Wool				
Sanitize				•
Shirts				
Manual Dry				
Time Dry	•	•	•	•
Air Fluff	•	•	•	•
Quick Dry	•		•	•
Wrinkle Release				•
40' Express				
Refresh				
Delicate Dry				
Sweater				
Shirt / Blouse				
Undergarment				
Accessory				
Downloadable Cycles				
Options				
Total # of Options	9	9	9	9
Eco Dry	•	•	•	•
Adjust Time (Up)	•	•	•	•
Adjust Time (Down)	•	•	•	•
Anti Static				
Mixed Load Bell	•	•	•	•
Smart Control				
Smart Care	•	•	•	•
Drum Light	•	•	•	•
Child Lock	•	•	•	•
Sound	•	•	•	•
Wrinkle Prevent	•	•	•	•
Time+				

Continued on next page

Laundry Top Load Dryers

	DVE54R7600 DVG54R7600	DVE54R7200 DVG54R7200	DVE50R5400 DVG50R5400	DVE50T5300C DVG50T5300C
CONTINUED				
DRY SETTINGS				
SuperSpeed				
Air Dry				
My Cycle				
Small Load Care				
Dry Level				
Very Dry	•	•	•	•
More Dry	•	•	•	•
Normal Dry	•	•	•	•
Less Dry	•	•	•	•
Damp Dry	•	•	•	•
Temperature				
High	•	•	•	•
Medium	•	•	•	•
Med Low	•	•	•	•
Low	•	•	•	•
Extra Low	•	•	•	•
Time				
150 min.				
120 min.				
90 min.				
80 min.				
60 min.	•	•	•	•
50 min.	•	•	•	•
40 min.	•	•	•	•
30 min.	•	•	•	•
20 min.	•	•	•	•
APPEARANCE				
Color(s) Available	Fingerprint Resistant Black Stainless, White, Champagne	Fingerprint Resistant Black Stainless, White	Fingerprint Resistant Black Stainless, White	Champagne
Drum Material	STS	STS	Powder Coat	Powder Coat
Reversible Door	•	•	•	•
Vent Exhaust: 4-Way (Electric) / 3-Way (Gas)	•	•	•	•
Closet-Depth Fit (40" Installation)				
WEIGHT & DIMENSIONS				
Overall Dimensions (W x H x D, in.)	27" x 44-9/16" x 30-1/4"	27" x 44-9/16" x 30-1/4"	27" x 44-9/16" x 30-1/4"	27" x 44-9/16" x 30-1/4"
Approx. Shipping Weight (lbs.)	134	125.7	125.7	125.7
Net Weight (lbs.)	126	119	119	119
POWER SOURCE				
Electric Models (Volts / Hertz / Amps)	120V / 240V / 60 Hz / 30A	120V / 240V / 60 Hz / 30A	120V / 240V / 60 Hz / 30A	120V / 240V / 60 Hz / 30A
Gas Models (Volts / Hertz / Amps)	120V / 60 Hz / 15A	120V / 60 Hz / 15A	120V / 60 Hz / 15A	120V / 60 Hz / 15A
ACCESSORIES				
Stacking Kit				
Pedestal Compatibility				
WE272N				
WE402N				
LP Conversion Kit	LPKIT-4 (20K BTU)	LPKIT-4 (20K BTU)	LPKIT-4 (20K BTU)	LPKIT-4 (20K BTU)
Vent Conversion Kit (Side / Bottom Venting)	DV-2A	DV-2A	DV-2A	DV-2A

Laundry Top Load Dryers

	DVE50R5200 DVG50R5200	DVE45T3400 DVG45T3400	DVE45T3200 DVG45T3200
GENERAL			
UFAS Compliant			
ENERGY STAR® Certified			
California Prop 65	•	•	•
ADA Compliant			
CAPACITY			
Total (cu. ft.)	7.4	7.4	7.2
KEY FEATURES			
Sensor Dry	•	•	•
Steam			
Vent Sensor			
Vent Blockage Test	•	•	•
Wi-Fi Connectivity			
Smart Control			
Smart Care	•	•	•
Filter Check Indicator	•	•	•
Mixed Load Bell	•	•	
Internal Drum Light	•		
Drying Rack			
Door Safety		•	
Heater (Electric Only)			
Ventless / Heat Pump			
Cycle Time (Time Remaining) Display	•	•	
Cycle Time (Electric / Gas) Normal (8 lbs. Load)(min.)	42	42	42
DRY SETTINGS			
Cycles			
Total # Cycles	10	10	8
Steam Cycles			
Refresh			
Wrinkle Away			
Steam Sanitize+			
Sensor Dry Cycles			
Eco Normal			
Normal	•	•	•
Heavy Duty	•	•	•
Towels			
Perm Press	•	•	•
Active Wear			
Bedding	•	•	
Delicates	•	•	•
Wool			
Sanitize	•	•	
Shirts			
Manual Dry			
Time Dry	•	•	•
Air Fluff	•	•	•
Quick Dry	•	•	•
Wrinkle Release	•	•	•
40' Express			
Refresh			
Delicate Dry			
Sweater			
Shirt / Blouse			
Undergarment			
Accessory			
Downloadable Cycles			
Options			
Total # of Options	9	7	3
Eco Dry	•		
Adjust Time (Up)	•	•	
Adjust Time (Down)	•	•	
Anti Static			
Mixed Load Bell	•	•	
Smart Control			
Smart Care	•	•	
Drum Light	•		
Child Lock	•	•	•
Sound	•	•	
Wrinkle Prevent	•	•	•
Time+			

Continued on next page

Laundry Top Load Dryers

	DVE50R5200 DVG50R5200	DVE45T3400 DVG45T3400	DVE45T3200 DVG45T3200
CONTINUED			
DRY SETTINGS			
SuperSpeed			
Air Dry			
My Cycle			•
Small Load Care			
Dry Level			
Very Dry	•	•	•
More Dry	•	•	•
Normal Dry	•	•	•
Less Dry	•		
Damp Dry	•	•	•
Temperature			
High	•	•	•
Medium	•	•	•
Med Low	•		
Low	•	•	•
Extra Low	•	•	•
Time			
150 min.			
120 min.			
90 min.			
80 min.			
60 min.	•	•	•
50 min.	•		
40 min.	•	•	•
30 min.	•		
20 min.	•	•	•
APPEARANCE			
Color(s) Available	White	White	White
Drum Material	Powder Coat	Powder Coat	Powder Coat
Reversible Door	•	•	•
Vent Exhaust: 4-Way (Electric) / 3-Way (Gas)	•	•	•
Closet-Depth Fit (40" Installation)			
WEIGHT & DIMENSIONS			
Overall Dimensions (W x H x D, in.)	27" x 44-9/16" x 30-1/4"	27" x 44-9/16" x 30-1/4"	27" x 44-9/16" x 30-1/4"
Approx. Shipping Weight (lbs.)	125.7	119	119
Net Weight (lbs.)	119	110.2	110.2
POWER SOURCE			
Electric Models (Volts / Hertz / Amps)	120V / 240V / 60 Hz / 30A	120V / 240V / 60 Hz / 30A	120V / 240V / 60 Hz / 30A
Gas Models (Volts / Hertz / Amps)	120V / 60 Hz / 15A	120V / 60 Hz / 15A	120V / 60 Hz / 15A
ACCESSORIES			
Stacking Kit			
Pedestal Compatibility			
WE272N			
WE402N			
LP Conversion Kit	LPKIT-4 (20K BTU)	LPKIT-4 (20K BTU)	LPKIT-4 (20K BTU)
Vent Conversion Kit (Side / Bottom Venting)	DV-2A	DV-2A	DV-2A

Laundry 24" Compact Washer

	WW22K6800
GENERAL	
UFAS Compliant	
ENERGY STAR® Certified	•
California Prop 65	•
ADA Compliant	
CAPACITY	
Total (cu. ft.)	2.2
KEY FEATURES	
FlexWash™	
AddWash™	
activewash™	
Active WaterJet	
SuperSpeed	•
EZ Access Tub	
Deep Fill	
Steam Wash	•
PowerFoam™	
Wi-Fi Connectivity	
Smart Control	
Smart Care	•
VRT™	•
Internal Water Heater	•
Self Clean+	•
Max. RPM Spin Speed	1,400
Cycle Time (Time Remaining) Display	•
Cycle Time (Default)	
Normal (8 lbs. Load)(min.)	58
SuperSpeed	40
Soft Close Lid	
Interior Drum Light	
Garment+	•
Direct Drive Motor	DIT
WASH SETTINGS	
Cycles	
Total # of Cycles	12
Eco Cold	
Normal	•
Heavy Duty	•
Perm Press	•
Sanitize	•
Colors / Darks	
Allergen	•
Towels	
Bedding	
Bedding / Waterproof	
Deep Steam	•
Deep Clean	
Deep Wash	
Whites	
Stain Away	
Active Wear	•
Delicates	•
Wool	•
Quick Wash	•
Rinse + Spin	•
Self Clean	•
Downloadable Cycles	
WASH SETTINGS	
Options	
Total # of Options	8
SuperSpeed	•
Steam	
Self Clean+	
Delay End (24 hrs.)	•
My Cycle	•
Pre Wash	
Pre Soak	
Fabric Softener	
Deep Fill	
Extra Rinse	•
Extra Spin	
Spin Only	•

Continued on next column

	WW22K6800
CONTINUED	
WASH SETTINGS	
Wash Temp (Cold / Warm)	
Smart Control	
Smart Care	•
Drum Light	
Child Lock	•
Sound	•
Temperature Settings	
Extra Hot	•
Hot	•
Warm	•
Eco Warm	
Cool	
Cold	•
Tap Cold	•
Rinse Settings	
5 Times	
4 Times	
3 Times	
2 Times	
1 Time	
Spin Settings	
High	•
Medium High	•
Medium	•
Low	•
No Spin	•
Soil Settings	
Heavy	•
Medium Heavy	•
Normal	•
Medium Low	•
Light	•
Water Level	
Extra High	
High	
Medium	
Low	
Auto Level	
APPEARANCE	
Color(s) Available	White
Interior Drum	
Design	Diamond
Stainless	•
Pulsator Material (Top Load Models)	
Closet-Depth Fit (40" Installation)	Compact
WEIGHT & DIMENSIONS	
Overall Dimensions (W x H x D, in.)	23-5/8" x 32-1/2" x 27-1/8"
Approx. Shipping Weight (lbs.)	161
Net Weight (lbs.)	157
POWER / RATINGS	
Integrated Modified Energy Factor (IMEF)	2.25
Integrated Water Factor (IWF)	4.0
Electrical Requirement (Volts / Hertz / Amps)	120V / 60 Hz / 15A
ACCESSORIES	
Stacking Kit	SK-DH
Pedestal Compatibility	
WE272N	
WE402N	
Water Inlet Hose Included	

Laundry 24" Compact Dryer

	DV22K6800E	DV22N6800H
GENERAL		
UFAS Compliant		
ENERGY STAR® Certified		•
California Prop 65	•	•
ADA Compliant		
CAPACITY		
Total (cu. ft.)	4.0	4.0
KEY FEATURES		
Sensor Dry	•	•
Steam		
Vent Sensor		
Vent Blockage Test		
Wi-Fi Connectivity		
Smart Control		
Smart Care	•	•
Filter Check Indicator	•	•
Mixed Load Bell	•	•
Internal Drum Light	•	•
Drying Rack		
Heater	Dual	
Ventless / Heat Pump		•
Cycle Time (Time Remaining) Display	•	•
Cycle Time (Electric / Gas) Normal (8 lbs. Load)(min.)	70	119
DRY SETTINGS		
Cycles		
Total # Cycles	12	12
Steam Cycles		
Refresh		
Wrinkle Away		
Steam Sanitize+		
Sensor Dry Cycles		
Eco Normal		
Normal	•	•
Heavy Duty	•	•
Towels	•	•
Perm Press	•	•
Active Wear	•	•
Bedding		
Delicates	•	•
Wool	•	•
Sanitize	•	
Shirts		•
Manual Dry		
Time Dry	•	•
Air Fluff	•	•
Quick Dry	•	
Wrinkle Release	•	
40' Express		•
Refresh		•
Delicate Dry		
Sweater		
Shirt / Blouse		
Undergarment		
Accessory		
Downloadable Cycles		
Options		
Total # of Options	8	8
Eco Dry		
Adjust Time (Up)	•	•
Adjust Time (Down)	•	•
Anti Static		
Mixed Load Bell	•	•
DRY SETTINGS		
Smart Control		
Smart Care	•	•
Drum Light	•	•
Child Lock	•	•
Sound	•	•
Wrinkle Prevent	•	•
Time+		
SuperSpeed		

Continued on next column

	DV22K6800E	DV22N6800H
CONTINUED		
DRY SETTINGS		
Air Dry		
My Cycle	•	•
Small Load Care		
Dry Level		
Very Dry	•	
More Dry	•	•
Normal Dry	•	•
Less Dry	•	•
Damp Dry	•	
Temperature		
High	•	
Medium High	•	
Medium	•	
Medium Low	•	
Low	•	
Time		
150 min.		•
120 min.		•
90 min.		•
80 min.		
60 min.	•	•
50 min.	•	
40 min.	•	
30 min.	•	•
20 min.	•	
APPEARANCE		
Color(s) Available	White	White
Drum Material	STS	STS
Reversible Door	•	•
Vent Exhaust: 4-Way (Electric) / 3-Way (Gas)	•	Ventless
Closet-Depth Fit (40" installation)	Compact	Compact
WEIGHT & DIMENSIONS		
Overall Dimensions (W x H x D, in.)	23-5/8" x 33-1/2" x 25-13/16"	23-5/8" x 33-1/2" x 25-13/16"
Approx. Shipping Weight (lbs.)	93	121
Net Weight (lbs.)	88	110
POWER SOURCE		
Electric Models (Volts / Hertz / Amps)	120V / 240V / 60 Hz/ 30A	120V / 240V / 60 Hz/ 30A
Gas Models (Volts / Hertz /Amps)		
ACCESSORIES		
Stacking Kit	SK-DH	SK-DH
Pedestal Compatibility		
WE272N		
WE402N		
LP Conversion Kit		
Vent Conversion Kit (Side / Bottom Venting)	DV-2A	

Laundry AirDresser

	DF60R8200
GENERAL	
UFAS Compliant	
ENERGY STAR® Certified	
BAF Certified	•
California Prop 65	•
ADA Compliant	
CAPACITY	
Total	3 Jackets + 3 Pants + Accessory Rack
KEY FEATURES	
Steam	•
Air Hangers	•
Sanitization	•
Deodorizing Filter	•
Wi-Fi Connectivity	•
Fresh Finish™	•
Soft Closing	•
Heat Pump Drying	•
Easy Installation	•
Self Clean	•
Dehumidification	
Door Open	•
Door Close	
Noise (dBA)	
Normal	43
Silent	38
Water Tanks (gal)	
Refill Tank	0.449
Drain Tank	0.396
CYCLE TIMES (MIN.)	
Basic	
Normal	48
Delicates	40
Quick	24
Sanitize	132
Dry	
Sensor Dry	90
Time Dry (hr)	1 hr / 2 hr / 3 hr
Room Care (hr)	2 hr / 4 hr
Special	
Suit	40
School Wear	74
Winter Coat	54
Wool/Knit	34
Outdoor	57
Down Jackets	59
Fur / Leather	30
Heavy Duty	89
Self Clean	140
Download	
Denim	114
Down Dry	140
Accessories	29
Babywear	132
Bedding	140
Toys	132
APPEARANCE	
Color(s) Available	Dark Black
Display	LCD Touch Screen
WEIGHT & DIMENSIONS	
Width (in.)	17-1/2"
Overall Dimensions (W x H x D, in.)	17-1/2" x 72-7/8" x 24-1/4"
Depth (in.)	24-1/4"
Approx. Shipping Weight (lbs.)	213.8
Net Weight (lbs.)	196.2
POWER SOURCE	
Volts / Hertz / Amps	120V / 60 Hz
Power Consumption (Watts)	1,300
ACCESSORIES	
Air Hanger	3
Hanger Kit	1
Weight Kit	1
Shelf	1

THIS PAGE IS INTENTIONALLY LEFT BLANK

Small Appliances Jet Stick

	VS20R9046T3	VS20T7536T5	VS15T7032R4
PERFORMANCE			
Motor			
Motor Type	Digital Inverter	Digital Inverter	Digital Inverter
Motor Power Consumption (Watts)			
Suction Power (Air Watts)			
High	200	200	150
Medium	40	40	36
Low	18	18	16
Running Time (Minutes)			
High	6	6	5
Medium	30	30	20
Low	60	60	40
Recharge Time (Minutes)	210	210	210
Noise Level (dBA)	86	86	86
Dustbin Capacity (Liters)	0.8	0.8	0.8
HEPA Filtration	•	•	•
Jet Cyclone	•	•	
Pipe Type	4-step Telescopic	Fixed	Fixed
Control Settings	3 settings: Max / Mid / Min	3 settings: Max / Mid / Min	3 settings: Max / Mid / Min
FEATURES			
Brush			
Turbo Action Brush	•	•	•
Soft Brush	•	•	
Spinning Sweeper	•		
CONVENIENCE			
Convenience			
Dual Charging Station	•		
Washable Filter	•	•	•
Washable Dustbin	•	•	•
ACCESSORIES			
Mini Motorized Tool	•	•	•
Long-Reach Crevice Tool	•	•	•
Magnetic Boundary	•	•	•
Combination Tool	•	•	•
Flex Tool	•	•	•
Long-Reach Crevice Tool	•	•	•
APPEARANCE			
Color(s) Available	Titan ChroMetal	ChroMetal with Teal Silver Filter	Airborne with Violet Filter
WEIGHT & DIMENSIONS			
Size			
Net (W x H x D, in.)	9-7/8" x 44-3/4" x 8-1/2"	9-7/8" x 44-3/4" x 8-1/2"	9-7/8" x 44-3/4" x 8-1/2"
Gross (W x H x D, in.)	9-1/2" x 29-9/16" x 15-3/8"	9-1/2" x 29-9/16" x 15-3/8"	9-1/2" x 29-9/16" x 15-3/8"
Weight			
Net (lbs.)	6.17	6.17	5.73
Gross (lbs.)	26.67	26.67	13.27

Small Appliances Clean Station

	VCA-SAE90
PERFORMANCE	
Dustbin Capacity (Liters)	0.6
HEPA Filtration	•
Suction Power (Watts)	200
FEATURES	
Power Consumption (Watts)	1,200
CONNECTIVITY / CONVENIENCE	
Auto Empty Dustbin	•
ACCESSORIES	
Dust Bags	3 (2-Litre Capacity)
APPEARANCE	
Color(s) Available	Airborne, White
WEIGHT & DIMENSIONS	
Size	
Net (W x H x D, in.)	7-3/10" x 23-3/5" x 7-10"
Gross (W x H x D, in.)	7-3/10" x 23-3/5" x 7-10"
Weight	
Net (lbs.)	12.12
Gross (lbs.)	12.12

Small Appliances Jet Mop

	VR20T600IMW
PERFORMANCE	
Noise Level (dBA)	63
Additional	
Battery Type	Li-ion
Recharge Time (min.)	150
Cleaning Time (min.)	100
FEATURES	
Automatic Water Dispenser	•
Dual Spin	•
CONNECTIVITY / CONVENIENCE	
Remote Control	•
MODES	
Auto	•
Manual	•
Spot	•
Edge	•
Intensive Cleaning	•
Step Cleaning	•
50-min Cleaning	•
Pattern Cleaning	•
Hand	•
ACCESSORIES	
Microfiber Mop	•
Mother Yarn Mop	•
Silicon Brush	•
APPEARANCE	
Color(s) Available	White
WEIGHT & DIMENSIONS	
Size	
Net (W x H x D, in.)	12-7/8" x 5-1/2" x 6-1/2"
Gross (W x H x D, in.)	15-3/5" x 9-1/16" x 9-3/10"
Weight	
Net (lbs.)	3.5
Gross (lbs.)	5.95

Small Appliances Robot Vacuums

	VR2AM7065WS	VRIAM7040WG
PERFORMANCE		
Motor		
Motor Type	DC	DC
Motor Power Consumption (Watts)	130	80
Suction Power (Air Watts)		
Turbo	20	10
Normal	9	4
Quiet	4	
Running Time (Minutes)		
Turbo	30	30
Normal	60	60
Quiet	90	
Noise Level (dBA)		
Turbo	77	72
Normal	74	68
Quiet	71	
Additional		
CycloneForce Technology	•	•
Dust Bin Capacity (Liters / Gallons)	0.3 / 0.08	0.3 / 0.08
Pre-Filter	•	•
HEPA Filtration		
BRUSH / FEATURES / MODES		
Brush		
Combo	•	•
Self-Clean Soft Action Brush		
Brush Width (in.)	11-3/8"	11-3/8"
Features		
Navigation	Visionary Mapping	Visionary Mapping
Obstacle Avoidance	Fullview Sensor 2.0	Fullview Sensor 2.0
Edge Clean Master	•	•
Point Cleaning		
Voice Guide		
Intelligent Power Control	•	•
Auto Docking	•	•
Recharge & Resume	•	•
Multi-Surface Cleaning	•	•
Mode		
Auto	•	•
Repeat On / Off	•	•
Wind Free Mode	•	•
Manual	•	•
Spot	•	•
Suction Control Mode	Turbo / Normal / Quiet	Turbo / Normal
CONNECTIVITY / CONVENIENCE		
Wi-Fi		
Enabled (GHz)	• 2.4	• 2.4
SmartThings App	•	•
ifttt	•	•
Voice Assistant		
Bixby	•	•
Amazon Alexa	•	•
Google Assistant	•	•
Convenience		
Coverage Map	•	•
Scheduling	•	•
Remote Control	•	•
Washable Filter	•	•
ACCESSORIES		
Combo Brush		
Extra Filter		
Magnetic Boundary	•	
APPEARANCE		
Color(s) Available	Satin Titanium	Neutral Gray
WEIGHT & DIMENSIONS		
Size		
Net (W x H x D, in.)	13.4" X 13.7" X 3.8"	13.4" X 13.7" X 3.8"
Gross (W x H x D, in.)	18.9" X 6.7" X 19.6"	18.9" X 6.7" X 19.6"
Weight		
Net (lbs.)	9.5	8.8
Gross (lbs.)	15	14.3

10 Power Levels

The powerful microwave has 10 different power levels to cook a variety of foods.

10 Preset Drying Cycles

Makes it easy to give each fabric type the right care needed for your family.

1,000W Cooking Power

A cooking power of 1000 watts and 10 power levels allows you to cook a variety of foods more efficiently.

Preset Drying Cycles

More cycles to cover almost every drying need for your active family.

18,000 BTU True Dual-Power Burner

Two independent heating elements with power ranging from high heat to a true simmer.

19,000 BTU Power Burner

Powerful burner boils water faster.

22,000 BTU True Dual-Power Burner

Two independent heating burners offer intense heat and precise control to quickly boil water or reduce to a low simmer.

5,000 BTU Simmer Burner

Maintain a low heat for melting chocolate or simmering sauces.

8 Preset Drying Cycles

Makes it easy to give each fabric type the right care needed for your family.

9 Preset Drying Cycles

More cycles to best suit your drying needs.

Active WaterJet

Built-in water faucet lets you easily pretreat soiled or stained clothes with the press of a button.

activewash™

Add a sink to your laundry room for all your stain removal and pretreating needs. Simply lift the sink to let items fall into the washer.

ADA Compliant

Designed for accessibility and controllability from your smartphone.

AddWash™

With AddWash™, you can conveniently add in forgotten garments after the cycle has begun, without starting all over again.

Adjustable Rack

Height adjustable upper rack makes it easy to accommodate various dishware shapes and sizes.

Advanced Wash System

Heavy-duty wash gets the pots and pans clean.

Auto Pull-Out Freezer Drawer

Automatically slides out for easy access, organization, and storage.

AutoFill Water Pitcher

A built-in pitcher that automatically refills with filtered water and the option to infuse with a flavor of your choice.

Automatic Filtered Ice Maker

Produces up to 3.3 lbs. of ice per day and stores up to 5.5 lbs. of ice.

Automatic In-Door Ice Maker

Maximizes freezer space, leaving more room for frozen foods and offers convenient access to ice, right inside the door. It can produce up to 4.4 lbs. of ice per day and stores up to 5.5 lbs. of ice.

AutoRelease™ Door

At the end of a cycle, the door automatically pops open to circulate air and accelerate drying time.

Baffle Filter

Dishwasher-safe metal filters help keep the air clean by drawing grease and odor through the hood.

Bixby Enabled

Wi-Fi connected so you can remotely start or stop your cycle, schedule laundry on your time, receive end of cycle alerts, and more, right from your smartphone.

Black Stainless Steel

Clean and contemporary, a black stainless steel finish brings an added level of sophistication to your kitchen.

Blue Ceramic Interior

Blue Ceramic enamel interior offers a premium look and feel.

Blue LED Illuminated Knobs

Visually lets you know your cooktop is on, even from a distance.

Bluetooth® Connected to Hood

Cooktop can sync to the hood so you can automatically start the fans and lights when the elements turn on.

Bluetooth® Connectivity

Bluetooth® connects the range or cooktop to the hood, so the fan automatically starts when they do.

Built-In Look

Sleek, built-in design.

Ceramic Enamel Interior

Effortlessly remove grease or oil from surfaces and protect against scratches.

Connected Hood

Automatically sync the fans and the lights with the cooktop through Bluetooth®.

Convection Cooking

Enjoy the flexibility to microwave, bake, broil, and roast — all from one appliance. With the combination of convection cooking and microwave heating, food cooks faster and more evenly than a traditional microwave.

Cooking Presets

Preset cook modes for everyday dishes.

CoolSelect Pantry™

Full-width drawer with three temperature control settings to chill or defrost food to ideal temperatures.

Counter-Depth Design

Sleek, built-in design.

CycloneForce™ Technology

Get consistent power with less clogging. Strong centrifugal forces separate dirt and debris into an outer chamber to maintain long-lasting suction power.

Deep Fill

Choose to maximize the water level used during the washing cycle. Automatically adds extra water at the right time to ensure all your items are thoroughly soaked.

Delicate Dryer

Flat dry delicates, sweaters, and accessories to prevent items from shrinking and fabric damage.

Digital Leak Sensor

Identifies leaks as small as 1.01 oz. and shuts off the machine before water can escape.

Digital LED Display

Conveniently located above the water and ice dispenser on the refrigerator door.

Digital Touch Controls

Touch Controls offer an integrated and premium design which is easy to clean.

Digital-Analog Controls

A combination of analog knobs and a digital touchscreen.

Drying Rack

A rack within your dryer that provides the ability to delicately dry undergarments, sweaters, and accessories.

Dual Convection

Circulates air for faster, more even cooking using true convection.

Dual Door

Unique middle-hinged door can open just the top section or the full oven for total flexibility and energy efficiency.

Dual Elements

One 6" / 9" and one 9" / 12" dual elements offer the flexibility to cook in different-sized pans.

Dual Fuel

Samsung’s first combination gas cooktop and electric oven provide the best of both worlds for precision and efficiency. The gas cooktop offers powerful, even, and precise heating.

Easy to Clean Cooktop

Smooth glass ceramic surface and dishwasher safe knobs make cleaning easy.

Eco Mode

Conserves energy by turning off the display when not in use.

Edge Clean Master

Thoroughly cleans corners and edges of the wall.

ENERGY STAR® Certified

Eco-friendly and energy-efficient, Samsung dryers meet the government’s strict energy efficiency standards.

Express Boil™

With Samsung’s 3,600W Express Boil™ – no element is more powerful.¹ Rapidly go from high heat for boiling water and searing meat or turn down to a true simmer – ideal for melting chocolate or making sauces.

External Water and Ice Dispenser

Get great-tasting, filtered water directly from your refrigerator. Spend less time and money buying bottled water.

EZ Access

Our new EZ Access tub design allows you to easily reach the bottom of the washer tub to remove your clothes after the cycle finishes.

Family Hub™

Helps you connect to what's most important: your family and home, whenever and wherever. Family Hub lets you see inside your refrigerator from anywhere, manage your family's calendars, stream music, and even see who's at the door, right from your Family Hub screen.

Fan Convection

Circulates air for faster, more even cooking.

Fingerprint Resistant Finish

Helps reduce smudges and minimize cleaning on your stainless steel surface.

Flex Duo™

Cooks two dishes at different temperatures simultaneously with the Smart Divider.

Flex Zone

Large cooking area designed to adapt to different pot shapes and sizes for optimal flexibility.

FlexDry™
Two dryers in one let you dry delicates and everyday garments at the same time.

Flex Duo™
A removable Smart Divider that splits one oven into two. Cook two dishes at two different temperatures, or choose to have one large-capacity oven.

Flexible Cooktop
Whether you’re boiling water, melting chocolate, or simmering sauce, there’s a cooktop element for your needs.

Flexible Storage Options
Models with FlexZone™ have the versatility to switch between a refrigerator and a freezer. This feature is available on many 4-Door French Door and all Top Freezer models.

Flexible Third Rack
The flexible third rack provides extra space to load silverware. Use adjustable section for oversized utensils.

FlexWash™
Two washers in one lets you wash separate loads at the same time or independently.

FlexZone™
Versatile, bottom-right fridge compartment that converts freezer to fridge.

FlexZone™ Drawer
A flexible storage drawer with four different temperature settings and an adjustable Smart Divider to stay organized.

Food Showcase
Provides quick access to everyday items while minimizing the loss of cool air.

Four-Speed / 400 CFM
Powerful ventilation system quickly and quietly eliminates steam, fumes, and odor from the kitchen.

Garment+
Allows you to take out or add laundry items even after the wash has started.

Glass Touch Controls
Seamless, integrated, and premium design that is easy to clean.

Griddle
Cook breakfast, grill sandwiches, or sauté vegetables on the griddle.

Guiding Light Controls
Intuitive, with simple, step-by-step instructions for choosing cooking options.

Halogen Lighting
Offers a clear and bright interior, minimizing the need to open the door to check progress.

Hard Food Disposer
Advanced washing system allows for the disposal of solid food particles without the need to clean a filter.

Heavy-Duty Racks
Heavy-duty professional style racks that are sturdy and durable.

Height-Adjustable Upper Rack
Easily fits dishware of various shapes and sizes.

Hidden Bake Element
Easy-to-clean seamless cavity.

Hidden Heating Element
Makes cleaning your oven easy.

High-Efficiency LED Lighting
Brighter, cooler, and more energy-efficient.

Hot Surface Indicator Lights
Indicator light lets you know the surface is hot.

Ice Master
Produces up to 8.6 lbs. of ice per day and stores up to 4.2 lbs. of ice. This space-saving design leaves more room in the refrigerator.

Ice Max
Large capacity; stores up to 2.7 lbs. of ice.

Induction Cooking
Virtual Flame™ technology provides a superior cooking experience by combining the visual of gas cooking with the precision of induction cooking.

Internal Drum Light
An internal drum light in your dryer that brightly illuminates your laundry and the rest of the interior.

Intuitive Display
Enjoy the convenience of analog knobs combined with the advanced technology of a touch-controlled digital.

LED Cooktop Lights
Evenly distributed bright lights illuminate the cooktop. More energy efficient and brighter than incandescent or halogen lights.

LED Display
Striking blue LED display adds clarity and style to your kitchen.

LED Tower Lighting
Gently brightens every corner of your refrigerator while reducing heat and energy output. Its space-saving design leaves more room for groceries.

Linear Wash System
AquaBlast™ jets provide corner-to-corner coverage for superior cleaning.

Metal Cooling
Stainless steel paneling locks in cold and seals in freshness while maintaining consistent temperature throughout the refrigerator.

Microwave Trim Kit
Crafted from high-quality stainless steel, the trim kit accessory (available for purchase) gives you the flexibility to install your countertop microwave into a wall or cabinet.

Multi-Steam™ Technology
Steam away wrinkles, odors, bacteria, and static.

Point Cleaning™
Simply point for on-demand vacuum cleaning.

Polygon Handles
Provides an easy grip and beautiful style.

Power Boost
Focused heat increases intensity on any element for faster boiling times.

Power Convection
Combines traditional convection cooking with powerful hot air coming from the top, distributing the heat thoroughly, and cooking faster than a standard convection microwave oven.

PowerFoam™
Enhances your detergent to penetrate and cleanse fabric more deeply.

Powerful 390 CFM Ventilation
Circulates air to remove odors quickly.

Powerful Heat
Power convection technology heats evenly and cooks 30% faster than a standard convection microwave.

Powerful Robotic Suction
Delivers optimal cleaning results.

Flexible Cooktop
Five elements, including a triple ring and bridge element, accommodate multiple pan sizes.

PowerGrill
Direct grilling element provides powerful heating to toast, crisp, and brown your favorite food.

PowerGrill Duo™
Enjoy crisp food in minutes as the grill function works to brown and crisp your food outside without drying the inside. Its innovative wide grill heater delivers significantly more power, up to a maximum of 1,600W.

Precision Control
Choose between the comfort of the removable magnetic analog knob or the sleek interface of digital touch controls.

Q-rator
Choose clothing and fabric type, and the cycle is auto-configured for optimal performance.

QuickDrive™
Assists in washing up to 35% faster without compromising cleaning performance.

Quiet Cleaning
Lower noise level for quieter cleaning of dishes. 52 dBA and above.

Rapid Boil™
Up to 3,300W power element offers intense heat and precise control to quickly boil water or maintain a low, even simmer.

Recessed Handles
Easy to open and adds a sophisticated design to your kitchen.

Reversible Cast Iron Griddle
Cook a variety of breakfast foods or grilled sandwiches on the reversible cast iron griddle.

Round Rack and Ceramic Plate
Nonstick, easy-to-clean plate keeps your favorite foods crispy. Included rack provides optimal placement under the grill for crisping.

Sealed Burners
Prevent food from dropping into the cooktop burners for easy cleanup.

Self Clean
Choose from 2, 3, or 5 settings for various cleaning needs.

Self Clean+
Keeps your washer drum fresh and clean by eliminating 99% of bacteria. Will also send a reminder to clean the drum every 40 wash cycles.

Self-Clean Brush
Automatically removes hair tangles around the brush.

Sensor Cook
Automatically adjusts cooking time with vapor-sensing technology for optimal results.

Sensor Dry
Automatically optimizes the time and temperature of your drying cycle to protect your clothes from heat damage, while avoiding excess energy use.

Shiny Mirror Design
Shiny mirror design with asymmetrical shape for a premium look differentiated from other countertop models.

Simple-Clean Filter
Convenient, easy-to-access location is simple to eject with one touch and helps you remember when to clean the filter.

Sleek and Roomy
Beautiful, sleek design fits any kitchen decor and has enough room to fit up to 22 bags of groceries.

Slide & Reach Pantry
Easily access all your favorite foods.

Slide-In Design
Modern and sleek built-in look that blends seamlessly with your kitchen.

Slim Fry™
Prepare great-tasting food with less fat.

Smart Care
Easy troubleshooting from the convenience of your smartphone. Smart Care interacts with your washer and dryer to perform an immediate diagnosis and offer quick solutions.

Soft-Close Door
Gently closes oven door.

Smart Control
The Smart Control feature in the SmartThings app lets you monitor and control some of your Samsung appliances using your phone.

Soft-Close Lid
Soft Closing Lid on your washing maching closes safely, gently, and quietly.

Speed Cook
Cook food faster and more evenly by using true convection.

Stainless Steel Cooktop
Premium look and larger cooking space for greater flexibility to use multiple pot and pan sizes.

Stainless Steel Door
The interior door is covered with stainless steel that's more durable.

Steam & Self Clean
Use Steam Clean for a quick clean in 20 minutes or use Self Clean for a deeper clean.

Steam Assist
Delivers moisture throughout the oven for a tender inside and a crisp, browned outside.

Steam Cook
Delivers moisture at precise times for a crisp, browned outside and tender inside.

Steam Reheat
Maintains your food’s original flavor, texture, and moisture.

Steam Sanitize+
The Steam Sanitize+ cycle removes 99.9% of germs and bacteria, more than 95% of pollen, and kills 100% of dustmites. Multi-Steam Technology steams away wrinkles, odors, and static.

Steam Wash
Powerful stain removal without pretreatment while still gentle on clothing.

Storage Drawer
Ideal for storing baking sheets and pans, while saving space in kitchen cabinets.

StormWash™
A heavy-duty wash thoroughly cleans the messiest pots and pans without prewashing.

Stovetop Griddle
Griddle to cook breakfast foods, grill sandwiches, or sauté vegetables.

Stunning Modern Design
French Door refrigerators are available in stylish 3 - and 4-door designs with ultra high-capacity product options that save you trips to the store.

SuperSpeed
Wash a full load in just 30 minutes, without sacrificing cleaning performance.

Surface LED Lighting
Gently brightens virtually every corner of your refrigerator.

Sync Control Elements
Control two elements at the same time when using a large pot or griddle across two elements.

Temperature Probe
Built-in probe allows you to monitor the temperature so you never have to guess whether your meats and poultry are cooked properly.

The Power of Steam
Steam cooking technology delivers moisture at precise times, so food has a crisp exterior and tender inside.

Third Rack
Dedicated space for cutlery and utensils adds 30% more usable space to your dishwasher.

Three-Speed / 300 CFM
Powerful microwave ventilation system quickly and quietly eliminates steam, fumes, and odor from the kitchen.

Wide View Window
Check cooking progress without opening the door and losing heat.

Zone Booster™
Target different zones of your dishwasher with custom settings.

Triple Cooling System
Provides precise temperature and humidity controls in all three zones. Your food stays fresher longer with three evaporators – an industry first.

Triple Distribution System
Three microwave distribution points to cook food evenly and thoroughly.

True Convection
Cook food faster and more evenly with a heated fan system that is great for baking and broiling.

Tuscan Stainless Steel
Our newest finish is elegant and versatile. This design-forward neutral will complement any palette and help you curate your dream kitchen.

Twin Cooling Plus™
Independent fridge and freezer controls keeps food fresher, longer.

Two Humidity-Controlled Crisper Drawers
Keep your produce crisp and fresh with ideal storage space for all your fruits and vegetables.

Two-Speed / 300 CFM
Powerful ventilation system quickly and quietly eliminates steam, fumes, and odor from the kitchen.

Vent Sensor
Detects duct blockages and reminds you to clean your vent.

Vent Blockage Test
The Vent Blockage test on your dryer automatically detects the status of the exhaust ducts and reports any blockage or problems.

Vibration Reduction Technology™
Reduces noise and vibration for quiet washing.

Virtual Flame™
Virtual Flame™ technology provides a superior cooking experience by combining the visual of gas cooking with the precision of induction cooking.

Visionary Mapping™ Plus and FullView Sensor™ 2.0
Creates optimal cleaning path and avoids obstacles.

Warming Drawer
Keep food warm until guests arrive or dinner is served.

Whisper Quiet Cleaning
Less noise and less disturbance with virtually silent wash cycles. 39 dBA – 45 dBA.

Wi-Fi Connectivity
Remotely monitor and control the from your smartphone.

Warranty

LIMITED WARRANTY TO ORIGINAL CONSUMER PURCHASER WITH PROOF OF PURCHASE

This SAMSUNG brand product, as supplied and distributed by Samsung Electronics America, Inc. (SAMSUNG) and delivered new, in the original carton to the original consumer purchaser, is warranted by SAMSUNG against manufacturing defects in materials or workmanship for the limited warranty period of:

REFRIGERATORS

One (1) Year Parts and Labor
Five (5) Years Parts and Labor on Sealed Refrigeration System Only (Compressor, Evaporator, Condenser, Drier, and Connecting Tubing)
Ten (10) Years Part and Five (5) Years Labor on Digital Inverter Compressor Only

RANGES - GAS, ELECTRIC, DUAL FUEL

One (1) Year Parts and Labor
Five (5) Years Glass Cooktop Part and Radiant Heater Part (Parts Only) - Only on Electric Range models NE59M6850, NE58F9500, NE58K9500, NE58K9560, NE58R9560, NE58F9710 and NE58K9850

MICROWAVES - OVER - THE RANGE (OTR), COUNTERTOP

One (1) Year Parts and Labor
Ten (10) Years Magnetron Part (Part Only)

WALL OVENS

One (1) Year Parts and Labor
Ten (10) Years Magnetron Part (Part Only) - only on Microwave Combination Wall Oven models

COOKTOPS - GAS, ELECTRIC

One (1) Year Parts and Labor
Five (5) Years Glass Cooktop Part (Parts Only) - only on Electric Induction Cooktop models
Five (5) Years Glass Cooktop Part and Radiant Heater Part (Parts Only) - only on Electric Radiant Cooktop models

HOODS

One (1) Year Parts and Labor

DISHWASHERS

One (1) Year Parts and Labor
Five (5) Years Printed Circuit Board, Racking, and Lifetime Stainless Door Liner & Tub for Leakage - only on Rotary Dishwasher models with stainless tub
Five (5) Years Linear Motion Parts¹, Printed Circuit Board, Racking, and Stainless Door Liner & Tub for Leakage (Parts Only) - only on Linear Wash Dishwasher models

¹Linear Motion Parts: Belt operating AC motor (Motor Geared), Belt V-Timing, Rail, Holder Rail (Front Up, Front Low)

WASHERS

One (1) Year Parts and Labor
Three (3) Years Stainless Tub Part (Part Only)
Five (5) Years Washing Motor Part (Part Only)
Ten (10) Years Washing DD Motor Part (Part Only)

DRYERS

One (1) Year Parts and Labor

VACUUMS

One (1) Year Parts and Labor
Ten (10) Years Digital Inverter Motor Part (Part Only)

AIR PURIFIERS

One (1) Year Parts and Labor (This limited warranty does not cover the product filter).

This limited warranty is valid only on products purchased and used in the United States that have been installed, operated, and maintained according to the instructions attached to, or furnished with, the product. To receive warranty service, the purchaser must contact SAMSUNG at the address or phone number provided below for problem determination and service procedures. Warranty service can only be performed by a SAMSUNG authorized service center. The original dated bill of sale must be presented upon request as proof of purchase to SAMSUNG or SAMSUNG's authorized service center to receive warranty service.

SAMSUNG will provide in-home service within the contiguous United States during the warranty period at no charge, subject to availability of SAMSUNG authorized servicers within the customer's geographic area. If in-home service is not available, SAMSUNG may elect, at its option, to provide transportation of the product to and from an authorized service center. If the product is located in an area where service by a SAMSUNG authorized servicer is not available, you may be responsible for a trip charge or required to bring the product to a SAMSUNG authorized service center for service.

To receive in-home service, product must be unobstructed and accessible to the service agent.

During the applicable warranty period, a product will be repaired, replaced, or the purchase price refunded, at the sole option of SAMSUNG. SAMSUNG may use new or reconditioned parts in repairing a product, or replace the product with a new or reconditioned product. Replacement parts and products are warranted for the remaining portion of the original product's warranty or ninety (90) days, whichever is longer. All replaced parts and products are the property of SAMSUNG and you must return them to SAMSUNG.

This limited warranty covers manufacturing defects in materials or workmanship encountered in normal household, noncommercial use of this product and shall not cover the following: damage that occurs in shipment, delivery, installation, and uses for which this product was not intended; damage caused by unauthorized modification or alteration of the product; product where the original factory serial numbers have been removed, defaced, changed in any way, or cannot be readily determined; cosmetic damage including scratches, dents, chips, and other damage to the product's finishes; damage caused by abuse, misuse, pest infestations, accident, fire, floods, or other acts of nature or God; damage caused by use of equipment, utilities, services, parts, supplies, accessories, applications, installations, repairs, external wiring or connectors not supplied or authorized by SAMSUNG; damage caused by incorrect electrical line current, voltage, fluctuations and surges; damage caused by failure to operate and maintain the product according to instructions; in-home instruction on how to use your product; and service to correct installation not in accordance with electrical or plumbing codes or correction of household electrical or plumbing (i.e., house wiring, fuses, or water inlet hoses). The cost of repair or replacement under these excluded circumstances shall be the customer's responsibility.

Visits by an authorized servicer to explain product functions, maintenance or installation are not covered by this limited warranty. Please contact SAMSUNG at the number below for assistance with any of these issues.

EXCLUSION OF IMPLIED WARRANTIES

IMPLIED WARRANTIES, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE LIMITED TO ONE YEAR OR THE SHORTEST PERIOD ALLOWED BY LAW. Some states do not allow limitations on how long an implied warranty lasts, so the above limitations or exclusions may not apply to you. This warranty gives you specific rights, and you may also have other rights, which vary from state to state.

LIMITATION OF REMEDIES

YOUR SOLE AND EXCLUSIVE REMEDY IS PRODUCT REPAIR, PRODUCT REPLACEMENT, OR REFUND OF THE PURCHASE PRICE AT SAMSUNG'S OPTION, AS PROVIDED IN THIS LIMITED WARRANTY. SAMSUNG SHALL NOT BE LIABLE FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES, INCLUDING BUT NOT LIMITED TO TIME AWAY FROM WORK, HOTELS AND / OR RESTAURANT MEALS, REMODELING EXPENSES, LOSS OF REVENUE OR PROFITS, FAILURE TO REALIZE SAVINGS OR OTHER BENEFITS REGARDLESS OF THE LEGAL THEORY ON WHICH THE CLAIM IS BASED, AND EVEN IF SAMSUNG HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Some states do not allow exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This warranty gives you specific rights, and you may also have other rights, which vary from state to state.

SAMSUNG does not warrant uninterrupted or error-free operation of the product. No warranty or guarantee given by any other person, firm, or corporation with respect to this product shall be binding on SAMSUNG.

To obtain warranty service, please contact SAMSUNG at:

85 Challenger Road
Ridgefield Park, NJ 07660
1-800-SAMSUNG (726-7864)
www.samsung.com/us/support

Index

Small Appliances

VCA-SAE90172, 239

VR1AM7040WG ..174, 241

VR20T6001MW . 173, 240

VR2AM7065WS ..174, 241

VS15T7032R4 171, 238

VS20R9046T3... 170, 238

VS20T7536T5 170, 238

Built-In Cooking

NA30N6555T 37, 183

NA30N7755T.....36, 182

NA30R5310F.....38, 183

NA36N6555T..... 37, 182

NA36N7755T36, 182

NA36R5310F38, 183

NQ70M6650D.....30, 178

NQ70M7770D30, 178

NQ70T5511D..... 31, 178

NV31T4551S..... 35, 181

NV51K6650D.....32, 180

NV51K6650S 34, 181

NV51K7770D32, 180

NV51K7770S..... 34, 181

NV51T5511D 33, 180

NV51T5511S 35, 181

NZ24T4360R43, 185

NZ30K6330R 41, 185

NZ30K7570R..... 40, 184

NZ30K7880U.....39, 184

NZ30R5330R42, 185

NZ36K6430R 41, 184

NZ36K7570R..... 40, 184

NZ36K7880U39, 184

NZ36R5330R.....42, 185

Ranges

NE59J7850 63, 190

NE59M6850 63, 190

NE59R4321..... 64, 190

NE59T431165, 190

NE59T7511 64, 190

NE63T811159, 188

NE63T8311..... 58, 188

NE63T8511..... 58, 188

NE63T8711.....57, 188

NE63T8751 57, 188

NX58K7850..... 60, 189

NX58M6850..... 60, 189

NX58R431162, 189

NX58R5601 61, 189

NX58T7511..... 61, 189

NX60T811156, 187

NX60T831156, 187

NX60T8511 55, 187

NX60T8711.....55, 186

NX60T875154, 186

NY63T8751.....54, 186

Microwaves

MC11K7035 76, 194

MC12J8035 76, 194

MC17T8000 72, 192

ME16K3000..... 75, 193

ME17R7021 74, 193

ME19R7041 74, 193

ME21K7010 72, 192

ME21M706 73, 192

ME21R7051 73, 192

MG11H202077, 194

MG11T501877, 194

MS14K6000 79, 195

MS19M800078, 195

MS19M8020 78, 195

Ventilation

NK30K7000W..... 88, 198

NK30N7000U 89, 199

NK30R5000W 90, 198

NK36K7000W 88, 198

NK36N7000U 89, 199

NK36R5000W..... 90, 198

Dishwashers

DW50T6060104, 201

DW60R2014103,201

DW80N3030 102, 200

DW80R2031 103, 201

DW80R5060 102, 200

DW80R5061 101, 200

DW80R7060..... 101, 200

DW80R7061.....100, 200

DW80R9950.....100, 200

Refrigeration

RB10FSR4E..... 134, 216

RF18HFFENB.....129, 212

RF20HFEN 128, 212

RF220NCT..... 128, 212

RF22K9381 115, 202

RF22N9781 114, 202

RF22R7351..... 119, 205

RF22R7551.....118, 204

RF23J9011 116, 202

RF23M8070..... 117, 204

RF23M8570 117, 204

RF23R6201 124, 210

RF23R6301 122, 208

RF24R7201 120, 205

RF25HMIDB..... 121, 206

RF26J7500 124, 208

RF27T5201.....126, 210

RF27T5501..... 122, 208

RF28K9070..... 116, 202

RF28K9380 115, 202

RF28N9780 114, 202

RF28R6201125, 210

RF28R6221 123, 208

RF28R6301 123, 208

RF28R7201 120, 205

RF28R7351..... 119, 205

RF28R7551.....118, 204

RF28T5001127, 212

RF28T5021.....126, 210

RF28T5101127, 212

RF28T5F01.....125, 210

RS22T5201.....131, 214

RS22T5561130, 214

RS27T5200131, 214

RS27T5561130, 214

RT18M6213 133, 215

RT18M6215 132, 215

RT21M6213 133, 215

RT21M6215 132, 215

RW51TS338136, 218

RZ11M7074135, 217

Laundry

DF60R8200..... 160, 236

DV22K6800E 159, 235

DV22N6800H..... 159, 235

DVE45R6100150, 224

DVG45R6100.....150, 224

DVE45R6300.....149, 224

DVG45R6300 149, 224

DVE45T3200158, 232

DVG45T3200.....158, 232

DVE45T3400..... 157, 232

DVG45T3400 157, 232

DVE45T6000 151, 224

DVG45T6000 151, 224

DVE45T6020 151, 224

DVG45T6020 151, 224

DVE50R5200156, 232

DVG50R5200156, 232

DVE50R5400 154, 230

DVG50R5400 154, 230

DVE50R8500 148, 224

DVG50R8500 148, 224

DVE50T5300 155, 230

DVG50T5300 155, 230

DVE54R7200..... 153, 230

DVG54R7200 153, 230

DVE54R7600 152, 230

DVG54R7600 152, 230

DVE55M9600.....147, 221

DVG55M9600147, 221

DVE60M9900146, 221

DVG60M9900146, 221

WA45T3200 158, 228

WA45T3400 157, 228

WA50R5200 156, 228

WA50R5400.....154, 226

WA50T5300155, 226

WA54R7200153, 226

WA54R7600152, 226

WF45R6100150, 222

WF45R6300..... 149, 222

WF45T6000 151, 222

WF50R8500148, 222

WV55M9600 147, 220

WV60M9900 146, 220

WW22K6800159, 234

Builder Resources

Samsung Builder Concierge

A dedicated resource for employees affiliated with the Distributor or Builder.

1-844-SAM4BLD
(1-844-726-4253)

Mon-Fri: 9AM-8PM (EST)

Homebuyer Samsung Support

Homebuyers can get assistance for any warranty-related repairs through Samsung Support.

1-800-SAMSUNG
(1-800-726-7864)

Web, Live Chat, or Email available 24/7

Customer Resources

Samsung Care+ for Home Appliances & TVs

1-866-371-9501
samsung.com/us/support/samsung-care-plus/home-appliances-and-electronics/

Samsung Order Help

1-855-726-8721
samsung.com/us/support/order-help

