



SAMSUNG Display MSRP Price List - EFFECTIVE March 2013

Mfg Part Number	Product Description	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
<u>17" TFT LCD Displays:</u>								
B1740R	17" LED Monitor; Contrast Ratio: MEGA DCR(Static 1000:1); Response Time: 5ms; Brightness: 250 cd/m ² ; Display Resolution: 1280x1024; Viewing Angle: 170/160; Input: VGA/DVI; Bezel Color: Matte Black; Pixel Pitch: 0.3 x 0.3; Special Features: MagicBright 3, MagicEco, MagicAngle, MagicReturn, Off Timer, Image Size Color Effect, Customized Key, Windows Vista Basic, DVI with HDCP; Description: LED Panel, Includes VGA cable, Stand: Adjustable Stand, tilt, VESA 75 x 75 wall mount; Warranty: 3 Years (Parts/Labor)	\$190.60	1095	12.13	5.1	Silver	Yes	729507813462
<u>18.5" TFT LCD Displays:</u>								
S19A200NW	18.5"; Contrast Ratio: MEGA DCR(Static 1000:1); Response Time: 5ms; Brightness: 250 cd/m ² ; Display Resolution: 1440x900; Viewing Angle: 170/160; Input: VGA; Bezel Color: Matte Black; Pixel Pitch: 0.3 x 0.3; Special Features: "Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, Customized Key, Image Size, OW Mechanical Switch, Carring Hadle"; Description: LED Panel, Includes VGA cable, Stand: Simple, Tilt, VESA 1000 x 100 wall mount; Warranty: 3 Years (Parts/Labor)	\$191.00	1095	9.3	5.1	Gold	Yes	729507816838
S19B420B	18.5"; Contrast Ratio: MEGA DCR(Static 1000:1); Response Time: 5ms; Brightness: 250cd/m ² ; Display Resolution: 1366x768; Viewing Angle: 170/160; Input: VGA (D-SUB), DVI; Bezel Color: Matt Black; Pixel Pitch: 0.3 x 0.3; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright, Samsung MagicColor, Off Timer, Image Size, Key Repeat Time Supported, MagicTune, MultiScreen, Includes VGA/DVI Cables, Stand: 100x10mm VESA; Warranty: 3 Years (Parts/Labor/Backlight)	\$190.60	1095	11.22	5.1	Gold	Yes	729507819433
S19C200NY	18.5"; Contrast Ratio: Mega DCR (Static 700:1); Response Time: 5ms(On/Off); Brightness: 200cd/m ² ; Display Resolution: 1366x768 (16:9) Aspect Ratio; Viewing Angle: 90/65 Viewing Angle; Input: VGA, D-SUB; Bezel Color: Matt Black Color; Special Features: Eco Saving, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported, LED Panel, Includes VGA Cable, Simple Stand, Tilt Only, VESA 100x100 wall mount, Magic Tune, Multi Screen;Warranty: 3 years (Parts/Labor/Backlight)	\$152.94	1095	10	5.1	Gold	Yes	887276015682
<u>19" TFT LCD Displays:</u>								
943BT-2	19" LED Monitor; Contrast Ratio: DC 8000:1(1000:1) (Typ.); Response Time: 5ms; Brightness: 3000 cd/§ ³ ; Display Resolution: 1280x1024; Viewing Angle: 170/160 (CR>10); Input: Analog RGB, DVI; Bezel Color: Black; Pixel Pitch: 0.294mm; Special Features: MagicBright3, Off timer, Color Effect,Customized key, MagicWizard & MagicTune with AssetManagement, Windows Vista Premium,MagicRotation S/W(Pivot) Safe Mode(DownScaling in UXGA), DVI with HDCP, 130mm Height Adjustable Stand, Typical power consumption: 22W, TCO 5.0/'03; Warranty: 3 Years (Parts/Labor)	\$242.00	1095	10.69	Yes	n/a	Yes	729507815732
B1940ER	19" LED Monitor; Contrast Ratio: DC 50000:1(1000:1) (Typ.); Response Time: 5ms; Brightness: 250 cd/§ ³ ; Display Resolution: 1280x1024; Viewing Angle: 170c ³ /160c ³ (CR>10); Input: Analog RGB, DVI; Bezel Color: Black; Pixel Pitch: 0.294mm; Special Features: MagicBright3, MagicEco, MagicAngle, MagicReturn,Off timer, Image Size Color Effect,Customized key, Windows7, DVI with HDCP, 130mm Height Adjustable Stand, Typical power consumption: 22W, TCO 5.0/'03; Warranty: 3 Years (Parts, Labor&Backlight)	\$285.93	1095	13.7	5.1	Gold	Yes	729507701738
S19A450BR	19" LED Monitor - Contrast Ratio: MEGA DCR(Static 1000:1); Response Time: 5ms; Brightness: 250 cd/m ² ; Display Resolution: 1280x1024 Viewing Angle: 170/160; Input: VGA/DVI; Bezel Color: Matte Black; Special Features: Eco Saving, Multi Screen Software, MagicAngle, MagicBright 3, MagicColor, Off Timer, Customized Key, Image Size Adjustment, 0-Watt Power On & Off Switch, Carrying Handle; Cable: includes VGA cable, Stand: 100mmHAS, Pivot Tiltt, 100 x 100mm VESA; Warranty: 3 Years (Parts/Labor)	\$293.25	1095	13	5.1	Gold	Yes	729507817613
S19A450BW-1	19" LED Monitor - Contrast Ratio: MEGA DCR(Static 1000:1); Response Time: 5ms; Brightness: 250 cd/m ² ; Display Resolution: 1440x900 (16:9); Viewing Angle: 170/160; Input: VGA/DVI; Bezel Color: Matte Black; Special Features: Eco Saving, Multi Screen Software, MagicAngle, MagicBright 3, MagicColor, Off Timer, Customized Key, Image Size Adjustment, 0-Watt Power On & Off Switch, Carrying Handle; Cable: includes VGA cable, Stand: 100mmHAS, Pivot Tiltt, 100 x 100mm VESA; Warranty: 3 Years (Parts/Labor)	\$249.25	1095	12.3	5.1	Gold	Yes	729507816852
S19A450MW	19"; Contrast Ratio: MEGA DCR(Static 1000:1); Response Time: 5ms; Brightness: 250cd/m ² ; Display Resolution: 1440x900; Viewing Angle: 170/160; Input: VGA (D-SUB), DVI; Bezel Color: Matt Black; Pixel Pitch: 0.3 x 0.3; Special Features: "Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, Customized Key, Image Size, OW Mechanical Switch, Carring Hadle" Description: LED Panel, Built in Speakers (2x1W), Includes VGA cable, Stand: 100mm HAS, Pivot, Tilt, VESA 100 x 100mm wall mount; Warranty: 3 Years	\$256.58	1095	12.32	5.1	Gold	Yes	729507818184
S19B420BW	19"; Contrast Ratio: MEGA DCR(Static 1000:1); Response Time: 5ms; Brightness: 250cd/m ² ; Display Resolution: 1440x900; Viewing Angle: 170/160; Input: VGA (D-SUB), DVI; Bezel Color: Matt Black; Pixel Pitch: 0.3 x 0.3; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright, Samsung MagicColor, Off Timer, Image Size, Key Repeat Time Supported, MagicTune, MultiScreen, Includes VGA/DVI Cables, Stand: 100x10mm VESA; Warranty: 3 Years (Parts/Labor/Backlight)	\$234.59	1095	11.44	5.1	Gold	Yes	729507819051
S19C200BR	19"; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off) Response Time; Brightness: 250cd/m ² Brightness; Display Resolution: 1280x1024 Resolution (5:4) Aspect Ratio; Viewing Angle: 170/160; Input: VGA, D-Sub, DVI; Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Key Repeat Time supported, LED Panel, Includes VGA & DVI Cable, Tilt Function, Energy Star /TCO/ Epeat Gold, 100x100 Wall mount supported; Warranty: 3 Years (Parts/Labor/Backlight)	\$254.63	1095	10	5.1	Gold	Yes	887276007571



SAMSUNG Display MSRP Price List - EFFECTIVE March 2013

Mfg Part Number	Product Description	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
S19C450BR	19"; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off); Brightness: 250cd/m2 Display Resolution: 1280x1024 (5:4) Aspect Ratio; Viewing Angle: 170/160; Input: VGA, DVI Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Key Repeat Time supported, LED Panel, Includes VGA, DVI Cable, HAS (Pivot, Tilt, Swivel), VESA 100x100 Wall Mount Supported; Warranty: 3 Years (Parts/Labor/Backlight)	\$278.58	1095	13	5.1	Gold	Yes	887276007601
20" TFT LCD Displays:								
EX2020X	20" LED Monitor; Contrast Ratio: Mega DCR (Typical 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1600x900 (16:9); Viewing Angle: 170/160 (CR>10); Input: VGA (15 pin D-SUB), DVI-D; Bezel Color: High Glossy Black; Special Features: MagicBright 3, MagicEco, Samsung MagicAngle, MagicReturn, Off timer, Image Size Color Effect, Customized key, Windows 7, DVI with HDCP Description: 20" Wide LED, Tilt Stand, 75x75mm VESA; Warranty: 3 Years (Parts/Labor)	\$205.27	1095	9.9	5.1	Silver	Yes	729507817682
S20B350H	20" LED Monitor; Contrast Ratio: MDCR (1000:1 Static) ; Response Time: 2ms; Brightness: 250cd/m2; Display Resolution: 1600x900 (16:9); Viewing Angle: 170/160; Input: VGA, HDMI; Bezel Color: Transparent Red; Special Features: Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, MagicTune, Customized Key, Image Size; Warranty: 1 Year (Parts/Labor)	\$234.59	365	7.48	5.1	Gold	Yes	729507818986
S20C200B	20" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off); Brightness: 250cd/m2; Display Resolution: 1600x900; Viewing Angle: 170/160; Input: VGA, DVI; Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported; Warranty: 3 Years (Parts/Labor/Backlight)	\$209.70	1095	8	5.1	Gold	Yes	887276007861
21.5" TFT LCD Displays:								
S22A200B	21.5"; Contrast Ratio: MEGA DCR(Static 1000:1); Response Time: 5ms; Brightness: 250 cd/m ² ; Display Resolution: 1920x1080; Viewing Angle: 170/160; Input: DVI, VGA; Bezel Color: Matt Black; Pixel Pitch: 0.24825 x 0.24825; Special Features: "Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, Customized Key, Image Size, OW Mechanical Switch, Carring Hadle"; Description: LED Panel, Includes VGA cable, Stand: simple, til, VESA 100 x 100mm wall mount; Warranty: 3 Years (Parts/Labor)	\$249.00	1095	11	5.1	Gold	Yes	729507816845
S22A460B-1	21.5" LED Monitor - TAA; Contrast Ratio: Mega DCR (Typical 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1080 (16:9); Viewing Angle: 170/160 (CR>10); Input: VGA (D-SUB 15 pin), DVI; Bezel Color: Matt Black; Special Features: Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, Customized Key, Image Size, OW Mechanical Switch, Carring Hadle Description: LED Panel, Includes VGA cable, Stand: 150mm HAS, Pivot, Tilt, Swivel, VESA 100 x 100mm wall mount; Warranty: 3 Years (Parts/Labor)	\$293.25	1095	13.2	5.1	Gold	Yes	729507817859
S22A650D	21.5 in; Contrast Ratio: MEGA DCR(Static 3000:1); Response Time: 8 ms; Brightness: 250cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178 / 178; Input: DVI, VGA, Displayport; Bezel Color: Matt Black; Pixel Pitch: 0.24825 x 0.24825; Special Features: "Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, Customized Key, Image Size, OW Mechanical Switch, Carring Hadle"; Description: LED Panel, Inculdes VGA cables, Stand: 150mm HAS, Pivot, Tilt, Swivel, VESA 100 x 100mm wall mount; Warranty: 3 yr	\$352.00	1095	13.4	5.1	Gold	Yes	729507816715
S22A650S	21.5" LED Monitor; Contrast Ratio: Mega DCR (Typical 3000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178/168; Input: VGA (D-SUB 15 pin), DVI, Displayport; Bezel Color: Matt Black; Special Features: Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, Customized Key, Image Size, OW Mechanical Switch, Carring Hadle; Description: LED Panel, Inculdes VGA cables, Stand: 150mm HAS, Pivot, Tilt, Swivel, VESA 100 x 100mm wall mount, 1Wx2 Speakers, 2xUSB 2.0; Warranty: 3 Years (Parts/Labor)	\$366.56	1095	13.64	5.1	Gold	Yes	729507817354
S22B350H	21.5" LED Monitor; Contrast Ratio: MDCR (1000:1 Static) ; Response Time: 2ms; Brightness: 250cd/m2; Display Resolution: 19020x1080; Viewing Angle: 170/160 (CR>10); Input:VGA (D-SUB 15 pin), HDMI; Bezel Color: Transparent Red; Special Features: Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, MagicTune, Customized Key, Image Size; Warranty: 1 Year (Parts/Labor)	\$278.58	365	9.02	5.1	Gold	Yes	729507818283
S22C200B	21.5" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off); Brightness: 250cd/m2; Display Resolution: 1920x1080 (16:9) Aspect Ratio; Viewing Angle: 170/160; Input: VGA, DVI; Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported; Warranty: 3 Years (Parts/Labor)	\$249.26	1095	10	5.1	Gold	Yes	887276007748
S22C200NY	21.5" LED Monitor; Contrast Ratio: Mega DCR (Static 600:1); Response Time: 5ms(On/Off); Brightness: 200cd/m2; Display Resolution: 1920x1080, (16:9) Aspect Ratio; Viewing Angle: 90/65; Input: VGA; Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported; Warranty: 3 Years (Parts/Labor)	\$224.68	1095	10	5.1	Gold	Yes	887276015699
S22C450D	21.5" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off); Brightness: 250cd/m2; Display Resolution: 1920x1080 (16:9) Aspect Ratio; Viewing Angle: 170/160; Input: VGA, DVI, Display Port; Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported; Warranty: 3 Years (Parts/Labor)	\$278.58	1095	13	5.1	Gold	Yes	887276013480
22" TFT LCD Displays:								
NC220M	22-inch LED PCoIP Network Monitor with Speakers; Contrast Ratio: Dynamic 10,000:1 (Typical 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1680x1050 (16:10); Viewing Angle: 170/160deg(CR≥10), 178/178deg(CR≥5); Input: VGA (D-SUB 15 pin); Bezel Color: Matt Black; Pixel Pitch: 0.282(H)x0.282(V)mm; Special Features: TeradiciTera1100, (1) Video Out (DVI, for dual) (2)LAN 2EA (RJ 45, Giga) (function: LAN hub) (3) Audio (HeadPhone) (4) Serial Port; Description: LED PCoIP Enabled Display, Stand: 130mm HAS, Tilt, Swivel; Warranty: 3 Years (Parts/Labor)	\$746.00	1095	16.3	n/a	n/a	Yes	729507819099



SAMSUNG Display MSRP Price List - EFFECTIVE March 2013

Mfg Part Number	Product Description	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
S22A450BW-1	22" LED Monitor - TAA; Contrast Ratio: MEGA DCR(Static 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1680x1050 (16:10); Viewing Angle: 170 / 160; Input: VGA (D-SUB 15 pin), DVI; Bezel Color: Matte Black; Pixel Pitch: 0.24825 x 0.24825; Special Features: "Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carring Hadle" Description: LED Panel, Embedded Speakers, Includes VGA cable, Stand: 100mm HAS, Pivot, Tilt, VESA 100 x 100mm wall moun; Warranty: 3 Years (Parts/Labor)	\$307.92	1095	13.4	5.1	Gold	Yes	729507817286
S22A450MW	22" LED Monitor; Contrast Ratio: MEGA DCR(Static 1000:1); Response Time: 5ms Brightness: 250cd/m2; Display Resolution: 1680x1050 (16:10); Viewing Angle: 170 / 160; Input: VGA (D-SUB 15 pin), DVI; Bezel Color: Matte Black; Pixel Pitch: 0.24825 x 0.24825; Special Features: "Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carring Hadle"; Warranty: 3 Years (Parts/Labor)	\$315.23	1095	13.42	5.1	Gold	Yes	729507818191
S22B420BW	22" LED Monitor - TAA; Contrast Ratio: Mega Dynamic Contrast Ratio (Static 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1680x1050 (16:10); Viewing Angle: 170 / 160; Input: VGA (D-SUB 15 pin), DVI; Bezel Color: Matte Black; Pixel Pitch: 0.24825 x 0.24825; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright, Samsung MagicColor, Off Timer, Image Size, Key Repeat Time Supported, MagicTune, MultiScreen, Includes VGA/DVI Cables, 100x100mm VESA; Warranty: 3 Years (Parts/Labor/Backlight)	\$293.25	1095	12.21	5.1	Gold	Yes	729507818863
UD22B	22" Ultra Narrow Bezel Professional LED LCD Display with Square Aspect Ratio - TAA; Contrast Ratio: 4000:1; Response Time: 8ms; Brightness: 450nit; Display Resolution: 960x960; Viewing Angle: 178/178; Input: DVI-D (in/out), DisplayPort, HDMI, Stereo Mini Jack (out), RS232C (in/out), RJ45; Bezel Color: Matte Black; Special Features: Square ratio, super narrow bezel, SBB-A, digital daisy chains, lamp error detection, anti-image retention, RS-232C/RJ45 MDC, video wall (up to 10 x 10), button lock and Smart Scheduling; Warranty: 3 Years On-Site (Parts/Labor/Backlight)	\$2,767.00	1095	16.9	n/a	n/a	Yes	8806085204966
<u>23" TFT LCD Displays:</u>								
S23C200B	23" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off); Brightness: 250cd/m2; Display Resolution: 1920x1080 (16:9) Aspect Ratio; Viewing Angle: 170/160; Input: VGA, DVI; Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported; Warranty: 3 Years (Parts/Labor)	\$263.92	1095	10	5.1	Gold	Yes	887276007625
S23C450D	23" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off); Brightness: 250cd/m2; Display Resolution: 1920x1080; Viewing Angle: 170/160; Input: VGA, DVI, Display Port; Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported; Warranty: 3 Years (Parts/Labor)	\$307.91	1095	13	Yes	Gold	Yes	887276013497
<u>24" TFT LCD Displays:</u>								
C24A650X	24" Central Station w/wireless docking; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 250cd/m2; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178/178; Input: VGA (D-SUB 15 pin), HDMI; Bezel Color: Matte Black; Special Features: Wiress Detection, Eco Saving, Multi Screen Software, Magic Bright, Magic Color, Off Timer, Customized Key, Image Size Adjustment, 0W Power On&Off Switch, Cable Arrangement, Tilt, Swivel, Pivot, HAS, USB Powered Hub Option (2xUSB2.0, 2xUSB3.0); Warranty: 3 Years (Parts/Labor)	\$557.18	1095	15.84	5.1	Gold	Yes	729507817156
S24A450BW	24" LED Monitor; Contrast Ratio: MEGA DCR(Static 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1200 (16:10); Viewing Angle: 170 / 160; Input: DVI, VGA; Bezel Color: Matt Black; Pixel Pitch: 0.27675 x 0.27675; Special Features:Eco Saving, Multi Screen Software, MagicAngle, MagicBright 3, MagicColor, Off Timer, Customized Key, Image Size Adjustment, 0-Watt Power On & Off Switch, Carrying Handle; Description: LED Panel, Includes VGA cables, Stand: 100mm HAS, Pivot, Tilt, VESA 100 x 200mm wallmount; Warranty: 3 Year (Parts/Labor)	\$425.22	1095	14.7	5.1	Gold	Yes	729507817316
S24A450BW-1	24" LED Monitor; Contrast Ratio: MEGA DCR(Static 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1200 (16:10); Viewing Angle: 170 / 160; Input: DVI, VGA; Bezel Color: Matt Black; Pixel Pitch: 0.27675 x 0.27675; Special Features:Eco Saving, Multi Screen Software, MagicAngle, MagicBright 3, MagicColor, Off Timer, Customized Key, Image Size Adjustment, 0-Watt Power On & Off Switch, Carrying Handle; Description: LED Panel, Includes VGA cables, Stand: 100mm HAS, Pivot, Tilt, VESA 100 x 200mm wallmount; Warranty: 3 Year (Parts/Labor)	\$425.22	1095	14.7	5.1	Gold	Yes	729507816951
S24A450MW	24" (16:10); Contrast Ratio: MEGA DCR (Static 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1200; Viewing Angle: 170 / 160; Input: VGA (D-SUB), DVI; Bezel Color: Matt Black; Pixel Pitch: 0.27675 x 0.27675; Special Features: "Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carring Hadle" Description: LED Panel, Built in Speakers (2x1W), Includes VGA cable, Stand: 100mm HAS, Pivot, Tilt, VESA 100 x 200mm wallmount; Warranty: 3 Years	\$432.55	1095	14.74	5.1	Gold	Yes	729507818207
S24A460B-1	24" LED Display - TAA; Contrast Ratio: Mega DCR (Typical 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1080 (16:9); Viewing Angle: 170/160 (CR>10); Input: VGA (D-SUB 15 pin), DVI; Bezel Color: Matt Black; Special Features: Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carring Hadle Description: LED Panel, Includes VGA cable, Stand: 150mm HAS, Pivot, Tilt, Swivel, VESA 100 x 200 mm wall mount; Warranty: 3 Years (Parts/Labor)	\$366.57	1095	15.4	5.1	Gold	Yes	729507817842

Mfg Part Number	Product Description	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
S24A650D	24"; Contrast Ratio: MEGA DCR(Static 3000:1); Response Time: 8ms; Brightness: 250 cd/m ² ; Display Resolution: 1920x1080; Viewing Angle: 178 / 178; Input: DVI, VGA, Displayport; Bezel Color: Matt Black; Pixel Pitch: 0.27675 x 0.27675; Special Features: "Eco Saving, Multi Screen S/W,Samsung Magic Bright, Samsung Magic Color, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carring Hadle, Cable Arrangement"	\$425.00	1095	15.2	5.1	Gold	Yes	729507817125
S24A650S	Description: LED Panel,Includes VGA cable, Stand: 150mm HAS, Pivot, Tilt, Swivel, VESA 100 x 200mm wallmount; Warranty: 3 Years 24" LED Monitor; Contrast Ratio: MEGA DCR(Static 3000:1); Response Time: 8ms; Brightness: 250 cd/m ² ; Display Resolution: 1920x1080; Viewing Angle: 178 / 178; Input: DVI, VGA, Displayport; Bezel Color: Matt Black; Pixel Pitch: 0.27675 x 0.27675; Special Features: Eco Saving, Multi Screen S/W,Samsung Magic Bright, Samsung Magic Color, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carrying Handle, Cable Arrangement; Description: LED Panel,Includes VGA cable, Stand: 150mm HAS, Pivot, Tilt, Swivel, VESA 100 x 200mm wallmount, 1Wx2 Speaker, 2xUSB 2.0; Warranty: 3 Years	\$439.88	1095	15.84	5.1	Gold	Yes	729507817361
S24A850DW	24"; Contrast Ratio: 1000:1; Response Time: 5 ms; Brightness: 300 cd/m ² ; Display Resolution: 1920x1200; Viewing Angle: 178 / 178; Input: Displayport, Dual Link DVI x2, USB 3.0 x 4; Bezel Color: Matt Black; Pixel Pitch: 0.27675 x 0.27675; Special Features: "Eco Saving, Multi Screen S/W,Samsung Magic Bright, Samsung Magic Color, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carring Hadle, Cable Arrangement"	\$659.82	1095	17.2	5.1	Gold	Yes	729507816722
	Description: LED PLS panel, Includes VGA cable, USB 3.0 Cable, Stand: 150mm HAS, Pivot, Tilt, Swivel, VESA 100 x 200 wall mount; Warranty: 3 yr							
S24B350HL	23.6" LED Monitor; Contrast Ratio: MDCR (1000:1 Static) ; Response Time: 2ms; Brightness: 250cd/m ² ; Display Resolution: 19020x1080; Viewing Angle: 170/160 (CR>10); Input:VGA (D-SUB 15 pin), HDMI; Bezel Color: Transparent Red; Special Features: Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, MagicTune, Customized Key, Image Size; Warranty: 1 Year (Parts/Labor)	\$366.56	365	11.44	5.1	Gold	Yes	729507818313
S24C200BL	23.6" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off); Brightness: 250cd/m ² ; Display Resolution: 1920x1080; Viewing Angle: 170/160; Input: VGA, DVI; Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported; Warranty: 3 Years (Parts/Labor)	\$278.58	1095	12	5.1	Gold	Yes	887276007649
S24C450BW	24" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off); Brightness: 250cd/m ² ; Display Resolution: 1920x1200, (16:10) Aspect Ratio; Viewing Angle: 170/160; Input: VGA, DVI; Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported; Warranty: 3 Years (Parts/Labor)	\$410.55	1095	14	5.1	Gold	Yes	887276007274
S24C450D	24" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off); Brightness: 250cd/m ² ; Display Resolution: 1920x1080 (16:9) Aspect Ratio; Viewing Angle: 170/160; Input: VGA, DVI, Display Port; Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported, Magic Tune, MultiScreen, Magic Rotation; Warranty: 3 Years (Parts/Labor)	\$351.90	1095	14	5.1	Gold	Yes	887276013510
S24C450DL	23.6" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off); Brightness: 250cd/m ² ; Display Resolution: 1920x1080 (16:9) Aspect Ratio; Viewing Angle: 170/160; Input: VGA,DVI,Display Port; Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported; Warranty: 3 Years (Parts/Labor)	\$322.57	1095	15	5.1	Gold	Yes	887276013503
<u>27" TFT LCD Displays:</u>								
C27A650X	27" Central Station w/ wireless docking; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 300cd/m ² ; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178/178; Input: VGA (D-SUB 15 pin), HDMI; Bezel Color: Matte Black; Special Features: Wireless Detection, Eco Saving, Multi Screen S/W, Samsung Magic Bright, Samsung Magic Color, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Cable Arrangement, Tilt, Swivel, Pivot, HAS, (2xUSB2.0, 2xUSB3.0); Warranty: 3 Years (Parts/Labor)	\$805.62	1095	20.24	5.1	Gold	Yes	729507817163
S27A650D	27 "; Contrast Ratio: MEGA DCR(Static 3000:1); Response Time: 8 ms; Brightness: 300 cd/m ² ; Display Resolution: 1920x1080; Viewing Angle: 178 / 178; Input: DVI, VGA, Displayport; Bezel Color: Matt Black; Pixel Pitch: 0.3113 x 0.3113; Special Features: "Eco Saving, Multi Screen S/W,Samsung Magic Bright, Samsung Magic Color, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carring Hadle, Cable Arrangement"; Description: LED Panel, Includes VGA cable, Stand: 150mm HAS, Pivot, Tilt, Swivel, VESA 100 x 200mm wallmount; Warranty: 3 Years	\$586.50	1095	19.8	5.1	Gold	Yes	729507817132
S27A850D	27" LED Monitor; Contrast Ratio: 1000:1; Response Time: 5 ms; Brightness: 300 cd/m ² ; Display Resolution: 2560 x 1440; Viewing Angle: 178 / 178; Input: Displayport, Dual Link DVI x2, USB 3.0 x 3; Bezel Color: Matt Black Pixel Pitch: 0.3113 x 0.3113; Special Features: "Eco Saving, Multi Screen S/W,Samsung Magic Bright, Samsung Magic Color, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carring Hadle, Cable Arrangement" Description: LED PLS panel, Includes DVI cable, USB 3.0 Cable, Stand: 150mm HAS, Pivot, Tilt, Swivel, VESA 100 x 200 wall mount; Warranty: 3 Years	\$1,246.33	1095	21.6	5.1	Gold	Yes	729507817149
S27A850T	27" LED Monitor; Contrast Ratio: 1000:1 (Static), Mega DCR; Response Time: 5ms; Brightness: 300 cd/m ² ; Display Resolution: 2560 x 1440; Viewing Angle: 178/178; Input: Displayport, Dual Link DVI x2, HDMI, USB 3.0 x 3; Bezel Color: Matte Black; Pixel Pitch: 0.3113 x 0.3113; Special Features: "Eco Saving, Multi Screen S/W,Samsung MagicBright, Samsung Magic Color, Off Timer, Customized Key, Image Size, 0W Mechanical Switch, Carring Hadle, Cable Arrangement"; Description: LED PLS panel, Includes DVI cable, USB 3.0 Cable, Stand: 150mm HAS, Pivot, Tilt, Swivel, VESA 100 x 200 wall mount; Warranty: 3 Years (Parts/Labor/Backlight)	\$1,099.71	1095	21.6	5.1	Gold	Yes	729507818740
S27B350H	27" LED Monitor; Contrast Ratio: Mega Dynamic Contrast Ratio (Static 1000:1) ; Response Time: 2 ms; Brightness: 300 cd/m ² ; Display Resolution: 1920 x 1080; Viewing Angle: 170/160 (CR>10) ; Input: VGA (D-SUB 15 pin), HDMI ; Bezel Color: Transparent Red; Special Features: Eco Saving, Multi Screen S/W, Samsung MagicAngle, Samsung MagicBright3, Samsung MagicColor, Off Timer, MagicTune, Customized Key, Image Size; Warranty: 1 Year	\$483.86	365	14.08	5.1	Gold	Yes	729507818320
S27C450D	27" LED Monitor; Contrast Ratio: Mega DCR (Static 1000:1); Response Time: 5ms(On/Off) Brightness: 300cd/m ² ; Display Resolution: 1920x1080, (16:9); Viewing Angle: 170/160; Input: VGA, DVI, Display Port; Bezel Color: Matt Black; Special Features: Eco Saving, Samsung MagicAngle, Samsung MagicBright 3, Off Timer, Image Size, Key Repeat Time supported; Warranty: 3 Years (Parts/Labor)	\$513.19	1095	17	5.1	Gold	Yes	887276007304



SAMSUNG Display MSRP Price List - EFFECTIVE March 2013

Mfg Part Number	Product Description	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
Specialty Displays:								
MD230	23"; Contrast Ratio: DC150,000:1(Static 3000:1); Response Time: 8ms (GTG); Brightness: 300 lumen; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: D-sub, DVI-D, DP; Bezel Color: Black; Pixel 0.265; Multi Control Pad,DVI-D cable(2m),DP(Display Port) Cable(2.5m), USB Cable(1m, Daisy chain),Control Keypad(1m),Power cable(1.5m), Power in/out cable(0.7m),Manual; Warranty: Warranty: 3 Year Parts/Labor	\$659.82	1095	16.53	n/a	n/a	Yes	729507811420
MD230X3	23" - 3 screen Multi-Display Solution; Contrast Ratio: DC150,000:1(Static 3000:1); Response Time: 8ms (GTG); Brightness: 300 lumen; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: D-sub, DVI-D, DP; Bezel Color: Black; Pixel 0.265; Multi Control Pad,DVI-D cable(2m),DP(Display Port) Cable(2.5m), USB Cable(1m, Daisy chain),Control Keypad(1m),Power cable(1.5m), Power in/out cable(0.7m),Manual, 100mm Height adjustable stand; Warranty: Warranty: 3 Year Parts/Labor	\$2,199.43	1095	66.36	n/a	n/a	Yes	729507813486
MD230X6	23" - 6 screen Multi-Display Solution; Contrast Ratio: DC150,000:1(Static 3000:1); Response Time: 8ms (GTG); Brightness: 300 lumen; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: D-sub, DVI-D, DP; Bezel Color: Black;Pixel 0.265; Multi Control Pad,DVI-D cable(2m),DP(Display Port) Cable(2.5m), USB Cable(1m, Daisy chain),Control Keypad(1m),Power cable(1.5m), Power in/out cable(0.7m),Manual, 100mm Height adjustable stand; Warranty: Warranty: 3 Year Parts/Labor	\$4,399.98	1095	110.67	n/a	n/a	Yes	729507813493
NL22B	22 inch LED Transparent Display with All-in-One Showcase - TAA; Contrast Ratio: 500:1; Response Time: 5ms; Brightness: 165nit; Display Resolution: 1680x1050; Viewing Angle: 160/140; Input: 2 x USB 2.0, 2 x USB 3.0, RJ45; Description: 22 inch LED Transparent Display with All-in-One Showcase, Embedded PC Configuration (AMD A4-3310M Dual Core, Windows 7 Embedded Standard 7, Radeon HD6620G - integrated on APU, 32GB SSD, 2GB RAM - DDR3 SO-DIMM 2GB x 1, GbE Ethernet, USB 2.0 x 2, USB 3.0 x 2, RJ45); Warranty: 3 Years	\$3,690.00	1095	46.6	n/a	n/a	Yes	8806085204959
Thin Client Displays:								
TB-CH	TB-CH Thin Client Embedded-Citrix Cloud Stand; Input: USB 2.0 x 6, VGA Out (D-Sub 15 Pin) for Dual Display, DVI-D Out for connection to integrated display, Audio Out, Headphone Out, Mic In, RJ45; Bezel Color: Matte Black; Special Features: [OS] LINUX, [Client SW] Citrix Receiver 11.1"; Description: AMD Ontario 1.6GHz Dual, AMD Radeon HD6310, Realtek ALC269, Marvell 88E8055 Gigabit LAN, DDR3 1GB, SSD 8GB, Gigabit Ethernet, Fan, MagicRMS Pro; Warranty: 3 Years	\$484.00	1095	7.7	n/a	n/a	Yes	729507819723
TB-WH	TB-WH Thin Client Embedded-Windows Cloud Stand; Input: USB 2.0 x 6, VGA Out (D-Sub 15 Pin) for Dual Display, DVI-D Out for connection to integrated display, Audio Out, Headphone Out, Mic In, RJ45; Bezel Color: Matte Black; Special Features: [OS] Windows Embedded Standard 7 (WES 7), [Client SW] Microsoft RDP, Citrix Online Plug-in, VMWare, [Others] Enhanced Write Filter (EWF), Internet Explorer, Media Player; Description: AMD Ontario 1.6GHz Dual, AMD Radeon HD6310, Realtek ALC269, Marvell 88E8055 Gigabit LAN, DDR3 1GB, SSD 8GB, Gigabit Ethernet, Fan, MagicRMS Pro; Warranty: 3 Years	\$650.00	1095	7.7	n/a	n/a	Yes	729507819716
WS-STAND	WS-STAND Thin Client Embedded Cloud Stand; Input: USB 2.0 x 6, VGA Out (D-Sub 15 Pin) for Dual Display, DVI-D Out for connection to integrated display, Audio Out, Headphone Out, Mic In, RJ45; Bezel Color: Matte Black; Special Features: [OS] Windows Embedded Standard 2009(WES 2009), Client SW] Microsoft RDP(7.1), Citrix Online Plug-in (12.1), VMWare (View 4.6), [Others] Enhanced Write Filter (EWF), Internet Explorer 8.0, Media Player 11" Description: AMD Ontario 1.0GHz Dual, AMD Radeon HD6250, Realtek ALC262, Marvell 88E8055 Gigabit LAN, DDR3 2GB, SSD 8GB, Gigabit Ethernet, Fan, MagicRMS Pro Warranty: 3 Years	\$433.00	1095	6.8	Yes	n/a	Yes	729507819297
TC190-1	19" Widescreen Thin Client Integrated LCD Monitor; Contrast Ratio: 1,000:1; Response Time: 5; Brightness: 250cd/m2; Display Resolution: 1280 x 1024; Viewing Angle: 170!deg/160!deg; Input: Analog RGB,Separate H/V, Composite, 15pin DSUB; Bezel Color: Black; Pixel Pitch: 0.294; Special Features: "[System] - CPU : AMD 210U (1.5G Hz)- OS : Windows Embedded Standard- Extra video memory(64MB) - DDR2 1G/2G (optional) - Flash 1G/2G/4G/8G (optional) [S/W] - Windows XP Service Pack 3 - Internet Explorer 7.0 - Microsoft RDP 6.1 - Citrix XenApp - 2X software - Altiris Deployment Software (Optional) [Connectivity] - Serial Port - Parallel Port - Headphone/Line out port, Microphone in port - USB2.0 * 4 - 1 Giga Ethernet - VGA in(for PC monitor), VGA out(for Dual Video); Warranty: 3 Year Parts/Labor	\$915.00	1095	14.22	Yes	n/a	Yes	729507812649
TC190-2/4	19" Widescreen Thin Client Integrated LCD Monitor with 2GB RAM / 4GB Flash Drive; Contrast Ratio: 1,000:1; Response Time: 5ms (GTG); Brightness: 250cd/m2; Display Resolution: 1280 x 1024; Viewing Angle: 170/160; Input: Analog RGB,Separate H/V, Composite, 15pin DSUB; Bezel Color: Black Pixel Pitch: 0.294 x 0.294; Special Features: "[System] - CPU : AMD 210U (1.5G Hz) w/ 2GB RAM + 4GB FDM - OS : Windows Embedded Standard - Extra video memory(64MB) - DDR2 1G/2G (optional) - Flash 1G/2G/4G/8G (optional) [S/W] - Windows XP Service Pack 3 - Internet Explorer 7.0 - Microsoft RDP 6.1 - Citrix XenApp - 2X software - Altiris Deployment Software (Optional) [Connectivity] - Serial Port - Parallel Port- Headphone/ Line out port, Microphone in port - USB2.0 * 4 - 1 Giga Ethernet - VGA in(for PC monitor), VGA out(for Dual Video); Warranty: 3 Year Parts/Labor	\$1,065.00	1095	14.2	Yes	n/a	Yes	729507812649
TC191W	19" Cloud Display, Thin Client, Windows Embedded Standard (WES 7); Contrast Ratio: 1000 : 1; Response Time: 5 ms; Brightness: 250 cd/m2; Display Resolution: 1,280 x 1,024 (5:4) Aspect Ratio; Viewing Angle: 170 / 160 (CR over 10); Input: VGA, DVI, USB 2.0 x 4, MIC In, Audio In, Headphone Out; Bezel Color: Black; Special Features: Processor(AMD Ontario 1.0 GHz Dual) Operating System (WES7) GPU(AMD Radeon HD6290), Windows Certified, TCO 05, Energy Star 5.0 Description: LED Display, Storage(SSD 8 GB), Memory (DDR3 2GB), Gigabit Ethernet, Speaker (1W x 2ea), All-in-one Form Factor; Warranty: 3 Years Parts/Labor	\$805.00	1095	13	Yes	n/a	Yes	8806085359062
TS190C	19" Thin Client Embedded-Citrix LED LCD Cloud Station Display; Contrast Ratio: 1,000:1 (Typical); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1440x900; Viewing Angle: 170/160; Input: VGA (D-Sub 15 Pin), USB 2.0 x 6, DVI, Audio In, Mic In, RJ45; Bezel Color: Matte Black; Special Features: [OS] LINUX, [Client SW] Citrix Receiver 11.1; Description: AMD Ontario 1.0GHz Dual, AMD Radeon HD6250, Realtek ALC262, Marvell 88E8055 Gigabit LAN, DDR3 1GB, SSD 8GB, Gigabit Ethernet, Fan, MagicRMS Pro; Warranty: 3 Years	\$850.00	1095	13.7	Yes	n/a	Yes	729507818177



SAMSUNG Display MSRP Price List - EFFECTIVE March 2013

Mfg Part Number	Product Description	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
TS190W	19" Thin Client Embedded-Windows LED LCD Cloud Station Display; Contrast Ratio: 1,000:1; Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1440x900; Viewing Angle: 170/160; Input: DVI in, VGA in, DVI out, VGA out, Mic in, Headphone out, Audio out, RJ45 LAN, USBx6 (2.0), Audio In, Mic In, Headphone Out, RJ45; Bezel Color: Matte Black; Pixel Pitch: 0.2835x0.2715; Special Features: OS: Windows Embedded Standard 7 Client SW: Microsoft RDP/RemoteFX, Citrix Online Plug-in, VMware, Enhanced Write Filter, Internet Explorer, Media Player Citrix XenApp/Citrix Presentation Server, XenDesktop, VMware View, MS Windows TS2003 2008 RT, MagicRMS Pro; Description: AMD Ontario 1.0GHz Dual Core Processor, AMD Radeon HD6290, 2GB DDR3, 8GB SSD, Gigabit Ethernet, MagicRMS Pro; Warranty: 3 Years	\$963.00	1095	13.7	5.2	Gold	Yes	729507818665
TS220C	21.5" Thin Client Embedded-Citrix LED LCD Cloud Station Display; Contrast Ratio: 1,000:1 (Typical); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1080; Viewing Angle: 170/160; Input: VGA (D-Sub 15 Pin - In/Out), DVI-D (In/Out) USB 2.0 x 6, Audio In, Mic In, Headphone Out, RJ45; Bezel Color: Matte Black; Special Features: [OS] LINUX, [Client SW] Citrix Receiver 11.1; Description: AMD Ontario 1.0GHz Dual, AMD Radeon HD6250, Realtek ALC262, Marvell 88E8055 Gigabit LAN, DDR3 1GB, SSD 8GB, Gigabit Ethernet, Fan, MagicRMS Pro; Warranty: 3 Years	\$883.00	1095	14.8	Yes	n/a	Yes	729507818696
TS220W	21.5" Thin Client Embedded-Windows LED LCD Cloud Station Display; Contrast Ratio: 1,000:1 (Typical); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1080; Viewing Angle: 170/160; Input: VGA (D-Sub 15 Pin - In/Out), DVI-D (In/Out), USB 2.0 x 6, Audio In, Mic In, Headphone Out, RJ45; Bezel Color: Matte Black; Special Features: "[OS] Windows Embedded Standard 7 (WES 7), [Client SW] Microsoft RDP(7.1), Citrix Online Plug-in (12.1), VMWare (Vew 4.6) [Others] Enhanced Write Filter (EWF), Internet Explorer 8.0, Media Player 12"; Description: AMD Ontario 1.0GHz Dual, AMD Radeon HD6250, Realtek ALC262, Marvell 88E8055 Gigabit LAN, DDR3 2GB, SSD 8GB, Gigabit Ethernet, Fan, MagicRMS Pro; Warranty: 3 Years	\$1,033.00	1095	14.8	Yes	n/a	Yes	729507818672
TC220W	22" Thin Client Embedded LED LCD Display; Contrast Ratio: 1,000:1 (Typical); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1680x1050; Viewing Angle: 170/160; Input: VGA (D-Sub 15 Pin), Audio In, Mic In, USB 2.0 x 4; Bezel Color: Matte Black; Special Features: AMD Ontario 1.0GHz Dual Core, AMD Radeon HD6290, Realtek ALC262, Marvell 88E8055 Gigabit LAN, 2GB DDR3, SSD 8GB, Gigabit Ethernet, Fanless, [OS] Windows Embedded Standard 7 (WES 7), [Client SW] Microsoft RDP(7.1), Citrix Online Plug-in (12.1), VMWare (Vew 4.6), [Others] Enhanced Write Filter (EWF), Internet Explorer 8.0, Media Player 12"; Description: VGA Out, Stereo Mini Jack Out, External Power Adaptor, Tilt/Swivel/Pivot/HAS Stand, RJ45, RS232C (Out); Warranty: 3 Year	\$1,058.00	1095	16.3	Yes	n/a	Yes	729507819952
TC241W	23.6" Cloud Display, Thin Client, Windows Embedded Standard (WES 7); Contrast Ratio: 1000 : 1; Response Time: 5 ms; Brightness: 300 cd/m2; Display Resolution: 1,920 x 1,080; Aspect Ratio: (16:9); Viewing Angle: 170 / 160 deg (CR>10) / 178 / 170 deg (CR >5); Input: VGA, DVI, USB 2.0x4, MIC in, Audio In, Headphone Out; Bezel Color: Black; Special Features: Processor(AMD Ontario 1.0 GHz Dual) Operating System (WES7),TCO 05, Energy Star 5.0, All-in-one form factor; Description: LED Display, Storage(SSD 8 GB), Memory(DDR3 2GB), Gigabit Ethernet, 16.7 Million Color Support, HAS (Swivel, Tilt, Pivot); Warranty: 3 Years Parts/Labor	\$951.67	1095	16	Yes	n/a	Yes	8806085359079
TS240C	24" Thin Client Embedded-Citrix LED LCD Cloud Station Display; Contrast Ratio: 1,000:1 (Typical); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1200; Viewing Angle: 170/160; Input: VGA (D-Sub 15 Pin - In/Out), DVI-D (In/Out), USB 2.0 x 6, Audio In, Mic In, Headphone Out, RJ45; Bezel Color: Matte Black; Special Features: [OS] LINUX, [Client SW] Citrix Receiver 11.1; Description: AMD Ontario 1.0GHz Dual, AMD Radeon HD6250, Realtek ALC262, Marvell 88E8055 Gigabit LAN, DDR3 2GB, SSD 8GB, Gigabit Ethernet, Fan, MagicRMS Pro; Warranty: 3 Years	\$1,134.00	1095	16.5	Yes	n/a	Yes	729507818702
TS240W	24" Thin Client Embedded-Windows LED LCD Cloud Station Display; Contrast Ratio: 1,000:1 (Typical); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1200; Viewing Angle: 170/160; Input: VGA (D-Sub 15 Pin - In/Out), DVI-D (In/Out), USB 2.0 x 6, Audio In, Mic In, Headphone Out, RJ45; Bezel Color: Matte Black; Special Features: [OS] Windows Embedded Standard 7 (WES 7), [Client SW] Microsoft RDP(7.1), Citrix Online Plug-in (12.1), VMWare (Vew 4.6) [Others] Enhanced Write Filter (EWF), Internet Explorer 8.0, Media Player 12"; Description: AMD Ontario 1.0GHz Dual, AMD Radeon HD6250, Realtek ALC262, Marvell 88E8055 Gigabit LAN, DDR3 2GB, SSD 8GB, Gigabit Ethernet, Fan, MagicRMS Pro; Warranty: 3 Years	\$1,284.00	1095	16.5	Yes	n/a	Yes	729507818689
<u>PCOIP Products:</u>								
NB-NH	Cloud Stand, (no display) Zero Client PCOIP (Tera 2); Input: USB 2.0 x 4, RS232C/VGA Out, DVI - D, Audio Out, Mic In, Headphone Out, Gigabit Ethernet; Bezel Color: Black; Special Features: Tera2321 / DDR3 (512MB) / Spk / Fanless, Gigabit Ethernet, Booting Speed of 13 Sec.; Description: Speaker:1W x 2EA(stereo), HAS (Pivot, Tilt); Warranty: 3 Years Parts/Labor	\$436.67	1095	4	TBA	n/a	Yes	729507817309
NC190-1	19" PCoIP Integrated LCD Network Monitor; Contrast Ratio: 1,000:1; Response Time: 5; Brightness: 250cd/m2; Display Resolution: 1280x1024; Viewing Angle: 191quot; Input: Analog RGB, Separate H/V, Composite, 15pin DSub; Bezel Color: Black; Pixel Pitch: 0.294; Special Features: PCoIP Processor : Tera1100 - Memory : XDR 64MB - Operating System : None - HD Audio : ALC883 - Ethernet : Gigabit Switching Hub; [Connectivity] - VGA in(for PC monitor), DVI out(for Dual Video) - 10/100/1000 RJ45 Ethernet - Headphone out port - Microphone in port - Line in port- USB1.1X4 (2XRear, 2XSide); Warranty: 3 Year Parts/Labor	\$698.00	1095	22.5	Yes	n/a	Yes	729507817811
NC191	19" Cloud Display, Zero Client PCOIP (Tera 2); Contrast Ratio: 1000 : 1; Response Time: 5 ms; Brightness: 250 cd/m2; Display Resolution: 1,280 x 1,024 (5:4) Aspect Ratio; Viewing Angle: 170 / 160 (CR over 10); Input: VGA, DVI, USB 2.0 x 4, MIC In, Audio In, Headphone Out; Bezel Color: Black; Special Features: Teradici TERA2321, DDR3 512MB, All-in-one Form factor; Description: LED Display, Gigabit Ethernet, 16.7 Million Color Support, Speaker(1W x 2ea);Warranty: 3 Years Parts/Labor	\$698.33	1095	13	n/a	n/a	Yes	8806085353152
NC191-T	19" Cloud Display 19, Zero Client (TAA Compliant); Contrast Ratio: 1000 : 1; Response Time: 5 ms; Brightness: 250 cd/m2; Display Resolution: 1,280 x 1,024 (5:4) Aspect Ratio; Viewing Angle: 170 / 160 (CR over 10); Input: VGA, DVI, USB 2.0 x 4, MIC In, Audio In, Headphone Out; Bezel Color: Black; Special Features: Teradici TERA2321, DDR3 512MB, All-in-one Form factor; Description: LED Display, Gigabit Ethernet, 16.7 Million Color Support, Speaker(1W x 2ea); Warranty: 3 Years Parts/Labor	\$698.33	1095	13	n/a	n/a	Yes	8806085435247



SAMSUNG Display MSRP Price List - EFFECTIVE March 2013

Mfg Part Number	Product Description	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
NC190-T	19" PCoIP Integrated LCD Network Monitor; Contrast Ratio: 1,000:1; Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1280x1024; Viewing Angle: 160/170; Input: Analog RGB, Separate H/V, Composite, 15pin DSub; Bezel Color: Black; Pixel Pitch: 0.294; Special Features: PCoIP Processor : Tera1100 - Memory : XDR 64MB - Operating System : None - HD Audio : ALC883 - Ethernet : Gigabit Switching Hub; [Connectivity] - VGA in(for PC monitor), DVI out(for Dual Video) - 10/100/1000 RJ45 Ethernet - Headphone out port - Microphone in port - Line in port- USB1.1X4 (2Xrear, 2Xside); Warranty: 3 Year Parts/Labor	\$698.00	1095	13.67	n/a	n/a	Yes	729507819969
NC220	22" PCoIP Integrated LED Network Monitor; Contrast Ratio: Dynamic 10,000:1 (Typical 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1680x1050 (16:10); Viewing Angle: 178/178deg; Input: VGA (D-SUB 15 pin) Bezel Color: Matt Black; Pixel Pitch: 0.282(H)x0.282(V)mm; Special Features: TeradiciTera1100, (1) Video Out (DVI, for dual) (2) LAN 2EA (RJ 45, Giga) (function: LAN hub) (3) Audio (HeadPhone) (4) Serial Port Description: LED PCoIP Enabled Display, Stand: 130mm HAS, Tilt, Swivel; Warranty: 3 Year Parts/Labor	\$775.00	1095	13.42	Yes	n/a	Yes	729507817477
NC220P	22" PCoIP Cloud Disply (UPOE Power over Ethernet); Contrast Ratio: Dynamic 10,000:1 (Typical 1000:1); Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1680x1050 (16:10); Viewing Angle: 178/178deg; Input: VGA (D-SUB 15 pin) Bezel Color: Matt Black; Pixel Pitch: 0.282(H)x0.282(V)mm; Special Features: Samsung Cloud display model NC220P is the first integrated zero-client display in the world to take advantage of Cisco's Universal Power Over Ethernet (UPOE). When connected to a UPOE enabled switch, the NC220P is powered directly from the LAN cable. Power the display directly from the Ethernet cable with Cloud Display NC220P which works with Cisco's Universal Power Over Ethernet technology. Requires connection to Cisco Catalyst 4500E Switch; Description: DVI Out, 2xRJ45 (Giga), Audio (HeadPhone), Serial Port, MagicRMS Pro Remote Management Software, Power over Ethernet; Warranty: 3 Year Parts/Labor	\$1,091.00	1095	13.42	n/a	n/a	Yes	729507818092
NC241	23.6" Cloud Display, Zero Client PCOIP (Tera 2); Contrast Ratio: 1000 : 1; Response Time: 5 ms Brightness: 300 cd/m2; Display Resolution: 1,920 x 1,080 (16:9) Aspect Ratio; Viewing Angle: 170 / 160 deg (CR>10) / 178 / 170 deg (CR >5); Input: VGA, DVI, USB 2.0x4, MIC in, Audio In, Headphone Out; Bezel Color: Black; Special Features: Processor(TERA 2321) GPU(DDR3 512MB),All-in-one Form Factor; Description: Gigabit Ethernet, 16.7million Color Support, HAS (Pivot, Tilt, Swivel), Speaker(1W x 2ea); Warranty: 3 Years Parts/Labor	\$805.00	1095	16	n/a	n/a	Yes	8806085353169
NC241-T	Cloud Display 23.6, Zero Client; TAA Compliant, PCOIP (Tera 2); Contrast Ratio: 1000 : 1; Response Time: 5 ms; Brightness: 300 cd/m2; Display Resolution: 1,920 x 1,080 (16:9) Aspect Ratio; Viewing Angle: 170 / 160 deg (CR>10) / 178 / 170 deg (CR >5); Input: VGA, DVI, USB 2.0x4, MIC in, Audio In, Headphone Out; Bezel Color: Black; Special Features: Processor(TERA 2321) GPU(DDR3 512MB),All-in-one Form Factor; Description: Gigabit Ethernet, 16.7million Color Support, HAS (Pivot, Tilt, Swivel), Speaker(1W x 2ea); Warranty: 3 Years Parts/Labor	\$805.00	1095	16	n/a	n/a	Yes	8806085435254
NS190	19" Zero Client LED Cloudstation Display - Contrast Ratio: 1,000:1; Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1440x900; Bezel Color: Matte Black; Viewing Angle: 170/160; Input: VGA In, USB 1.1 x 4, Mic In, VGA Out (MirroredDisplay), DVI Out (Connect to integrated display), Headphone Out, Audio Out, RJ45, RS232C; Bezel Color: Black; Special Features: PCoIP Processor : Terra1100, VMware View 5, XDR 128MB, Realtek ALC886, VMware-Ready(4.6), Gigabit Ethernet, Fan, Adjustable Stand (Tilt/Swivel /Pivot/HAS); Warranty: 3 Year Parts/Labor/Backlight	\$759.00	1095	13.7	n/a	n/a	Yes	729507817446
NS220	21.5" Zero Client LED Cloudstation Display - Contrast Ratio: 1,000:1; Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1080; Bezel Color: Matte Black; Viewing Angle: 170/160; Input: VGA In, USB 1.1 x 4, Mic In, VGA Out (MirroredDisplay), DVI Out (Connect to integrated display), Headphone Out, Audio Out, RJ45, RS232C; Bezel Color: Black; Special Features: PCoIP Processor : Terra1100, VMware View 5, XDR 128MB, Realtek ALC886, VMware-Ready(4.6), Gigabit Ethernet, Fan, Adjustable Stand (Tilt/Swivel /Pivot/HAS); Warranty: 3 Year Parts/Labor/Backlight	\$833.00	1095	14.8	n/a	n/a	Yes	729507817453
NS240	24" Zero Client LED Cloudstation Display - Contrast Ratio: 1,000:1; Response Time: 5ms; Brightness: 250cd/m2; Display Resolution: 1920x1200; Bezel Color: Matte Black; Viewing Angle: 170/160; Input: VGA In, USB 1.1 x 4, Mic In, VGA Out (MirroredDisplay), DVI Out (Connect to integrated display), Headphone Out, Audio Out, RJ45, RS232C; Bezel Color: Black; Special Features: PCoIP Processor : Terra1100, VMware View 5, XDR 128MB, Realtek ALC886, VMware-Ready(4.6), Gigabit Ethernet, Fan, Adjustable Stand (Tilt/Swivel /Pivot/HAS); Warranty: 3 Year Parts/Labor/Backlight	\$959.00	1095	16.5	n/a	n/a	Yes	729507817460
Plasma Displays:								
P50HP	50" Professional Plasma Display - TAA Compliant; Contrast Ratio: 10,000:1; Brightness: 1300 cd/m2; Resolution: 1366 x 768; Viewing Angle: N/A; Color: Black / Black; Pixel Pitch: 0.81(H) x 0.81(V); Input: VGA/DVI/BNC/ CVBS/HDMI; Special Features: DNIe; Burn-in protection (6-Options); Burn-in protection timing; Built-In Speakers; Digital zoom (4x); Key lock & IR lock; Video Wall Processing; RS-232 control; On/off timer; Vertical display, Set Back Box Option; NO FEET; Warranty: 2 Years Onsite(Parts/Labor)	\$1,460.00	730	85.8	Yes	n/a	Yes	729507806327
P64FP	64" Professional Plasma Display - TAA Compliant; Contrast Ratio: 40,000:1; Brightness: 610 cd/m2; Resolution: 1920 x 1080; Viewing Angle: over 160/160; Color: Black / Black; Pixel Pitch: 0.738(H) x 0.738(V); Input: VGA (D-SUB), DVI-D (In/Out), Composite Video, Component Video, BNC, HDMI, RS232C (In/Out), RCA(L/R), Stereo mini Jack; Special Features: Temperature Sensor, Built-In Fan Control, RS232C MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B, DDC/CI), Video Wall(5x5), Portrait Orientation support, Button Lock, Digital Daisy Chain; Warranty: 2 Years Onsite (Parts/Labor)	\$3,998.00	730	134.2	n/a	n/a	Yes	729507817217
32" & 40" TFT LCD Displays:								
320MP-3	32" Professional LCD Display - TAA; Contrast Ratio: 3500:1; Response Time: 8ms; Brightness: 450 cd/m2; Display Resolution: 1366x768; Viewing Angle: 178 / 178; Input: VGA (D-SUB), DVI-D, DisplayPort, CVBS, HDMI(2), Component(D-sub 15pin), RCA(L/R) , Stereo mini Jack,RJ45, RS232C(in/out); Bezel Color: Black; Pixel Pitch: 0.51075(H) x 0.51075(W); Special Features: Lamp Error Detection, Anti Retention, Temperature Sensor, RS232C/RJ45 MDC,Built in Speaker (5W + 5W), Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Button Lock, Smart Scheduling, Smart F/W update, Energy Start 5.0 Compliant; Warranty: 3 Year Onsite Parts/Labor	\$798.00	1095	36.7	Yes	n/a	Yes	729507815756



SAMSUNG Display MSRP Price List - EFFECTIVE March 2013

Mfg Part Number	Product Description	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
320MXn-3	32" Professional LCD Display with MagicInfo S/W - TAA; Contrast Ratio: 3500:1; Response Time: 8ms; Brightness: 450 cd/m2; Display Resolution: 1366x768; Viewing Angle: 178/178; Input: VGA (D-Sub), DVI-D, Display Port, CVBS, HDMI(2), Component(D-sub 15pin), RCA(L/R), Stereo Mini Jack, RJ45, RS232C(in/out); Black Color: Black; Pixel Pitch: 0.51075(H) x 0.51075(W); Special Features: Lamp Error Detection, Anti Retention, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (5W+5W), Plug Play (DDC2B), PIP/PBP, Video Wall (10x10), Pivot Display, Button Lock, Smart Scheduling, Smart F/W update, Magicinfo S/W, Windows embedded 2010; Warranty: 3 Year Onsite Parts/Labor	\$1,568.00	1095	39.8	n/a	n/a	Yes	729507814797
320TSn-3	32" Professional LCD Touch Display with MagicInfo S/W - TAA; Contrast Ratio: 3500:1; Response Time: 8ms; Brightness: 450cd/m2; Display Resolution: 1366x768; Viewing Angle: 178/178; Input: VGA (D-Sub 15-pin), DVI-D, DisplayPort, Composite, HDMI(2), Component(D-sub 15pin), RCA(L/R), Stereo mini Jack(in/out), RJ45 LAN, RS232C(in/out); Bezel Color: Black; Pixel Pitch: 0.51075(H) x 0.51075(W); Special Features: Embedded Touch (IR), Lamp Error Detection, Brightness Sensor, Anti Retention, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (5W + 5W), Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Button Lock, Smart Scheduling, MagicInfo S/W, Smart F/W update, Windows embedded 2009; Warranty: 3 Year Onsite Parts/Labor	\$3,385.00	1095	52.6	n/a	n/a	Yes	729507814902
400BX	40" LCD Professional Display - TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 450cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-SUB), DVI-D, Composite Video, Component; (thru VGA input), RS232C in, Stereo mini Jack Bezel Color: Black Pixel Pitch: 0.461(H)x0.461(V); Special Features: Lamp Error Detection, Anti-Image Retention, Temperature Sensor, RS232C MDC, Built in Speaker (5W + 5W), Plug and Play (DDC2B,DDC/CI), Video Wall(10x10), Portrait Display support, NO STAND; Warranty: 3 Year Onsite Parts/Labor	\$1,075.00	1095	33	Yes	n/a	Yes	729507815886
400DX-3	40" Professional LCD Display-TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 500cd/m2 / 700 cd/m2 (typ/max); Display Resolution: 1920 x 1080; Viewing Angle: 178°/178°; Input: VGA (D-SUB), DVI-D(in/out), DisplayPort, Composite, HDMI(2), Component(D-sub 15pin), RCA(L/R), Stereo mini Jack, RS232C(in/out), RJ45; Bezel Color: Black; Pixel Pitch: 0.46125(H) x 0.46125(V); Special Features: Lamp Error Detection, Brightness Sensor, Anti-Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Portrait/Landscape Display, Button Lock, Digital Daisy Chain, Smart Scheduling, Smart F/W update, High brightness DID Panel with advanced cooling technology providing 24/7 continuous operation, Energy Star 5.0 Compliant, Compatible with optional SIM-NT PC Module; Warranty: 3 Year Onsite Parts/Labor	\$1,614.00	1095	48.4	Yes	n/a	Yes	729507815244
400FP-3	40" Professional LCD Display-TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 450 cd/m2; Display Resolution: 1920 x 1080; Viewing Angle: 178 / 178; Input: VGA (D-SUB), DVI-D, DisplayPort, Composite, HDMI(2), Component(D-sub 15pin), RCA(L/R), Stereo mini Jack, RJ45, RS232C(in/out); Bezel Color: Black; Pixel Pitch: 0.46125(H)x0.46125(V); Special Features: Lamp Error Detection, Anti-Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Portrait/Landscape Display, Button Lock, Smart Scheduling, Smart F/W update, Energy Star 5.0 Compliant, Compatible with optional SIM-NT PC Module; Warranty: 3 Year Onsite Parts/Labor	\$1,152.00	1095	52.4	Yes	n/a	Yes	729507814780
400TS-3	46" Professional LCD Touch Display-TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 450cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA(D-SUB), DVI-D, DisplayPort, Composite, HDMI1, HDMI2, Component(D-sub 15pin), RJ45, RS232C(in/out), USB B type (touch screen), RCA(L/R), Stereo mini Jack; Bezel Color: Black; Pixel Pitch: 0.46125(H)x0.46125(V); Special Features: Embedded Touch (IR), Lamp Error Detection, Brightness Sensor, Anti-Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B), PIP/PBP, Built-in Video Wall processor (10x10), Portrait/Landscape Orientation, Button Lock, Smart Scheduling, Smart F/W update, Compatible with optional SIM-NT PC Module; Warranty: 3 Year Onsite Parts/Labor	\$3,152.00	1095	64.2	Yes	n/a	Yes	729507815046
400UX-3	40" Professional LCD Display-TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 500cd/m2 / 700 cd/m2 (typ/max); Display Resolution: 1920 x 1080; Viewing Angle: 178°/178°; Input: VGA (D-SUB), DVI-D(in/out), DisplayPort, Composite, HDMI(2), Component(D-sub 15pin), RCA(L/R), Stereo mini Jack, RS232C(in/out), RJ45; Bezel Color: Black; Pixel Pitch: 0.46125(H) x 0.46125(V); Special Features: Lamp Error Detection, Brightness Sensor, Anti-Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Portrait/Landscape Display, Button Lock, Digital Daisy Chain, Smart Scheduling, Smart F/W update, High brightness DID Panel with advanced cooling technology providing 24/7 continuous operation, Energy Star 5.0 Compliant; Warranty: 3 Year Onsite Parts/Labor	\$1,614.00	1095	49.5	Yes	n/a	Yes	729507815824
400UXn-3	40" Professional LCD Display with MagicInfo S/W-TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 500cd/m2 / 700 cd/m2 (typ/max); Display Resolution: 1920 x 1080; Viewing Angle: 178°/178°; Input: VGA (D-SUB), DVI-D(in/out), DisplayPort, Composite, HDMI(2), Component(D-sub 15pin), RCA(L/R), Stereo mini Jack, RS232C(in/out), RJ45; Bezel Color: Black; Pixel Pitch: 0.46125(H) x 0.46125(V); Special Features: Lamp Error Detection, Anti Retention, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Button Lock, Digital Daisy Chain, Smart Scheduling, Smart F/W update, High brightness DID Panel with advanced cooling technology providing 24/7 continuous operation, MagicInfo S/W, Windows Embedded Standard 2009; Warranty: 3 Year Onsite Parts/Labor	\$2,458.00	1095	52.8	n/a	n/a	Yes	729507815268
DE40A	40" Professional LED LCD Display - TAA; Contrast Ratio: 5000:1; Response Time: 10ms; Brightness: 600cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178:178; Input: VGA (D-Sub 15 pin), DVI-D, DisplayPort, Component (CVBS common), HDMI, USB, Stereo Mini Jack Bezel Color: Glossy Black Pixel Pitch: 0.15375(H) X 0.46125(V); Special Features: Anti Reflection, Non Glossy Design, Built in MagicInfo Lite, Built in Speaker (10W + 10W), Plug and Play (through USB), Narrow Bezel (15.1mm, bottom 16.6mm), Slim Depth (29.9,mm), External Media Player Option (SBB-A), DVI-D (digital loop out), RS232C (in/out), RJ45, 24/7 Continuous Operation Description: 40" Professional Edge-Lit LED LCD; Warranty: 3 Year Onsite Parts/Labor	\$1,998.00	1095	28.4	Yes	n/a	Yes	729507817903
DE40C	DE40C 40-in Professional LED LCD Display - TAA; Contrast Ratio: 4000:1 Contrast Ratio (Dynamic); Response Time: 8ms; Brightness: 700nit; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178:178; Input: VGA D-Sub, DVI-D, Display Port(in/out), Component(VCBS common), HDMI, Stereo mini Jack(in/out), RS-232C(In/Out) thru Stereo Jack, RJ-45 External Control; Bezel Color: Black; Pixel Pitch: 0.15375(H) X 0.46125(V); Special Features: Edge-lit LED backlight design, 24/7 operation, embedded media player, Anti-Reflection, Non Glossy Design, Built in MagicInfo Lite, Built in Speaker(10W + 10W), Plug and Play (through USB), Narrow Bezel, Slim Depth (35.1mm), Compatible with external media player options - SBB-A, SBBAD7, PIM-BD7; Warranty: 3 Years Onsite Parts/labor	\$2,152.00	1095	35.4	Yes	n/a	Yes	8806085270534



SAMSUNG Display MSRP Price List - EFFECTIVE March 2013

Mfg Part Number	Product Description	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
H32B	32" Hybrid LED Display - TAA; Contrast Ratio: 3500:1; Response Time: 8ms; Brightness: 300cd/m2; Display Resolution: 1366x768; Viewing Angle: 170/160; Input: HDMIx3 (1 supports DVI), Component, AV2, Antenna, USB, PC/DVI Audio In, Component Audio In, AV Audio In; Bezel Color: Glossy Black; Special Features: Built in Speaker, RS232, Plug and Play (through USB), PIP/PBP, Narrow Bezel, Light Weight, Built in Button Lock; Warranty: 3 Years Onsite Parts/Labor/Backlight; Warrantly: 2 Years On-Site (Parts/Labor/Backlight)	\$613.00	730	17.9	n/a	n/a	Yes	8806085179356
H40B	46" Hybrid LED Display - TAA; Contrast Ratio: 3500:1; Response Time: 8ms; Brightness: 300cd/m2; Display Resolution: 1920x1080; Viewing Angle: 170/160; Input: HDMIx3 (1 supports DVI), Component, AV2, Antenna, USB, PC/DVI Audio In, Component Audio In, AV Audio In; Bezel Color: Glossy Black; Special Features: Built in Speaker, RS232, Plug and Play (through USB), PIP/PBP, Narrow Bezel, Light Weight, Built in Button Lock; Warranty: 3 Years Onsite Parts/Labor/Backlight; Warrantly: 2 Years On-Site (Parts/Labor/Backlight)	\$962.00	730	29.5	n/a	n/a	Yes	8806085179387
MD32B	32 inch LED LCD Commercial Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350nits; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: Analog D-SUB, DVI-D(Dual Link), Component, CVBS, HDMI; Bezel Color: Black; Special Features: Built in MagicInfo Lite, Built in Speaker, (10W + 10W), Plug and Play (through USB), PIP/PBP, Narrow Bezel, Light Weight, Built in DTV Tuner (ATSC); Bezel Color: Glossy Black; Warranty: 3 Year Onsite Parts/Labor	\$731.00	1095	17.6	Yes	n/a	Yes	729507818757
MD40B	40" LED LCD Commercial Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350nits; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: Analog D-SUB, DVI-D(Dual Link), Component, CVBS, HDMI; Bezel Color: Glossy Black; Special Features: Built in MagicInfo Lite, Built in Speaker, (10W + 10W), Plug and Play (through USB), PIP/PBP, Narrow Bezel, Light Weight, Built in DTV Tuner (ATSC); Warranty: 3 Year Onsite Parts/Labor	\$1,075.00	1095	25.74	Yes	n/a	Yes	729507818733
ME32B	32 inch LED LCD Commercial Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350nit; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (15 Pin D-SUB), DVI-D (in/out), HDMI, DisplayPort, Component, Composite, USB, Stereo Mini Jack (in/out), Antenna In, RJ45, RS232C (in/out); Bezel Color: Glossy Black; Special Features: Built in TV Tuner, Built in MagicInfo Lite signage software, Built in Speaker (10W + 10W), Plug and Play (through USB), PIP/PBP, Narrow Bezel, Slim Depth (29.9mm); Warranty: 3 Years On-Site (Parts/Labor/Backlight)	\$845.00	1095	16.7	Yes	n/a	Yes	8806085179370
ME40B	40" Professional LED LCD Display; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350nit; Display Resolution: 1920x1080; Viewing Angle: 178:178; Input: Analog D-SUB, DVI-D(in/out), Display Port, Component(CVBS Common), HDMI, Stereo mini Jack, RS232(in/out) thru stereo jack, RJ45; Bezel Color: Black; Pixel Pitch: 0.15375(H) x 0.46125(V); Special Features: Built in MagicInfo Lite, Built in Speaker(10W + 10W), Plug and Play (through USB), PIP/PBP, Narrow Bezel, Slim Depth (29.9mm), Tuner, ADA compliant form factor; Warranty: 3 Year Onsite Parts/Labor	\$1,269.00	1095	28.4	Yes	n/a	Yes	729507819303
SUR40	Samsung SUR40 for Microsoft Surface Touch Table' Contrast Ratio: 2000:1; Response Time: 8ms; Brightness: 300nits; Display Resolution: 1920 x 1080; Viewing Angle: 178 / 178; Input: HDMI (in/out), USB (4), Audio Out, SPDIF, RJ45; LAN/802.11 Wireless LAN/Bluetooth, MIC, SD Card Slot; Bezel Color: N/A; Special Features: AMD Athlon X2 Dual-Core 245e Processor (2.9GHz), DDR3 SODIMM 4GB, 320GB HDD, AMD Mobility Radeon HD6700 Series Graphics Processor, Embedded Windows 7 Professional 64-bit OS, PixelSense Multi-Touch Technology supporting up to 50 points of contact and Optical Tag Recognition, Gorilla Glass protection panel, Supports VESA mounting in horizontal orientation or table-top format with optional SUR40 Leg accessory. Description: The Samsung SUR40 for Microsoft Surface brings people together to connect, learn, and decide. This experience comes to life in this next generation device of interactive touch displays. Warranty: 1 Year Onsite Parts/Labor	\$11,046.00	365	79.2	n/a	n/a	Yes	729507816180
<u>46" TFT LCD Displays:</u>								
460DR-2	46 inch High Bright Commercial LCD Display (Panel Kit Only) - TAA; Contrast Ratio: 4,000:1 (Typical); Response Time: 8ms; Brightness: 1,500 cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-Sub 15 Pin), DVI-D, DisplayPort, Composite, Component (D-Sub 15 Pin), HDMIx2, Stereo Mini Jack (In/Out), RJ45, RS232C (In/Out); Special Features: Panel Kit Only, Air Conditioning Guide, Lamp Error Detection, Anti Retention, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Button Lock, Smart Scheduling, Smart F/W update; Description: Panel Kit Only (Requires 3rd Party Enclosure); Warranty: 3 Years On-Site (Parts/Labor/Backlight)	\$4,306.00	1095	66	n/a	n/a	Yes	729507819082
460DX-3	46" Professional LCD Display-TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 500cd/m2 / 700 cd/m2 (typ/max); Display Resolution: 1920 x 1080; Viewing Angle: 178°/178°; Input: VGA (D-SUB), DVI-D(in/out), DisplayPort, Composite, HDMI(2), Component(D-sub 15pin), RCA(L/R), Stereo mini Jack, RS232C(in/out), RJ45; Bezel Color: Black; Pixel Pitch: 0.53025(H) * 0.53025(V); Special Features: Lamp Error Detection, Brightness Sensor, Anti- Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Portrait/Landscape Display, Button Lock, Digital Daisy Chain, Smart Scheduling, Smart F/W update, High brightness DID Panel with advanced cooling technology providing 24/7 continuous operation, Energy Star 5.0 Compliant, Compatible with optional SIM-NT PC Module; Warranty: 3 Year Onsite Parts/Labor	\$2,229.00	1095	56.5	Yes	n/a	Yes	729507814872
460FP-3	46" Professional LCD Display-TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 450 cd/m2; Display Resolution: 1920 x 1080; Viewing Angle: 178 / 178; Input: VGA (D-SUB), DVI-D, DisplayPort, Composite, HDMI(2), Component(D-sub 15pin), RCA(L/R), Stereo mini Jack, RJ45, RS232C(in/out); Bezel Color: Black; Pixel Pitch: 0.53025(H) * 0.53025(V); Special Features: Lamp Error Detection, Anti-Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Portrait/Landscape Display, Button Lock, Smart Scheduling, Smart F/W update, Energy Star 5.0 Compliant, Compatible with optional SIM-NT PC Module; Warranty: 3 Year Onsite Parts/Labor	\$1,460.00	1095	65.6	Yes	n/a	Yes	729507814810



SAMSUNG Display MSRP Price List - EFFECTIVE March 2013

Mfg Part Number	Product Description	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
460TS-3	46" Professional LCD Touch Display-TAA; Contrast Ratio: 3000:1 (typ) / 6000:1 (dynamic); Response Time: 8ms; Brightness: 450cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA(D-SUB), DVI-D, DisplayPort, Composite, HDMI1, HDMI2, Component(D-sub 15pin), RJ45, RS232C(in/out) , USB B type (touch screen), RCA(L/R), Stereo mini Jack; Bezel Color: Black; Pixel Pitch: 0.53025(H) * 0.53025(V); Special Features: Embedded Touch (IR), Lamp Error Detection, Brightness Sensor, Anti-Image Retention, Temperature Sensor, S232C/RJ45 MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B), PIP/PBP, Built-in Video Wall processor (10x10), Portrait/Landscape Orientation, Button Lock, Smart Scheduling, Smart F/W update, Compatible with optional SIM-NT PC Module Description: The Samsung 460TS-3 46" LCD Touch Screen display is a simple, integrated solution featuring fast and accurate touch-sensitive infrared (IR) technology. Add the optional SIM-NT PC module with MagicInfo Software and you have a full digital signage solution.; Warranty: 3 Year Onsite Parts/Labor	\$4,306.00	1095	79.6	Yes	n/a	Yes	729507815053
460UT-2	46" Professional LCD Display with Super Narrow Bezel - TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 500 cd/m2 (typical) / 700 cd/m2 (max); Display Resolution: 1366x768; Viewing Angle: 178/178; Input: Analog D-SUB, DVI-D(in/out), Display Port, CVBS, HDMI(2), RJ45, RS232; Bezel Color: Black; Pixel Pitch: 0.7455(H) * 0.7455(V); Special Features: 24/7 rated continuous run time, Lamp Error Detection, Anti-Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall processor (10x10), Portrait/Landscape, Button Lock, Digital Daisy Chain, Smart Scheduling, Smart F/W update Description: Samsung's new 460UT-2 series of ultra-thin bezel professional displays add new features to the existing UT series like DisplayPort, DVI loop-out functionality for digital daisy chain and RJ45 LAN control. Warranty: 3 Year Onsite Parts/Labor	\$5,306.00	1095	69.7	Yes	n/a	Yes	729507813288
460UT-B	46" Professional LCD Display with Super Narrow Bezel - TAA; Contrast Ratio: 4500:1; Response Time: 8ms; Brightness: 450 cd/m2; Display Resolution: 1366x768; Viewing Angle: 178/178; Input: Analog D-SUB, DVI-D(in/out), Display Port, CVBS, HDMI(2), RJ45, RS232; Bezel Color: Black; Pixel Pitch: 0.7455(H) * 0.7455(V); Special Features: Lamp Error Detection, Anti-Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall processor (10x10), Portrait/Landscape, Button Lock, Digital Daisy Chain, Smart Scheduling, Smart F/W update Description: Samsung's new 460UT-B series of ultra-thin bezel professional displays now allow you to create affordable videowalls for hotel lobby and retail environments or create tiled displays to achieve larger screen sizes more cost effectively. Warranty: 3 Year Onsite Parts/Labor	\$3,768.00	1095	54.1	Yes	n/a	Yes	729507814339
460UTn-2	46" Professional LCD Display with Super Narrow Bezel and MagicInfo S/W - TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 500 cd/m2 (typical) / 700 cd/m2 (max); Display Resolution: 1366x768; Viewing Angle: 178/178; Input: Analog D-SUB, DVI-D(in/out), Display Port, CVBS, HDMI(2), RJ45, RS232; Bezel Color: Black; Pixel Pitch: 0.7455(H) * 0.7455(V); Special Features: 24/7 rated continuous run time, Lamp Error Detection, Anti-Image Retention, Temperature; Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall processor (10x10), Portrait/Landscape, Button Lock, Digital Daisy Chain, Smart Scheduling, Smart F/W update, MagicInfo S/W, Windows Embedded Standard 2009; Description: Samsung's new 460UT-2 series of ultra-thin bezel professional displays add new features to the existing UT series like DisplayPort, DVI loop-out functionality for digital daisy chain and RJ45 LAN control. Warranty: 3 Year Onsite Parts/Labor	\$6,229.00	1095	73	n/a	n/a	Yes	729507813271
460UTn-B	46" Professional LCD Display with Super Narrow Bezel and MagicInfo S/W - TAA; Contrast Ratio: 4500:1; Response Time: 8ms; Brightness: 450 cd/m2; Display Resolution: 1366x768; Viewing Angle: 178/178; Input: Analog D-SUB, DVI-D(in/out), Display Port, CVBS, HDMI(2), RJ45, RS232; Bezel Color: Black; Pixel Pitch: 0.7455(H) * 0.7455(V); Special Features: Lamp Error Detection, Anti-Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Video Wall processor (10x10), Portrait/Landscape, Button Lock, Digital Daisy Chain, Smart Scheduling, Smart F/W update, MagicInfo S/W, Windows Embedded Standard 2009; Description: Samsung's new 460UT-B series of ultra-thin bezel professional displays now allow you to create affordable videowalls for hotel lobby and retail environments or create tiled displays to achieve larger screen sizes more cost effectively. Warranty: 3 Year Onsite Parts/Labor	\$4,922.00	1095	57.4	n/a	n/a	Yes	729507814322
460UX-3	46" Professional LCD Display-TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 500cd/m2 / 700 cd/m2 (typ/max); Display Resolution: 1920 x 1080; Viewing Angle: 178°/178°; Input: VGA (D-SUB), DVI-D(in/out), DisplayPort, Composite, HDMI(2), Component(D-sub 15pin), RCA(L/R), Stereo mini Jack, RS232C(in/out), RJ45; Bezel Color: Black; Pixel Pitch: 0.53025(H) * 0.53025(V); Special Features: Lamp Error Detection, Brightness Sensor, Anti-Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Portrait/Landscape Display, Button Lock, Digital Daisy Chain, Smart Scheduling, Smart F/W update, High brightness DID Panel with advanced cooling technology providing 24/7 continuous operation, Energy Star 5.0 Compliant; Warranty: 3 Year Onsite Parts/Labor	\$2,229.00	1095	64.9	Yes	n/a	Yes	729507815831
460UXn-3	46" Professional LCD Display with MagicInfo S/W-TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 500cd/m2 / 700 cd/m2 (typ/max); Display Resolution: 1920 x 1080; Viewing Angle: 178°/178°; Input: VGA (D-SUB), DVI-D(in/out), DisplayPort, Composite, HDMI(2), Component(D-sub 15pin), RCA(L/R), Stereo mini Jack, RS232C(in/out), RJ45; Bezel Color: Black; Pixel Pitch: 0.53025(H) * 0.53025(V); Special Features: Lamp Error Detection, Anti Retention, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Pivot Display, Button Lock, Digital Daisy Chain, Smart Scheduling, Smart F/W update, High brightness DID Panel with advanced cooling technology providing 24/7 continuous operation, MagicInfo S/W, Windows Embedded Standard 2009; Warranty: 3 Year Onsite Parts/Labor	\$3,075.00	1095	68.2	n/a	n/a	Yes	729507815282
DE46A	46" Professional LED LCD Display - TAA; Contrast Ratio: 5000:1; Response Time: 10ms; Brightness: 600cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178:178; Input: VGA (D-Sub 15 pin), DVI-D, DisplayPort, Component (CVBS common), HDMI, USB, Stereo Mini Jack Bezel Color: Glossy Black; Pixel Pitch: 0.17675(H) X 0.53025(V); Special Features: Anti Reflection, Non Glossy Design, Built in MagicInfo Lite, Built in Speaker (10W + 10W), Plug and Play (through USB), Narrow Bezel (15.1mm, bottom 16.6mm), Slim Depth (29.9,mm), External Media Player Option (SBB-A), DVI-D (digital loop out), RS232C (in/out), RJ45, 24/7 Continuous Operation Description: 46" Professional Edge-Lit LED LCD; Warranty: 3 Year Onsite Parts/Labor	\$2,691.00	1095	36.5	Yes	n/a	Yes	729507817958

Mfg Part Number	Product Description	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
DE46C	DE46C 46-in Professional LED LCD Display - TAA; Contrast Ratio: 4000:1 Contrast Ratio (Dynamic); Response Time: 8ms; Brightness: 700nit; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178:178; Input: VGA D-Sub, DVI-D, Display Port(in/out), Component(VCBS common), HDMI, Stereo mini Jack(in/out), RS-232C(In/Out) thru Stereo Jack, RJ-45 External Control; Bezel Color: Black; Pixel Pitch: 0.17675(H) X 0.53025(V); Special Features: Edge-lit LED backlight design, 24/7 operation, embedded media player, Anti-Reflection, Non Glossy Design, Built in MagicInfo Lite, Built in Speaker(10W + 10W), Plug and Play (through USB), Narrow Bezel, Slim Depth (35.1mm), Compatible with external media player options - SBB-A, SBBAD7, PIM-BD7; Warranty: 3 Years Onsite Parts/Labor	\$2,767.00	1095	44.2	Yes	n/a	Yes	8806085270541
H46B	46" Hybrid LED Display - TAA; Contrast Ratio: 3500:1; Response Time: 8ms; Brightness: 300cd/m2; Display Resolution: 1920x1080; Viewing Angle: 170/160; Input: HDMIx3 (1 supports DVI), Component, AV2, Antenna, USB, PC/DVI Audio In, Component Audio In, AV Audio In; Bezel Color: Glossy Black; Special Features: Built in Speaker, RS232, Plug and Play (through USB), PIP/PBP, Narrow Bezel, Light Weight, Built in Button Lock; Warranty: 3 Years Onsite Parts/Labor/Backlight; Warrantyrty: 2 Years On-Site (Parts/Labor/Backlight)	\$1,268.00	730	35.4	n/a	n/a	Yes	8806085179417
MD46B	46" inch LED LCD Commercial Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350nits; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: Analog D-SUB, DVI-D(Dual Link), Component, CVBS, HDMI; Bezel Color:Glossy Black; Special Features: Built in MagicInfo Lite, Built in Speaker, (10W + 10W), Plug and Play (through USB), PIP/PBP, Narrow Bezel, Light Weight, Built in DTV Tuner (ATSC); Warranty: 3 Year Onsite Parts/Labor	\$1,306.00	1095	32.34	Yes	n/a	Yes	729507818764
ME46B	46" LED LCD Commercial Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 350nits; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: Analog D-SUB, DVI-D(Dual Link), Component, CVBS, HDMI; Bezel Color:Glossy Black; Special Features: Built in MagicInfo Lite, Built in Speaker, (10W + 10W), Plug and Play (through USB), PIP/PBP, Narrow Bezel, Light Weight, Built in DTV Tuner (ATSC); Warranty: 3 Year Onsite Parts/Labor	\$1,685.00	1095	36.52	Yes	n/a	Yes	729507819310
OL46B	46 inch High Brightness Commercial LCD Display with Outdoor Enclosure - TAA; Contrast Ratio: 4,000:1 (Typical); Response Time: 8ms; Brightness: 1,500 cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-Sub 15 Pin), DVI-D, DisplayPort, Composite, HDMIx2, Component (D-Sub 15 Pin), RCA (L/R), Stereo Mini Jack (In/Out), RJ45, RS232C (In/Out); Bezel Color: Matte Black; Special Features: All in one Outdoor, IP56 Proof Certified, High Brightness, Low Power Consumption, Full HD Resolution, Sunglasses Free, Protective Glass, SBB -A Option, Ambient Sensor, Slim Bezel, Lamp Error Detection, Anti image Retention, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Smart Scheduling, Smart F/W Update; Description: High brightness all in one outdoor display with enclosure; Warranty: 3 Years On-Site (Parts/Labor/Backlight)	\$9,998.00	1095	237.6	n/a	n/a	Yes	8806085179448
SL46B	46 inch High Brightness Professional LCD Display - TAA; Contrast Ratio: 4,000:1 (Typical); Response Time: 8ms; Brightness: 1,500 cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-Sub 15 Pin), DVI-D (In/Out), USB, HDMI, Composite, Component (D-Sub 15 Pin), RCA (L/R), Stereo Mini Jack (In/Out), RJ45, RS232C (In/Out); Bezel Color: Matte Black; Special Features: Plug and Play, Built in Media Player with MagicInfo Lite Software, Slide in Module, Digital Daisy Chains, Built in Speakers, Lamp Error Detection, Anti Image Retention, Temperature Sensor, RS232C/RJ45 MDC, PIP/PBP, Video Wall(10x10), Pivot Display, Button Lock, Smart Scheduling; Description: Semi Outdoor High Bright Commercial Display; Warranty: 3 Years On-Site	\$4,460.00	1095	71.7	Yes	n/a	Yes	729507819174
UD46A	46" Ultra Narrow Bezel Professional LED LCD Display - TAA; Contrast Ratio: 3000:1; Response Time: 8ms; Brightness: 700cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-SUB 15 pin), DVI-D, Display Port, Composite, HDMIx2, Component (thru VGA port, requires optional adaptor), RCA (L/R), Stereo Mini Jack; Bezel Color: Glossy Black; Pixel Pitch: 0.53025mm(H)*0.53025mm(V); Special Features: Lamp Error Detection, Anti-Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Built-in Video Wall processor (10x10), Portrait Orientation, Button Lock, Digital Daisy Chain, Smart Scheduling, Smart F/W update, 24/7 Continuous Operation; Description: 46" Ultra Narrow Bezel, Video Wall Direct-lit LED LCD; Warranty: 3 Year Onsite Parts/Labor	\$5,998.00	1095	39.6	Yes	n/a	Yes	729507817866
UE46A	46" Slim Bezel Professional LED LCD Display - TAA; contrast Ratio: 5000:1; Response Time: 4ms; Brightness: 420cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-sub 15 pin), DVI-D, HDMI, DisplayPort, Component (CVBS common), USB, Stereo mini jack; Bezel Color: Black; Pixel Pitch: 0.46125(H) X 0.15375(V); Special Features: Built-in Speaker (10W + 10W), Simple Plug & Play media player (thru USB), Built-in MagicInfo Lite signage software, Ultra-Narrow bezel, Slim chassis depth (1.18"), 3D Ready (requires optional 3D glasses), DVI-D (Digital loop-out), RJ45; Description: 46" Professional Ultra Narrow Bezel Edge-lit LED LCD; Warranty: 3 Year Onsite Parts/Labor	\$3,229.00	1095	35	Yes	n/a	Yes	729507816920
<u>52", 57", 70" & 82" TFT LCD Displays:</u>								
550DX	55" Professional LCD Display-TAA; Contrast Ratio: 4000:1; Response Time: 8ms; Brightness: 700 cd/m2; Display Resolution: 1920 x 1080; Viewing Angle: 178/178; Input: VGA, DVI-D(in/out), DisplayPort, Composite, HDMI(2), Component(D-sub 15pin), RS232C(in/out), RJ45; Bezel Color: Black; Pixel Pitch: 0.21(H) x 0.63(V); Special Features: 24/7 Continuous run-time reliability, Lamp Error Detection, Brightness Sensor, Anti-Image Retention functions, Temperature Sensor, RS232C/RJ45 MDC, Built in Speaker (10W + 10W), Plug and Play (DDC2B), PIP/PBP, Video Wall(10x10), Portrait Orientation support, Button Lock, Digital Daisy Chain (DVI-out), Smart Scheduling, Smart F/W update, Compatible with optional SIM-NT module accessory (embedded PC w/MagicInfo Software), Energy Star 5.0 compliant. Warranty: 3 Year Onsite Parts/Labor	\$3,306.00	1095	92.4	Yes	n/a	Yes	729507813950
DE55C	DE55C 55-in Professional LED LCD Display - TAA; Contrast Ratio: 4000:1 Contrast Ratio (Dynamic); Response Time: 8ms; Brightness: 700nit; Display Resolution: 1920x1080 (16:9); Viewing Angle: 178:178; Input: VGA D-Sub, DVI-D, Display Port(in/out), Component(VCBS common), HDMI, Stereo mini Jack(in/out), RS-232C(In/Out) thru Stereo Jack, RJ-45 External Control; Bezel Color: Black; Pixel Pitch: 0.21(H) X 0.63(V); Special Features: Edge-lit LED backlight design, 24/7 operation, embedded media player, Anti-Reflection, Non Glossy Design, Built in MagicInfo Lite, Built in Speaker(10W + 10W), Plug and Play (through USB), Narrow Bezel, Slim Depth (35.1mm), Compatible with external media player options - SBB-A, SBBAD7, PIM-BD7; Warranty: 3 Years Onsite Parts/Labor	\$4,153.00		56.8	Yes	n/a	Yes	8806085270558



SAMSUNG Display MSRP Price List - EFFECTIVE March 2013

Mfg Part Number	Product Description	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC
700DX-3	70 inch Professional LCD Display - TAA; Contrast Ratio: 2,500:1 (Typical); Response Time: 8ms; Brightness: 600 cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-Sub 15 Pin), DVI-D (In/Out), DisplayPort, Composite, Component (D-Sub 15 Pin), HDMIx2, RCA (L/R), Stereo Mini Jack (In/Out), RJ45, RS232C (In/Out); Bezel Color: Matte Black; Special Features: Lamp Error Detection, Anti Retention, Brightness Sensor, Temperature Sensor, Built-In Fan Control, RS232C MDC, Built in Speaker (15W + 15W), Plug and Play (DDC2B, DDC/CI), PIP/PBP, Video Wall(5x5), Pivot Display, Button Lock, Digital Daisy Chain;Warranty: 3 Years On-Site (Parts/Labor/Backlight); Warranty: 3 Years On-Site (Parts/Labor/Backlight)	\$12,306.00	1095	228.8	n/a	n/a	Yes	729507819792
700TSn-2	70" Professional LCD Touch Display with MagicInfo S/W-TAA; Contrast Ratio: 2000:1; Response Time: 8ms; Brightness: 600cd/m2; Display Resolution: 1920x1080; Viewing Angle: 600cd/m2; Input: VGA (D-SUB), DVI-D (in/out), CVBS, Component, BNC, HDMI, RS232C(in/out) Bezel Color: Black (brushed metal); Pixel Pitch: 0.807(H) x 0.807(V); Special Features: Infrared touch screen module, Lamp Error Detection, Anti Image Retention, Brightness Sensor, Temperature Sensor, Built-In Fan Control, RS232C MDC, Built in Speaker (15W + 15W), Plug and Play (DDC2B, DDC/CI), PIP/PBP, Video Wall(5x5), Portrait/Landscape function, Button Lock, Digital Daisy Chain, MagicInfo S/W, Windows Embedded Standard 2009 with embedded PC, Stand Included. Description: The Samsung 700TSn-2 70" LCD Touch Display is a simple, integrated solution featuring fast and accurate touch-sensitive infrared (IR) technology; Warranty: 3 Year Onsite Parts/Labor	\$22,614.00	1095	325.6	n/a	n/a	Yes	729507810737
820DXn-2	82" Professional LCD Display with MagicInfo S/W-TAA; Contrast Ratio: 2000:1; Response Time: 8ms; Brightness: 600 cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178°/178°; Input: VGA, DVI (in/out), BNC/Component (in/out), Composite, HDMI, RS232C(in/out); Bezel Color: Matte Black; Pixel Pitch: 0.9405(H) x 0.9405(V); Special Features: Lamp Error Detection, Anti Image Retention, Brightness Sensor, Temperature Sensor, Built-In Fan Control, RS232C MDC, Built in Speaker (15W + 15W), Plug and Play (DDC2B, DDC/CI), PIP/PBP, Video Wall(5x5), Portrait/Landscape function, Button Lock, Digital Daisy Chain, MagicInfo S/W, Windows Embedded Standard 2009 with embedded PC, Stand Included. Warranty: 3 Year Onsite Parts/Labor	\$67,691.00	1095	338.8	n/a	n/a	Yes	729507810799
820TSn-2	82" Professional LCD Touch Display with MagicInfo S/W-TAA; Contrast Ratio: 2000:1; Response Time: 8ms; Brightness: 600cd/m2; Display Resolution: 1920x1080; Viewing Angle: 600cd/m2; Input: VGA (D-SUB), DVI-D (in/out), CVBS, Component, BNC, HDMI, RS232C(in/out); Bezel Color: Black (brushed metal); Pixel Pitch: 0.9405(H) x 0.9405(V); Special Features: Infrared touch screen module, Lamp Error Detection, Anti Image Retention, Brightness Sensor, Temperature Sensor, Built-In Fan Control, RS232C MDC, Built in Speaker (15W + 15W), Plug and Play (DDC2B, DDC/CI), PIP/PBP, Video Wall(5x5), Portrait/Landscape function, Button Lock, Digital Daisy Chain, MagicInfo S/W, Windows Embedded Standard 2009 with embedded PC, Stand Included. Description: The Samsung 820TSn-2 82" LCD Touch Display is a simple, integrated solution featuring fast and accurate touch-sensitive infrared (IR) technology. Warranty: 3 Year Onsite Parts/Labor	\$84,614.00	1095	385	n/a	n/a	Yes	729507810744
DE55A	55" Professional LED LCD Display - TAA; Contrast Ratio: 4000:1; Response Time: 10ms; Brightness: 600cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178:178; Input: VGA (D-Sub 15 pin), DVI-D, DisplayPort, Component (CVBS common), HDMI, USB, Stereo Mini Jack Bezel Color: Glossy Black Pixel Pitch: 0.21(H) X 0.63(V); Special Features: Anti Reflection, Non Glossy Design, Built in MagicInfo Lite, Built in Speaker (10W + 10W), Plug and Play (through USB), Narrow Bezel (15.1mm, bottom 16.6mm), Slim Depth (29.9,mm), External Media Player Option (SBB-A), DVI-D (digital loop out), RS232C (in/out), RJ45, 24/7 Continuous Operation Description: 55" Professional Edge-Lit LED LCD; Warranty: 3 Year Onsite Parts/Labor	\$4,229.00	1095	48.8	Yes	n/a	Yes	729507817965
MD55B	55" inch LED LCD Commercial Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 380cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-sub 15 pin), DVI-D, HDMI, DisplayPort, Component (CVBS common), USB, Stereo mini jack, TV In; Bezel Color: Black; Pixel Pitch: 0.21(H) x 0.63(V); Special Features: Built-in TV tuner, Built-in Speaker (10W + 10W), Simple Plug & Play media player (thru USB), Built-in MagicInfo Lite signage software, Narrow bezel, Slim chassis depth (1.18"), DVI-D (Digital loop-out), RS232C (in/out); Description: 55" Professional Edge-lit LED LCD; Warranty: 3 Year Onsite Parts/Labor	\$1,998.00	1095	48.8	Yes	n/a	Yes	729507816999
ME55B	55" LED LCD Professional Display - TAA; Contrast Ratio: 5000:1; Response Time: 8ms; Brightness: 389nit; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: Analog D-SUB, DVI-D(in/out), Display Port, Component(CVBS Common), HDMI, Stereo mini Jack, RS232(in/out) thru stereo jack, RJ45; Bezel Color: Black; Pixel Pitch: 0.21(H) x 0.63(V); Special Features: Built in MagicInfo Lite, Built in Speaker(10W + 10W), Plug and Play (through USB), PIP/PBP, Narrow Bezel, Slim Depth (29.9mm), Tuner, ADA compliant form factor; Warranty: 3 Year Onsite Parts/Labor	\$2,691.00	1095	48.84	Yes	n/a	Yes	729507819327
ME65B	65" LED LCD Professional Display - TAA; Contrast Ratio: 4000:1; Response Time: 8ms; Brightness: 450cd/M2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA, DVI-D (In/Out), HDMI, DisplayPort, Component, Composite, USB, Stereo Mini Jack, RJ45, RS232C (In/Out); Bezel Color: Matte Black; Special Features: Narrow Bezel, Slim Depth, PIM Module, Digital Daisy Chain, Lamp Error Detection, Temperature Sensor, RS232C/RJ45 MDC, Video Wall (10x10), Pivot Display, Smart Scheduling, Built in MagicInfo Lite, Built in Speaker(15W + 15W), Plug and Play (through USB); Warranty: 3 Year Onsite Parts/Labor	\$4,998.00	1095	70.8	Yes	n/a	Yes	8806085179516
ME75B	75 inch LED LCD Commercial Display - TAA; Contrast Ratio: 5000:1; Response Time: 4ms; Brightness: 550nit; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-Sub 15 Pin), DVI-D (in/out), HDMI, DisplayPort, Component, Composite, USB, Stereo Mini Jack (in/out), RJ45, RS232C (in/out); Bezel Color: Glossy Black; Special Features: Narrow Bezel, Slim Depth, PIM Module, Digital Daisy Chains, Lamp Error Detection, Temperature Sensor, RS232C/RJ45 MDC, Video Wall(10x10), Pivot Display, Smart Scheduling, Built in MagicInfo Lite, Built in Speaker(15W + 15W), Plug and Play (through USB), 4GB Flash Drive Memory (1.2GB OS, 2.8GB Free), Built in TV Tuner; Warranty: 3 Years On-Site (Parts/Labor/Backlight)	\$9,229.00	1095	153.3	n/a	n/a	Yes	8806085267275
UD55A	55" Ultra-Narrow Bezel Professional LED LCD Display - TAA; Contrast Ratio: 3500:1; Response Time: 8ms; Brightness: 700cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-SUB 15 pin), DVI-D, Display Port, Composite, HDMIx2, Component (thru VGA port, requires optional adaptor), RCA (L/R), Stereo Mini Jack Bezel Color: Black Pixel Pitch: 0.63x0.63 Special Features: Lamp Error Detection, Anti-Image Retention, Temperature Sensor, RS232C/RJ45 MDC, Plug and Play (DDC2B), PIP/PBP, Built-in Video Wall processor (10x10), Portrait Orientation, Button Lock, Digital Daisy Chain, Smart Scheduling, Smart F/W update, 24/7 Continuous Operation Description: 55" Ultra Narrow Bezel, Video Wall Direct-lit LED LCD; Warranty: 3 Year Onsite Parts/Labor	\$8,460.00	1095	72.6	Yes	n/a	Yes	729507816784



SAMSUNG Display MSRP Price List - EFFECTIVE March 2013

Mfg Part Number	Product Description	MSRP	Warranty	Shipping Weight (lbs.)	Energy Star	EPEAT	UL Certified	UPC	
UE55A	55" Slim Bezel Professional LED LCD Display - TAA; Contrast Ratio: 5000:1; Response Time: 4ms; Brightness: 380cd/m2; Display Resolution: 1920x1080; Viewing Angle: 178/178; Input: VGA (D-sub 15 pin), DVI-D, HDMI, DisplayPort, Component (CVBS common), USB, Stereo mini jack; Bezel Color: Black; Pixel Pitch: 0.210(H) X 0.630(V); Special Features: Built-in Speaker (10W + 10W), Simple Plug & Play media player (thru USB), Built-in MagicInfo Lite signage software, Ultra-Narrow bezel, Slim chassis depth (1.18"), 3D Ready (requires optional 3D glasses), DVI-D (Digital loop-out), RS232C (in/out), RJ45; Description: 55" Professional Ultra Narrow Bezel Edge-lit LED LCD; Warranty: 3 Year Onsite Parts/Labor	\$4,614.00	1095	46.2	Yes	n/a	Yes	729507817002	
<u>Options and Accessories:</u>									
CY-AC46	Samsung A/C Kit for 460DR & 460DRn Outdoor Panel Kits	\$1,075.00	365	48.4	n/a	n/a	n/a	729507807430	
CY-EBIS	External Brightness & IR Sensor for 400UX(n)-2, 460UX(n)-2, 460UT(n)-2, 460UT(n)-B Series	\$44.00	1095	0.5	n/a	n/a	n/a	729507815862	
CY-EBISA	LED LFD ME, DE, UE, UD EXTERNAL BRIGHTNESS SENSOR	\$44.00	1095	1	n/a	n/a	n/a	729507819341	
CY-TM32	Infrared Touch Overlay for ME32B with 6 touch points	\$1,229.00	1095	11.9	n/a	n/a	n/a	729507819525	
CY-TM40	Infrared Touch Overlay for ME40B with 6 touch points	\$1,383.00	1095	15.6	n/a	n/a	n/a	729507819532	
CY-TM46	Infrared Touch Overlay for ME46B with 6 touch points	\$1,460.00	1095	20.2	n/a	n/a	n/a	729507819518	
CY-TM55	Infrared Touch Overlay for ME55B with 6 touch points	\$1,613.00	1095	26.8	n/a	n/a	n/a	729507819549	
CY-TM65	Optical Touch Overlay for ME65B	\$1,807.00	1095	48.2	n/a	n/a	n/a	729507819587	
CY-TM75	75-inch Infrared Touch Overlay for ME75B	\$3,306.00		70.8	n/a	n/a	n/a	8806085430617	
MID-UD46FS	Samsung MID Video Wall Stand Kit for UD46A LED Series	\$1,460.00	1095	88	n/a	n/a	n/a	729507818818	
MID-UD46MB	MID Kit Bar Brackets for UD46A LED Series	\$108.00	1095	4.4	n/a	n/a	n/a	729507818016	
MID-UD55FS	Samsung MID Video Wall Stand Kit for UD55A LED Series	\$1,691.00	1095	99	n/a	n/a	n/a	729507817996	
MID-UD55MB	MID Kit Bar Brackets for UD55A LED Series	\$131.00	1095	4.4	n/a	n/a	n/a	729507818009	
MID-UX40MB	MID Kit Bar Brackets for 400UX(n)-3 Series	\$108.00	1095	4.4	n/a	n/a	n/a	729507818122	
MID-UX46MB	MID Kit Bar Brackets for 460UX(n)-3 Series \$ 70.00 \$ 82.00 \$ 108.00	\$108.00	1095	4.4	n/a	n/a	n/a	729507818115	
MID40-UX3	Samsung MID Interlocking Display Kit for 400UX(n)-3 Series	\$1,383.00	1095	92	n/a	n/a	n/a	729507814698	
MID4046K	MID Accessory Kit without Base Stand for 400UX(n)-2, 460UX(n)-2 Series	\$306.00	1095	4.9	n/a	n/a	n/a	729507810300	
MID40DS	Samsung MID Interlocking Dummy Stand Kit for 400UX(n)-2 Series	\$306.00	1095	20.4	n/a	n/a	n/a	729507815916	
MID46-UX3	Samsung MID Interlocking Display Kit for 460UX(n)-3 Series	\$1,460.00	1095	110	n/a	n/a	n/a	729507814704	
MID462-UT2	Samsung MID Interlocking Display Kit for 460UT(n)-2, 460UT(n)-B Series	\$1,460.00	1095	103	n/a	n/a	n/a	729507814711	
MID462DS	Samsung MID Interlocking Dummy Stand Kit for 460UT(n)-2, 460UT(n)-B Series	\$306.00	1095	21.5	n/a	n/a	n/a	729507815923	
MID462K	MID Accessory Kit without Base Stand for 460UT(n)-2 and 460UT(n)-B Series	\$306.00	1095	5.1	n/a	n/a	n/a	729507810317	
MID462MB	MID Kit Bar Brackets for 460UT(n)-2 and 460UT(n)-B models	\$108.00	1095	4.4	n/a	n/a	n/a	729507816678	
MID46DS	Samsung MID Interlocking Dummy Stand Kit for 460UX(n)-2 Series	\$306.00	1095	22.6	n/a	n/a	n/a	729507815879	
PIM-BD7	OPS Plug-In Media Player for ME65B / ME75B Series (32G SSD / 2G RAM / Win7)	\$977.00	1095	4.2	n/a	n/a	Yes	8806085199194	
PIM-BQ7P	OPS Plug-In Media Player for ME65B IWB Function (Quad Core / 128G SSD / 4G RAM / Win7 Pro)	\$1,692.00	1095	4.2	n/a	n/a	Yes	8806085227217	
SBB-A	Slim Setback Box Media Player for ME / UE / UD / DE LED Series (16G SSD / 2G RAM)	\$885.00	1095	3.9	n/a	n/a	n/a	729507817927	
SBB-AD7	SBB Media Player for MD/ME/UE/UD/DE/SL46B/OL46B/460DR-2 Series (32G SSD/2G RAM/Win7)	\$976.00	1095	5.5	n/a	n/a	Yes	8806085363489	
SBB-AQ7	SBB Media Player for MD/ME/UE/UD/DE/SL46B/OL46B/460DR-2 Series (Quad Core/32G SSD/4G RAM/Win7)	\$1,306.00	1095	5.5	n/a	n/a	Yes	8806085363496	
SBB-DT3	Tuner Set Back Box for MP/MXn-3, FP-3, DX-3, UX(n)-3, UT(n)-2, UT(n)-B, TS(n)-3, 550DX Models	\$138.00	1095	1.4	n/a	n/a	n/a	729507816876	
SBB-NT	Network PC Set Back Box for 320MP-2, 400FP-2, 460FP-2, 520DX and 650FP Models	\$1,075.00	1095	6	n/a	n/a	Yes	729507806150	
SIM-NT	Slide-In-Module Media Player w/MagicInfo SW for FP-3, DX-3, TS-3 and 550DX Series	\$845.00	1095	7.5	n/a	n/a	Yes	729507815367	
SIM-NT64	Slide in Network Module compatible with FP-3, DX-3, TS-3, and 550DX Models	\$845.00	1095	7.5	n/a	n/a	Yes	729507818306	
SMM6330D	Stand for 63M7F, P63F, P63FP Plasma Models	\$385.00	1095	34	n/a	n/a	n/a	729507800219	
STN-520WE	STN-520WE Samsung Large Format Display Welcome Board for 40-52 LCD and 42-50 Plasma Models	\$691.00	1095	101.2	n/a	n/a	n/a	729507809519	
STN-L3255D	Stand for FP-3, DX-3, UX(n)-3, UT(n)-2, UT(n)-B, TS-3 and 550DX LCD Series	\$45.00	1095	2.8	n/a	n/a	n/a	729507815725	
STN-L3257D	Stand for MX(n), MP(n), CX(n), FX(n), FP(n), UX(n), UT(n), 400TSn, 460TSn, 520DX(n) LCD Series	\$45.00	1095	3.75	n/a	n/a	n/a	729507806174	
STN-L32D	Stand for 320MP-3, 320MXn-3 and 320TSn-3 Series	\$62.00	1095	6.6	n/a	n/a	n/a	729507816906	
STN-L4055AD	Stand for HE / ME / UE Series LED Models	\$62.00	1095	6.6	n/a	n/a	n/a	729507818023	
STN-L65D	Stand for 650FP, 650TS LCD Models	\$185.00	1095	9.7	n/a	n/a	n/a	729507814230	
STN-L75D	Stand for ME75B	\$385.00		12.5	n/a	n/a	n/a	8806085494466	
STN-LE4055D	Stand Accessory for LED EX Series - 400EX(n) / 460EX(n) / 550EX(n) - Requires STNL3257D Stand	\$62.00	1095	6.6	n/a	n/a	n/a	729507814933	
STN-P4063D	Stand for P42H, P42HP, P50H, P50HP, P50F, P50FP Plasma Models	\$45.00	1095	4	n/a	n/a	n/a	729507806167	
STN-SF40	SUR40 Table Leg Accessory Kit	\$854.00	1095	43.8	n/a	n/a	n/a	729507818214	
WMB1900T	T Wall Mount Bracket 19"~22"	\$31.00	1095	6.61	n/a	n/a	n/a	729507805436	
WMB2400T	TOC Wall Mount Bracket for 24~25.5 VESA 100X100	\$31.00	1095	6.61	n/a	n/a	n/a	729507805443	
WMN-2000AD	Picture Wire Type Wall Mount for HE40A / ME40A LED Models	\$246.00	1095	2.2	n/a	n/a	n/a	729507818054	
WMN-2000BD	Picture Wire Type Wall Mount for HE46A / ME46A / ME55A / UE46A / UE55A LED Models	\$269.00	1095	2.2	n/a	n/a	n/a	729507818061	
WMN22UDPD	Wall Mount for UD22B Series	\$385.00		14	n/a	n/a	n/a	887276017365	
WMN-4070SD	Wall Mount for HE40A / ME40A LED Models	\$169.00	1095	5.9	n/a	n/a	n/a	729507818030	
WMN-4270SD	Wall Mount for EX / HE46A / ME46A / ME55A / UE46A / UE55A LED Models	\$92.00	1095	13.6	n/a	n/a	n/a	729507814841	
WMN-460UTD	Videowall Wall Mount for 460UT Series (UPPER SIDE OPEN TYPE)	\$369.00	1095	15	n/a	n/a	n/a	729507813110	
WMN-4655MD	Video Wall Mount for UE46A / UE55A / UD55A LED Models	\$346.00	1095	9	n/a	n/a	n/a	729507818047	
WMN5770D	Wall Mount for 40-57" LCD Models and 42-63" Plasma Models	\$199.00	1095	43	n/a	n/a	n/a	729507802855	
WMN7070D	70 Wall Mount for 700DXn (LANDSCAPE)	\$998.00	1095	44.1	n/a	n/a	n/a	729507804668	
WMN8270D	82 Wall Mount for 820DXn (LANDSCAPE)	\$1,154.00	1095	61.73	n/a	n/a	n/a	729507806228	

